
Lighting Collection 2021-2022



nordlux®

We create products you want to bring home



We proudly present our 2021 assortment

Our mission is to create products you want to bring home. That means that we persistently develop and improve our range of products to provide even greater designs, more exciting functionalities and higher quality at surprisingly low prices.

These high standards are also reflected in the novelties for this year in all product categories, where each category has its significant highlights: The style universe of our Decorative collection ranges from classic designs and contemporary style to new, exciting trends. The keywords are natural elements of wood and soft shapes and industrial clean lines with an edge.

We also enhance our close collaboration with skilled, Danish designers for our Outdoor collection, acknowledging that practical and beautiful lighting is just as important outdoors, as it is indoors.

Our Functional products this year are both more practical and beautiful than ever.

We provide functional solutions for all needs and areas of the home in a streamlined, modern design. Because functional lighting should always be a beautiful as well as functional part of the interior design.

We are also significantly expanding our range of Smart products that can be controlled with a smartphone or tablet for full customisation and convenience. A brand-new competitive bulb assortment including both Smart and decorative bulbs are also highlights from Nordlux this season.

We recognize that our products need to fulfill real needs in peoples lives, whether it is a functional one, a decorative one or a convenient one. Every day, we work to fulfill these needs, and we aim to do it while providing excellent value for money.

Ultimately, we want to be able to say that we are lifting people's quality of life with light.

06 *Decorative Inspiration*

76 *Decorative Index*

200 *Outdoor Inspiration*

244 *Outdoor Index*

324 *Functional Inspiration*

344 *Functional Index*

466 *Smart Inspiration*

482 *Smart Index*

500 *Bulbs & additional Collection*

580 *FSC & responsibility*

582 *Protection & classification*

584 *Complete product index*





Decorative Collection 2021-2022

This year, the Nordlux Decorative collection balances impeccable aesthetics with practical functionality. The 2021 style universe is wide and diverse, ranging from classic designs and contemporary style to new, exiting trends.

The keywords for this collection are natural elements of wood and soft shapes, industrial clean lines with an edge and rethinking design traditions such as Art Deco and Nordic minimalism.

We also expand our multi-functional lighting range that adds to making everyday life easier, brighter, and more beautiful.

Our decorative range brings these trends together in stunning and practical lighting that lifts people's quality of life.

We proudly present our 2021 collection.

Dicte Series



The round shade of the Dicte series is made from smooth, handtied fabric that adds a cosy and homey feel to every room.

The pleated cotton shade ensures a soft and diffused light while maintaining a stringent and streamlined design expression.

Learn more about Dicte on page 134



Dicte Pendant 53
2112373009





Dicte Pendant 53
2112373001



Dicte Floor
2112414001

Dicte Pendant 40
2112353009





Fleur Table
2112115001



Fleur Series

Fleur is inspired by old times, vintage design and soft lines.
The beige powder coloured lamp is decorated with beautiful brass details.

You can easily adjust the lamp head for a pleasant, directional light.
The light is turned on and off by the retro rocking switch.

Learn more about Fleur on page 78





Fleur Wall
2112101001



Ellen Table
2112305003

Ellen Table

With references to minimalist and timeless Scandinavian design, Ellen fits beautifully into most interior designs.

The mat white glass, domed shade adds an elegant contrast to the lightweight frame and contributes visual volume and a wide field of light.

Learn more about Ellen on page 160



Ellen Table
2112305035



Notti Pendant
2011003010

Notti Series



Notti is a great example of form, materials and details that come together in the most beautiful way.

The organic and harmonic shape contributes to a complete and aesthetic expression, which certainly will do well in any interior design.

Learn more about Notti on page 80

Bend Series



Bend Single Floor
2112774003

Watch the video

Bend integrates flexibility and function with soft and homey design. The family of functional lights has integrated LED and flexible joints that you can adjust to fit your needs, whether you need it for working, reading or just relaxing.

The Build-in 3-step Moodmaker™ function lets you dim the light for full customization.

Learn more about Bend on page 96



Bend Wall
2112751003



Bend Table
2112765003


Bend Double Floor
2112784003

Skylar Pendant
2113003029



Watch the video

The Skylar luminaire is the epitome of high functionality and cool, industrial design.

The beautiful minimalistic design is equipped with innovative technology in the form of Build-in three step dimming function (Moodmaker™), which gives you the opportunity to easily change the light from your regular wall switch.

Choose between simultaneous down light and side light, only down light or only side light.


Learn more about Skylar on page 98

Skylar Series



Skylar Pendant
2113003003

Omari Series



The Omari series emits light, clean and simple Nordic lines.

The minimalist and streamlined design is easy to fit into most interior designs - perfectly balancing functionality and aesthetics.

The Moodmaker™ dimmer function makes it easy to adjust the light to every situation and need.

Learn more about Omari on page 92



Omari Floor
2112254001

Omari Table
2112245001





Omari Pendant
2112213003





Omari 5-rail
2112203001



Cody Wall
2112001003

Cody Series



Cody Wall
2112001001

Cody is a multifunctional wall lamp in a compact, minimalist design.

The practical shelf is perfect for keeping your most important necessities within reach and makes it ideal for your bedside.

A USB port underneath the lamp makes it easy to charge your phone or other device. You can easily adjust the lamp head for a practical, directional light.

Learn more about Cody on page 88

Roomi Series



Roomi Wall
2112551001



The Roomi wall light is both a functional light, a magazine compartment and a practical shelf that can store your most important necessities.

The lamp head is easily adjusted for a directional light, and you can charge your smartphone or other device with the Build-in USB port placed underneath the shelf. Perfect beside your bed or in the entrance hall to keep track of your phone and keys.

Learn more about Roomi on page 88



Time Table
2010925003

Time Series



Time is inspired by sponges in the forest, and together with the combination of matte metal and glass a simple and elegant expression is obtained.

An upward and downward light is created with the small glass element on the top of the shade, which contributes to a cosy atmosphere.

Time has a Build-in on/off function in the base, where you can turn the light on and off by touching anywhere on the base. Design and technology is nicely combined in this beautiful table lamp.

Learn more about Time on page 89

Clyde Series



Slim Nordic design and innovative technology is combined in the most compelling way in the Clyde series.

Clyde has a Build-in Moodmaker™ function, which allows you to adjust the light from your regular wall switch in three steps according to needs and situation.

Learn more about Clyde on page 102

Watch the video



Clyde Floor
2010844003



Clyde Wall
2010821003



Clyde Pendant
2010803003

Clyde Rail
2010813003





Theo Series



Theo Table
2112645003

Invite nature into your home with a trendy combination of wood and metal. The Theo series radiates a very modern and unique design expression that is softened by the use of FSC certified light ash wood.

Learn more about Theo on page 90



Theo Floor
2112654003

Theo Wall
2112631003





Theo Pendant
2112603003



Groa Pendant
2112453014

Groa Series



Groa is an open pendant, where the wooden structure supports a beautiful shadow play – an interplay of light and shadow is at the heart of this pendant.

The light spreads downwards and into the room in the most beautiful way. Create your own design expression by adding a decorative bulb.

Learn more about Groa on page 136



Uma 18 & Uma 18
2112703027 & 2112723027

The Uma series adds a modern and decorative touch to the classic pendant.

The mouth blown glass shade has an elegant, oval shape that frames the light beautifully.

Learn more about Uma on page 110

Uma Series



Uma 30
2112733027



Uma 23
2112723047



Uma 18 & Uma 23
2112703001 & 2112723001

Molli Series



The Molli series is a series of flexible lights in a minimalist and classic design. The oblique, matt opal white glass shade ensures a pleasant, diffused light.

Learn more about Clyde on page 164



Molli Single Floor
2112834003


Molli Wall
2112811003



Molli Table
2112825003

Cole Series



With a minimalist and classic design, the Cole spot series is easy to integrate into most interior designs.

The matt opal glass shades ensure a soft and diffused light that can be adjusted in the direction you need.

Learn more about Cole on page 3



Cole 5-rail
2112950003



Cole 3-rail
2112910003





Ivona 6-Pendant
2112163003

Ivona Series



Ivona 4-Pendant
2112153003

Ivona is a reinterpretation of the classic chandelier - challenging the traditional perception with a more organic and up-to-date look.

Ivona emits a beautiful light from several beautiful glass balls for a modern and extravagant style.

Learn more about Ivona on page 112



Ivona 6-Pendant
2112153035



Ivona 4-Pendant
2112153035



With an industrial and minimalist design, the Paco series can be styled to fit perfectly to your own personal taste.

Add a big and decorative bulb to create the perfect, cosy ambience.

Learn more about Paco on page 144

Paco Series



Paco Floor
2112094003



Paco Suspension
2112053035



Paco 3-Pendant
2112063003


Josefine Wall
48941003

Josefine Series



The innovative and playful design makes Josefine a decorative and modern series. The stringent tube contributes to an industrial look, which complements a rough and modern decor.

In contrast to the industrial expression are the beautiful brass details and soft shapes, balancing minimalism and elegance in the finest possible manner. Furthermore, the Josefine series allows you to create your own design expression by adding decorative bulbs.

Learn more about Josefine on page 148

Contina Series




Contina Pendant
2113153035



Contina combines attractive design and functionality, where it is the carefully selected details that make the series really stand out.


The light frame is completed by a spherical opal white glass ball that hides the light source and spreads a soft glare-free light into the room.

Learn more about Contina on page 113




New
Nordic

78




Scandinavian
Minimalism

90



Art
Deco


110



Nature


134

2021/2022



Industrial

144



Basic

160





Table Spot

180



Spot

182

Decorative Collection 2021-2022

NEW
2021



Beige
2112101001

NEW
2021




Beige
2112124001

Fleur Wall

Masterbox	Qty 3
Size	H: 26,4 cm, W: 15,3 cm, D: 21,2 cm, Shade Ø: 15,3 cm, Pipe Ø: 1,25 cm, Base Ø: 15 cm, Tilt angle: 45°
Material	Metal
IP Class	IP20, Class 2
Cable	Cable: White 150 cm replaceable Switch on fixture
Light source	E14, Max. 15W, Excl. light source,


Features
Vintage design
Elegant brass details
On/off rocking switch
Adjustable lamp head for a directional light



Fleur Floor

Masterbox	Qty 2
Size	H: 148 cm, W: 26,5 cm, L: 61,2 cm, Shade Ø: 23,4 cm, Pipe Ø: 1,6 cm, Base Ø: 26,5 cm, Tilt angle: 90°
Material	Metal
IP Class	IP20, Class 2
Cable	Cable: White 150 cm non replaceable Switch on fixture
Light source	E27, Max. 15W, Excl. light source,

Features
Vintage design
Elegant brass details
On/off rocking switch
Adjustable lamp head for a directional light



NEW
2021



Beige
2112115001



White
2010013001



Grey
2010013010




Terracotta
2010013059

Fleur Table

Masterbox	Qty 3
Size	H: 49 cm, W: 20 cm, L: 38,4 cm, Shade Ø: 15,3 cm, Pipe Ø: 1,25 cm, Base Ø: 20 cm, Tilt angle: 90°
Material	Metal
IP Class	IP20, Class 2
Cable	Cable: White 150 cm non replaceable Switch on fixture
Light source	E14, Max. 15W, Excl. light source,


Features
Vintage design
Elegant brass details
On/off rocking switch
Adjustable lamp head for a directional light



Hang Pendant

Masterbox	Qty 6
Size	Shade Ø: 5,2 cm, Shade H: 9 cm
Canopy	Color: White/Black, Material: Plastic Ø: 12,2 cm, H: 8,5 cm
Material	Porcelain
IP Class	IP20, Class 2
Cable	Textile cable: White/Black 200 cm non replaceable
Light source	E27, Max. 40W, Excl. light source,

Features
Natural design
Porcelain with nice graphic pattern
Natural earthy colors
Design your own lamp with a decorative bulb





Black
2011035003



Black
2011003003



Grey
2011035010



Grey
2011003010

Notti Table


Masterbox	Qty 3
Size	H: 34,5 cm, W: 15 cm, L: 15 cm, Shade Ø: 15 cm
Material	Metal/Glass
IP Class	IP20, Class 2
Cable	Textile cable: Black/White 150 cm non replaceable Switch on cable
Light source	E14, Max. 25W, Excl. light source,


Features
Contemporary and simple style
Organic shape
White opal mouth blown glass and matte metal

Notti Pendant

Masterbox	Qty 3
Size	H: 23,8 cm, W: 20 cm, L: 20 cm, Shade Ø: 20 cm
Canopy	Color: Black/White, Material: Plastic Ø: 12,2 cm, H: 8,6 cm
Material	Glass/Metal
IP Class	IP20, Class 2
Cable	Textile cable: Black/White 200 cm non replaceable
Light source	E27, Max. 40W, Excl. light source,

Features
Contemporary and simple style
Organic shape
White opal mouth blown glass and matte metal







Black
2010903003



Grey
2010903010




Black
45643003

Notti Pendant

Masterbox	Qty 6
Size	H: 12,5 cm, W: 6 cm, L: 6 cm, Ø: 6 cm
Canopy	Color: Black/White, Material: Plastic Ø: 12,2 cm, H: 8,6 cm
Material	Metal
IP Class	IP20, Class 2
Cable	Textile cable: Black/White 200 cm non replaceable
Light source	E27, Max. 40W, Excl. light source,


Features
Contemporary and simple style
Organic shape
Design your own lamp with a decorative bulb



Aud Pendant

Masterbox	Qty 3
Size	H: 11,9 cm, Ø: 6,5 cm
Canopy	Color: Black, Material: Plastic Ø: 10,6 cm, H: 7,2 cm
Material	Metal
IP Class	IP20, Class 2
Cable	Cable: Black 300 cm non replaceable
Light source	E27, Max. 60W, Excl. light source,

Features
Contemporary and simple style
Design your own lamp with a decorative bulb





Light gray
48905011



White
48924001

Christina Table


Masterbox	Qty 3
Size	H: 30 cm, Shade Ø: 20 cm, Base Ø: 13 cm
Material	Concrete/Glass
IP Class	IP20, Class 2
Cable	Cable: Black 150 cm non replaceable Switch on cable
Light source	E27, Max. 25W, Excl. light source,


Features
Industrial style
Design your own lamp with a decorative bulb

Milford Floor

Masterbox	Qty 2
Size	H: 139,4 cm, Shade Ø: 30 cm, Base Ø: 28 cm
Material	Metal/Glass
IP Class	IP20, Class 2
Cable	Textile cable: White 180 cm non replaceable Switch on cable
Light source	E27, Max. 40W, Excl. light source,

Features
Soft and natural style
Opal mouth blown glass
Provides a soft, diffused light







Nature (brown)
48915001



Black
48965001

Milford Table


Masterbox	Qty 3
Size	H: 21,7 cm, Shade Ø: 20 cm, Base Ø: 11 cm
Material	Glass/Wood
IP Class	IP20, Class 2
Cable	Textile cable: White 150 cm non replaceable Switch on cable
Light source	E27, Max. 40W, Excl. light source,


Features
Soft and natural style
Opal mouth blown glass
Provides a soft, diffused light
FSC certified ash wood base

Milford Table

Masterbox	Qty 3
Size	H: 20 cm, Shade Ø: 20 cm
Material	Glass/Metal
IP Class	IP20, Class 2
Cable	Textile cable: Black 150 cm non replaceable Switch on cable
Light source	E27, Max. 40W, Excl. light source,

Features
Soft and natural style
Opal mouth blown glass
Provides a soft, diffused light







46573001




46583001

Milford 20 Pendant

Masterbox	Qty 3
Size	H: 33,5 cm, Shade Ø: 20 cm
Canopy	Color: White, Material: Plastic
	Ø: 11,7 cm, H: 9 cm
Material	Glass
IP Class	IP20, Class 2
Cable	Textile cable: White 300 cm non replaceable
Light source	E27, Max. 40W, Excl. light source,

Features

Soft and natural style
Opal mouth blown glass
Provides a soft, diffused light




Milford 30 Pendant

Masterbox	Qty 2
Size	H: 23,5 cm, Shade Ø: 30 cm
Canopy	Color: White, Material: Plastic
	Ø: 11,7 cm, H: 9 cm
Material	Glass
IP Class	IP20, Class 2
Cable	Textile cable: White 300 cm non replaceable
Light source	E27, Max. 40W, Excl. light source,

Features

Soft and natural style
Opal mouth blown glass
Provides a soft, diffused light





White
45833001



Black
45833003



Green
45833023




Anthracite
45833050

Pop Pendant

Masterbox	Qty 3
Size	H: 23 cm, Shade Ø: 21,5 cm
Canopy	Color: White/Black, Material: Plastic Ø: 11,8 cm, H: 5,8 cm
Material	Metal
IP Class	IP20, Class 2
Cable	Cable: White/Black 200 cm non replaceable
Light source	E27, Max. 60W, Excl. light source,

Features
Contemporary and simple style
Glossy colour





White
45983001




Black
45983003

Pop Maxi Pendant

Masterbox	Qty 2
Size	H: 28,5 cm, Shade Ø: 35 cm
Canopy	Color: White/Black, Material: Plastic Ø: 11,8 cm, H: 5,8 cm
Material	Metal
IP Class	IP20, Class 2
Cable	Cable: White/Black 200 cm non replaceable
Light source	E27, Max. 60W, Excl. light source,

Features
Contemporary and simple style
Glossy colour





White
45841001



White
48754001



Black
45841003



Green
45841023



Anthracite
45841050



Grey
48754011

Pop Wall

Masterbox	Qty 3
Size	H: 20 cm, W: 15,5 cm, D: 19 cm, Shade Ø: 15,5 cm, Pipe Ø: 1,3 cm, Base mount: Ø11 cm
Material	Metal
IP Class	IP20, Class 2
Cable	Cable: White/Black 180 cm replaceable Switch on cable
Light source	E27, Max. 60W, Excl. light source,

Features

Contemporary and simple style

Glossy colour


Pop Rough Floor


Masterbox	Qty 2
Size	H: 145 cm, Shade Ø: 15 cm, Base Ø: 15 cm, Tilt angle: 30°
Material	Metal/Plastic
IP Class	IP20, Class 2
Cable	Cable: White/Black 150 cm non replaceable Switch on cable
Light source	E27, Max. 15W, Excl. light source,

Features

Contemporary and simple style

Rough matte surface with brass details







White
48745001




Grey
48745011

Pop Rough Table

Masterbox	Qty 3
Size	H: 47 cm, Shade Ø: 15 cm, Base Ø: 23 cm, Tilt angle: 30°
Material	Metal/Plastic
IP Class	IP20, Class 2
Cable	Cable: White/Black 150 cm non replaceable Switch on cable
Light source	E27, Max. 15W, Excl. light source,

Features
Contemporary and simple style
Rough matte surface with brass details





White
48733001




Grey
48733011

Pop Rough Pendant

Masterbox	Qty 3
Size	Shade Ø: 21,5 cm, Shade H: 23 cm
Canopy	Color: White/Black, Material: Plastic Ø: 12,3 cm, H: 8,7 cm
Material	Metal/Plastic
IP Class	IP20, Class 2
Cable	Cable: White/Black 200 cm non replaceable
Light source	E27, Max. 60W, Excl. light source,

Features
Contemporary and simple style
Rough matte surface with brass details



NEW
2021



White
2112001001

USB
Output



Black
2112001003




Green
2112001023

Cody Wall

Masterbox	Qty 3
Size	H: 42,9 cm, W: 20 cm, D: 20 cm, Shade Ø: 6 cm, Pipe Ø: 1,13 cm, Tilt angle: 90°
Material	Metal
IP Class	IP 20, Class 2
Cable	Cable: White/Black 150 cm non replaceable Switch on fixture
Light source	GU10, Max. 15W, Excl. light source,

Features

Compact and minimalist design
Multifunctional bedside lamp
USB port for charging your phone or other device
Small shelf for storage
Adjustable lamp head for a directional light



NEW
2021



White
2112551001

USB
Output




Black
2112551003

Roomi Wall

Masterbox	Qty 2
Size	H: 28,2 cm, W: 24,8 cm, D: 16,5 cm, Shade Ø: 5,5 cm, Flex arm: 29,7 cm
Material	Metal/Metal
IP Class	IP20, Class 2
Cable	Cable: White/Black 150 cm non replaceable Switch on fixture
Light source	GU10, Max. 35W, Excl. light source,

Features


Minimalist functional design
Multifunctional bedside lamp
Small shelf for storage
Adjustable lamp head for a directional light
USB port for charging your phone or other device





Black
2010925003

Touch
On/Off




Grey
2010925010

Time Table

Masterbox	Qty 3
Size	H: 34 cm, W: 26,7 cm, L: 26,7 cm, Shade Ø: 26,7 cm, Base Ø: 12,5 cm
Material	Metal/Glass
IP Class	IP20, Class 2
Cable	Textile cable: Black/White 150 cm non replaceable Switch on fixture
Light source	E27, Max. 40W, Excl. light source,

Features

Scandinavian contemporary style
Upward and downward light
Mix of matte metal and opal glass
On/off touch function on the base



NEW
2021



Black
2112631003

NEW
2021




Black
2112654003

Theo Wall

Masterbox	Qty 3
Size	H: 13 cm, W: 13 cm, D: 20,7 cm, Shade Ø: 12,5 cm, Base Ø: 13 cm, Tilt angle: 90°
Material	Metal/Wood
IP Class	IP20, Class 2
Cable	Textile cable: Black 150 cm replaceable Switch on fixture
Light source	GU10, Max. 35W, Excl. light source,


Features
Soft natural design
Elegant mix of wood and metal
FSC certified ash wood
Adjustable lamp head for a directional light



Theo Floor

Masterbox	Qty 2
Size	H: 130,5 cm, W: 25 cm, L: 53,6 cm, Shade Ø: 12,5 cm, Pipe Ø: 2,2 cm, Base Ø: 25 cm, Tilt angle: 90°
Material	Metal/Wood
IP Class	IP20, Class 2
Cable	Textile cable: Black 150 cm non replaceable Switch on cable
Light source	GU10, Max. 35W, Excl. light source,

Features
Soft natural design
Elegant mix of wood and metal
FSC certified ash wood
Adjustable lamp head for a directional light



NEW
2021



Black
2112645003

NEW
2021



Black
2112603003

Theo Table


Masterbox	Qty 2
Size	H: 42,7 cm, W: 15 cm, L: 33 cm, Shade Ø: 12,5 cm, Pipe Ø: 1,9 cm, Base Ø: 15 cm, Tilt angle: 90°
Material	Metal/Wood
IP Class	IP20, Class 2
Cable	Textile cable: Black 150 cm non replaceable Switch on cable
Light source	GU10, Max. 35W, Excl. light source,


Features
Soft natural design
Elegant mix of wood and metal
FSC certified ash wood
Adjustable lamp head for a directional light

Theo Pendant

Masterbox	Qty 2
Size	H: 16 cm, W: 92,6 cm, Shade Ø: 12,5 cm
Canopy	Color: Black, Material: Metal Base Mount: 50x4 cm, H: 3 cm
Material	Metal/Wood
IP Class	IP20, Class 2
Cable	Textile cable: Black 200 cm non replaceable
Light source	GU10, Max. 35W, Excl. light source,

Features
Soft natural design
Elegant mix of wood and metal
FSC certified ash wood





NEW
2021



White
2112193001



Step dimming
by wall switch




Black
2112193003

Omari Spot

Masterbox	Qty 3
Size	H: 12 cm, W: 3,5 cm, L: 78 cm, Shade Ø: 3 cm, Tilt angle: 90°
Canopy	Color: White/Black, Material: Metal Ø: 78 cm, H: 2,6 cm
Material	Metal
IP Class	IP20, Class 2
Light source	Fixed LED, Incl. 3x3,2W LED, Incl. 3-Step, Lumen 360, Kelvin 2700, Life hours 25.000, RA 80,

Features

Minimalist and streamlined design
Adjustable lamp head for a directional light
5 year LED guarantee
Moodmaker™ 3-step dimmable on wall switch





Moodmaker™ 3-step dimmable on wall switch

NEW
2021



White
2112203001



Step dimming
by wall switch




Black
2112203003

Omari Spot

Masterbox	Qty 2
Size	H: 12 cm, W: 3,5 cm, L: 118 cm, Shade Ø: 3 cm, Tilt angle: 90°
Canopy	Color: White/Black, Material: Metal Ø: 118 cm, H: 2,6 cm
Material	Metal
IP Class	IP20, Class 2
Light source	Fixed LED, Incl. 5X3,2W LED, Incl. 3-Step, Kelvin 2700, Life hours 25.000, RA 80,

Features

Minimalist and streamlined design
Adjustable lamp head for a directional light
5 year LED guarantee
Moodmaker™ 3-step dimmable on wall switch





Moodmaker™ 3-step dimmable on wall switch

NEW
2021



White
2112231001

Step dimming
on the product




Black
2112231003

Omari Wall

Masterbox	Qty 4
Size	H: 12 cm, W: 7 cm, D: 12 cm, Shade Ø: 3 cm, Base Ø: 12 cm, Tilt angle: 90°
Material	Metal
IP Class	IP20, Class 2
Cable	Cable: White/Black 150 cm replaceable Switch on fixture
Light source	Fixed LED, Incl. 3,2W LED, Incl. Touch, Lumen 360, Kelvin 2700, Life hours 25.000, RA 80,

Features
Minimalist and streamlined design
Adjustable lamp head for a directional light
5 year LED guarantee
Moodmaker™ touch dimmable on base





Moodmaker™ Touch dimmable on base

NEW
2021



White
2112254001

Step dimming
on the product




Black
2112254003

Omari Floor

Masterbox	Qty 2
Size	H: 141 cm, W: 20 cm, L: 20,6 cm, Shade Ø: 3 cm, Base Ø: 20 cm, Tilt angle: 90°
Material	Metal
IP Class	IP20, Class 3
Cable	Cable: White/Black 150 cm non replaceable Switch on fixture
Light source	Fixed LED, Incl. 2x3,2W LED, Incl. Touch, Lumen 360, Kelvin 2700, Life hours 25.000, RA 80,


Features
Minimalist and streamlined design
Adjustable lamp head for a directional light
5 year LED guarantee
Moodmaker™ touch dimmable on fixture





Moodmaker™ Touch dimmable on fixture

NEW
2021



White
2112245001



Step dimming
on the product




Black
2112245003

Omari Table

Masterbox	Qty 3
Size	H: 40 cm, W: 10 cm, L: 15,5 cm, Shade Ø: 3 cm, Pipe Ø: 1,15 cm, Base Ø: 10 cm, Tilt angle: 90°
Material	Metal
IP Class	IP20, Class 3
Cable	White/Black 150 cm non replaceable Switch on fixture
Light source	Fixed LED, Incl. 3,2W LED, Incl. Touch, Lumen 360, Kelvin 2700, Life hours 25.000, RA 80, Not dimmable

Features

Minimalist and streamlined design
Adjustable lamp head for a directional light
Moodmaker™ touch dimmable on base





Moodmaker™ Touch dimmable on base

NEW
2021



White
2112213001



Step dimming
by wall switch




Black
2112213003

Omari Pendant

Masterbox	Qty 3
Size	H: 20 cm, W: 12,2 cm, L: 12,2 cm, Shade Ø: 3 cm
Canopy	Color: White/Black, Material: Plastic Ø: 12,2 cm, H: 8,5 cm
Material	Metal/Plastic
IP Class	IP20, Class 2
Cable	Cable: White/Black 200 cm non replaceable
Light source	Incl. 3,2W LED, Lumen 360, Kelvin 2700, Life hours 25.000, RA 80, Light source energy class F

Features

Minimalist and streamlined design
Moodmaker™ 3-step dimmable on wall switch
5 year LED guarantee





Moodmaker™ 3-step dimmable on wall switch



Black
2010453003




Grey
2010453010

Tilo Pendant

Masterbox	Qty 6
Size	Shade Ø: 6 cm, Shade H: 24,6 cm
Canopy	Color: Black/White, Material: Plastic Ø: 12,2 cm, H: 8,5 cm
Material	Metal/Wood
IP Class	IP20, Class 2
Cable	Textile cable: Black/White 200 cm non replaceable
Light source	GU10, Excl. light source,

Features
Natural Scandinavian simplicity
Natural mix of ash wood and matte metal
Emits a precise downward light
Removeable wood top
FSC certified ash wood





Black
2010473003




Grey
2010473010

Tilo 3-Pendant

Masterbox	Qty 3
Size	W: 22 cm, L: 6 cm, Shade Ø: 6 cm, Shade H: 24,6 cm
Canopy	Color: Black, Material: Metal Ø: 22,6 cm, H: 2,7 cm
Material	Metal/Wood
IP Class	IP20, Class 2
Cable	Textile cable: Black 200 cm non replaceable
Light source	GU10, Max. 15W, Excl. light source,

Features
Natural Scandinavian simplicity
Natural mix of ash wood and matte metal
Emits a precise downward light
FSC certified ash wood





Black
2010483003



Grey
2010483010

NEW
2021



Black
2112751003


Touch dimming
on the product

Tilo 5-Pendant

Masterbox	Qty 2
Size	W: 6 cm, L: 80,6 cm, Shade Ø: 6 cm, Shade H: 24,6 cm
Canopy	Color: Black, Material: Metal W: 80,6 cm, H: 3,7 cm
Material	Metal/Wood
IP Class	IP20, Class 2
Cable	Textile cable: Black 200 cm non replaceable
Light source	GU10, Excl. light source,

Features

Natural Scandinavian simplicity
Natural mix of ash wood and matte metal
Emits a precise downward light
FSC certified ash wood




Bend Wall

Masterbox	Qty 3
Size	H: 21 cm, W: 12 cm, D: 31,8 cm, Shade Ø: 12 cm, Pipe Ø: 1,6 cm, Base Ø: 11 cm, Tilt angle: 90°
Material	Metal/Aluminium
IP Class	IP20, Class 3
Cable	Textile cable: Black 150 cm non replaceable
Light source	Fixed LED, Incl. 5W LED, Incl. Touch, Lumen 480, Kelvin 2700, Life hours 20.000, RA 80, Beam angle 110°,

Features

Scandinavian minimalistic design
Moodmaker™ Touch dimmable on fixture
Adjustable arm and turn of lamp head for a directional light
5 year LED guarantee



NEW
2021



Black
2112765003

Touch dimming
on the product

NEW
2021




Black
2112774003

Touch dimming
on the product

Bend Table

Masterbox	Qty 2
Size	H: 45,5 cm, W: 15 cm, L: 27,3 cm, Shade Ø: 12 cm, Pipe Ø: 1,6 cm, Base Ø: 15 cm, Tilt angle: 60°
Material	Metal/Aluminium
IP Class	IP20, Class 3
Cable	Textile cable: Black 150 cm non replaceable
Light source	Fixed LED, Incl. 5W LED, Incl. Touch, Lumen 480, Kelvin 2700, Life hours 20.000, RA 80, Beam angle 110°,


Features
Scandinavian minimalistic design
Moodmaker™ Touch dimmable on fixture
Adjustable arm and turn of lamp head for a directional light
5 year LED guarantee
USB port for charging your phone or other device



Bend Floor

Masterbox	Qty 2
Size	H: 135 cm, W: 25 cm, L: 36,8 cm, Shade Ø: 12 cm, Pipe Ø: 1,6 cm, Base Ø: 25 cm, Tilt angle: 60°
Material	Metal/Aluminium
IP Class	IP20, Class 3
Cable	Textile cable: Black 150 cm non replaceable
Light source	Fixed LED, Incl. 5W LED, Incl. Touch, Lumen 410, Kelvin 2700, Life hours 20.000, RA 80, Beam angle 110°,

Features
Scandinavian minimalistic design
Moodmaker™ Touch dimmable on fixture
Adjustable arm and turn of lamp head for a directional light
5 year LED guarantee



NEW
2021



Black
2112784003

Touch dimming
on the product

NEW
2021



Black
2113003003

Step dimming
by wall switch




Aluminium
2113003029

Bend 2-Floor

Masterbox	Qty 2
Size	H: 135 cm, W: 25 cm, L: 53 cm, Shade Ø: 12 cm, Pipe Ø: 1,6 cm, Base Ø: 25 cm, Tilt angle: 60°
Material	Metal/Aluminium
IP Class	IP20, Class 3
Cable	Textile cable: Black 150 cm non replaceable
Light source	Fixed LED, Incl. 2x5W LED, Incl. Touch, Lumen 820, Kelvin 2700, Life hours 20.000, RA 80, Beam angle 110°,

Features

Scandinavian minimalistic design
Moodmaker™ Touch dimmable on fixture
Adjustable arm and turn of lamp head for a directional light
5 year LED guarantee





Skylar Pendant

Masterbox	Qty 2
Size	H: 4,2 cm, W: 115 cm, L: 3,8 cm
Canopy	Color: Black/Grey, Material: Metal Ø: 48x9x2,8 cm, H: 2,8 cm
Material	Aluminium/Plastic
IP Class	IP20, Class 2
Cable	Black 205 cm non replaceable
Light source	Fixed LED, Incl. 25W LED, Lumen 2.600, Kelvin 3000, Life hours 25.000, RA 90, Beam angle 120°,


Features

Minimalist and industrial design
Very high light output 2600 lumen
Moodmaker™ 3-step dimmable on wall switch
5 year LED guarantee
Memory function remembers your last dimmer setting





Moodmaker™ 3-step dimmable on wall switch




White
2010756001

Dim to warm




White
2010763001

Dim to warm



Grey
2010756010




Grey
2010763010

Piso Ceiling

Masterbox	Qty 3
Size	W: 36,5 cm, L: 36,5 cm, D: 5,6 cm, Shade Ø: 36,5 cm
Material	Metal/Plastic
IP Class	IP20, Class 2
Light source	Fixed LED, Incl. 22W LED, Lumen 1.600, Kelvin 2200-2700, Life hours 25.000, RA 80, Beam angle 120°, Dimmable


Features
Scandinavian minimalistic design
Moodmaker™ Build-in dim-to-warm technology operated from wall switch
Provides a soft, diffused light
5 year LED guarantee



Piso Pendant

Masterbox	Qty 3
Size	H: 17,15 cm, W: 36,5 cm, L: 36,5 cm, Shade Ø: 36,5 cm
Canopy	Color: White/Grey, Material: Metal Ø: 12,5 cm, H: 2,5 cm
Material	Metal/Plastic
IP Class	IP20, Class 2
Cable	Textile cable: White/Grey 200 cm non replaceable
Light source	Fixed LED, Incl. 21W LED, Lumen 1.600, Kelvin 2200-2700, Life hours 25.000, RA 80, Beam angle 120°, Dimmable

Features
Scandinavian minimalistic design
Moodmaker™ Build-in dim-to-warm technology operated from wall switch
Provides a soft, diffused light
5 year LED guarantee








Balance Wall

Masterbox	Qty 2
Size	H: 31 cm, W: 30 cm, D: 50 cm, Shade Ø: 30 cm, Pipe Ø: 1,3 cm, Tilt angle: 136°
Material	Metal/Acrylic
IP Class	IP20, Class 2
Cable	Textile cable: Black 150 cm non replaceable Switch on cable
Light source	Fixed LED, Incl. 17,5W LED, Incl. 3-Step Moodmaker™ 100-50-25%, Lumen 1.200, Kelvin 2700, Life hours 30.000, RA 80, Beam angle 120°,

Features

Scandinavian minimalistic design
Moodmaker™ 3-step dimmable on cable switch
Adjustable up/down and to both sides
5 year LED guarantee






Moodmaker™ 3-step dimmable on cable switch

Balance Floor

Masterbox	Qty 2
Size	H: 140 cm, Shade Ø: 42 cm, Pipe Ø: 1,55 cm, Base Ø: 26 cm
Material	Metal/Acrylic
IP Class	IP20, Class 2
Cable	Textile cable: Black 150 cm non replaceable Switch on fixture
Light source	Fixed LED, Incl. 17,5W LED, Incl. 3-Step Moodmaker™ 100-50-25%, Lumen 1.700, Kelvin 2700, Life hours 30.000, RA 80, Beam angle 120°,

Features

Scandinavian minimalistic design
Moodmaker™ 3-step dimmable on socket switch
Interchangeable decorative top in black & brass
5 year LED guarantee






Moodmaker™ 3-step dimmable on socket switch



Black
2010145003

Step dimming
on the product

Incl. black
& brass top




Black
2010103003

Step dimming
by wall switch

Balance Table

Masterbox	Qty 2
Size	H: 49,5 cm, W: 30 cm, Shade Ø: 30 cm, Pipe Ø: 1,35 cm, Base Ø: 18,5 cm
Material	Metal/Acrylic
IP Class	IP20, Class 2
Cable	Textile cable: Black 150 cm non replaceable Switch on fixture
Light source	Fixed LED, Incl. 17,5W LED, Incl. 3-Step Moodmaker™ 100-50-25%, Lumen 1.200, Kelvin 2700, Life hours 30.000, RA 80, Beam angle 120°,

Features
Scandinavian minimalistic design
Moodmaker™ 3-step dimmable on socket switch
Interchangeable decorative top in black & brass
5 year LED guarantee






Moodmaker™ 3-step dimmable on socket switch

Balance Pendant

Masterbox	Qty 3
Size	Shade Ø: 42 cm, Shade H: 15,8 cm
Canopy	Color: Black, Material: Plastic Ø: 12,3 cm, H: 8,6 cm
Material	Metal/Acrylic
IP Class	IP20, Class 2
Cable	Textile cable: Black 200 cm non replaceable
Light source	Fixed LED, Incl. 17,5W LED, Incl. 3-Step Moodmaker™ 100-50-25%, Lumen 1.700, Kelvin 2700, Life hours 30.000, RA 80, Beam angle 120°,

Features
Scandinavian minimalistic design
Moodmaker™ 3-step dimmable on wall switch
5 year LED guarantee





Moodmaker™ 3-step dimmable on wall switch



Black
2010821003

Step dimming
on the product




Black
2010844003

Step dimming
on the product

Clyde Wall

Masterbox	Qty 3
Size	H: 10 cm, W: 10 cm, D: 13,6 cm, Shade Ø: 8,5 cm, Tilt angle: 320°
Material	Metal/Plastic
IP Class	IP20, Class 2
Cable	Textile cable: Black 150 cm replaceable Switch on wall base
Light source	Fixed LED, Incl. 5W LED, Incl. 3-Step Moodmaker™, Lumen 350, Kelvin 2700, Life hours 25.000, RA 80, Beam angle 120°,

Features
Scandinavian minimalistic design
Moodmaker™ 3-step dimmable with memory function
350 lumen per lamp head
5 year LED guarantee
Adjustable joint and flexible lamp head for a directional light






Moodmaker™ 3-step dimmable with memory function

Clyde Floor

Masterbox	Qty 2
Size	H: 138 cm, W: 23 cm, L: 26,6 cm, Shade Ø: 8,5 cm, Pipe Ø: 1,6 cm, Base Ø: 23 cm, Tilt angle: 130°
Material	Metal/Plastic
IP Class	IP20, Class 2
Cable	Textile cable: Black 150 cm non replaceable Switch on cable
Light source	Fixed LED, Incl. 2X5W LED, Incl. 3-Step Moodmaker™, Lumen 2X350, Kelvin 2700, Life hours 25.000, RA 80, Beam angle 120°,

Features
Scandinavian minimalistic design
Moodmaker™ 3-step dimmable with memory function
350 lumen per lamp head
5 year LED guarantee
Adjustable joint and flexible lamp head for a directional light





Moodmaker™ 3-step dimmable with memory function



Black
2010835003

Step dimming
on the product



Black
2010803003


Step dimming
by wall switch

Clyde Table

Masterbox	Qty 3
Size	H: 40,7 cm, W: 15 cm, L: 25,5 cm, Shade Ø: 8,5 cm, Pipe Ø: 1,15 cm, Tilt angle: 130°
Material	Metal/Plastic
IP Class	IP20, Class 2
Cable	Textile cable: Black 150 cm non replaceable Switch on cable
Light source	Fixed LED, Incl. 5W LED, Incl. 3-Step Moodmaker TM, Lumen 350, Kelvin 2700, Life hours 25.000, RA 80, Beam angle 120°,

Features

Scandinavian minimalistic design
Moodmaker™ 3-step dimmable with memory function
350 lumen per lamp head
5 year LED guarantee
Adjustable joint and flexible lamp head for a directional light






Moodmaker™ 3-step dimmable with memory function

Clyde Pendant

Masterbox	Qty 2
Size	H: 22,25 cm, W: 8,5 cm, L: 89,6 cm, Shade Ø: 8,5 cm, Tilt angle: 320°
Canopy	Color: Black, Material: Metal Ø: 12,5 cm, H: 2,5 cm
Material	Metal/Plastic
IP Class	IP20, Class 2
Cable	Textile cable: Black 200 cm non replaceable
Light source	Fixed LED, Incl. 4X5W SMD, Incl. 3-Step Moodmaker™, Lumen 4X350, Kelvin 2700, Life hours 25.000, RA 80, Beam angle 120°,


Features

Scandinavian minimalistic design
Moodmaker™ 3-step dimmable with memory function
350 lumen per lamp head
5 year LED guarantee
Rotatable arms for creating your own style and directions





Moodmaker™ 3-step dimmable with memory function



Black
2010813003

Step dimming
by wall switch




White
84903001

Clyde 4-Pendant

Masterbox	Qty 2
Size	H: 9,3 cm, W: 8,5 cm, L: 115 cm
Canopy	Color: Black, Material: Metal Ø: 35x9 cm, H: 2,5 cm
Material	Metal/Plastic
IP Class	IP20, Class 2
Cable	Textile cable: Black 200 cm non replaceable
Light source	Fixed LED, Incl. 4X5W SMD, Incl. 3-Step Moodmaker™, Lumen 4X350, Kelvin 2700, Life hours 25.000, RA 80, Beam angle 120°,

Features
Scandinavian minimalistic design
Moodmaker™ 3-step dimmable with memory function
350 lumen per lamp head
5 year LED guarantee




Moodmaker™ 3-step dimmable with memory function

Trumpet Pendant

Masterbox	Qty 3
Size	H: 35 cm, Shade Ø: 25,5 cm
Canopy	Color: White, Material: Plastic Ø: 11,8 cm, H: 7,35 cm
Material	Glass/Metal
IP Class	IP20, Class 2
Cable	Textile cable: White 200 cm non replaceable
Light source	E27, Max. 40W, Excl. light source,

Features
Contemporary classic style
Glossy mounth blown glass





White
39489901



White
45703001



Smoked
45703047

Bretagne Pendant


Masterbox	Qty 3
Size	H: 17 cm, Shade Ø: 38 cm, Shade H: 17 cm
Canopy	Color: White, Material: Metal
	Ø: 7,9 cm, H: 8,3 cm
Material	Metal
IP Class	IP20, Class 1
Cable	Cable: White 200 cm non replaceable
Light source	G9, Max. 40W, Excl. light source,


Features
Scandinavian classic design
Provides a soft, diffused light

Embla Pendant

Masterbox	Qty 3
Size	H: 30,5 cm, Shade Ø: 10 cm
Canopy	Color: White/Black, Material: Plastic
	Ø: 11,8 cm, H: 5,8 cm
Material	Glass
IP Class	IP20, Class 2
Cable	Textile cable: White/Black 300 cm non replaceable
Light source	E27, Max. 40W, Excl. light source,

Features
Soft contemporary style
Mouth blown glass shade







Opal glass/Black
2010863001




Opal glass/Black
2010875001

Verona Pendant

Masterbox	Qty 3
Size	H: 18,8 cm, W: 40 cm, L: 40 cm, Shade Ø: 40 cm
Canopy	Color: Black, Material: Plastic
	Ø: 12,2 cm, H: 8,6 cm
Material	Glass/Metal
IP Class	IP20, Class 2
Cable	Textile cable: Black 200 cm non replaceable
Light source	E27, Max. 40W, Excl. light source,


Features
Contemporary classic style
Mouth blown opal glass that emits a soft light



Verona Table

Masterbox	Qty 3
Size	H: 40 cm, W: 27,5 cm, L: 27,5 cm, Shade Ø: 27,5 cm,
	Pipe Ø: 1,15 cm, Base Ø: 15 cm
Material	Glass/Metal
IP Class	IP20, Class 2
Cable	Textile cable: Black 150 cm non replaceable
	Switch on fixture
Light source	E27, Max. 15W, Excl. light source,

Features
Contemporary classic style
Mouth blown opal glass that emits a soft light
Elegant on/off string on the socket





Opal glass/Black
2010884001




73153010

Verona Floor

Masterbox	Qty 2
Size	H: 150 cm, W: 40 cm, L: 40 cm, Shade Ø: 40 cm, Pipe Ø: 1,55 cm, Base Ø: 30 cm
Material	Glass/Metal
IP Class	IP20, Class 2
Cable	Textile cable: Black 150 cm non replaceable Switch on fixture
Light source	E27, Max. 25W, Excl. light source,

Features

Contemporary classic style
Mouth blown opal glass that emits a soft light
Elegant on/off string on the socket




Read 14 Pendant

Masterbox	Qty 3
Size	H: 18 cm, Shade Ø: 14 cm
Canopy	Color: Chrome, Material: Metal Ø: 9 cm, H: 5,35 cm
Material	Glass/Metal
IP Class	IP20, Class 2
Cable	Textile cable: White 180 cm non replaceable
Light source	E14, Max. 40W, Excl. light source,

Features

Soft classic design
Glossy white glass shade





73163010



White
72711001




Black
72711003

Read 20 Pendant

Masterbox	Qty 3
Size	Shade Ø: 20 cm, Shade H: 22 cm
Canopy	Color: Chrome, Material: Metal
	Ø: 9 cm, H: 5,35 cm
Material	Glass/Metal
IP Class	IP20, Class 2
Cable	Textile cable: White 180 cm non replaceable
Light source	E27, Max. 60W, Excl. light source,


Features
Soft classic design
Glossy white glass shade



Vanila Wall

Masterbox	Qty 3
Size	H: 17 cm, W: 14,5 cm, D: 28,5 cm, Shade Ø: 14,5 cm,
	Base mount: Ø9.5 cm
Material	Metal
IP Class	IP20, Class 2
Cable	Cable: Clear/Black 210 cm replaceable
	Switch on fixture
Light source	E14, Max. 40W, Excl. light source,

Features
Contemporary and simple style
Suitable for the office, living room, and bedroom





White
72704001



Black
72704003



White
72695001



Black
72695003

Vanila Floor


Masterbox	Qty 2
Size	H: 129 cm, Shade Ø: 14,5 cm, Shade H: 23 cm, Pipe Ø: 1,5 cm, Base Ø: 24 cm
Material	Metal
IP Class	IP20, Class 2
Cable	Cable: Clear/Black 210 cm non replaceable Switch on fixture
Light source	E14, Max. 40W, Excl. light source,


Features
Contemporary and simple style
Suitable for the office, living room, and bedroom

Vanila Table

Masterbox	Qty 2
Size	H: 44 cm, Shade Ø: 14,5 cm, Shade H: 23 cm, Pipe Ø: 1 cm, Base Ø: 18 cm
Material	Metal
IP Class	IP20, Class 2
Cable	Cable: White/Black 200 cm non replaceable Switch on fixture
Light source	E14, Max. 40W, Excl. light source,

Features
Contemporary and simple style
Suitable for the office, living room, and bedroom





NEW
2021



Opal white
2112703001



Amber
2112703027




Grey
2112703047

Uma 18 Pendant

Masterbox	Qty 3
Size	H: 30,5 cm, W: 18 cm, L: 18 cm, Shade Ø: 18 cm
Canopy	Color: Black/Gold, Material: Metal Ø: 12 cm, H: 2,5 cm
Material	Glass/Metal
IP Class	IP 20, Class 1
Cable	Textile cable: Black/Gold 200 cm non replaceable
Light source	E27, Max. 40W, Excl. light source,

Features
Modern and decorative design
Mouth blown glass shade
Characteristic twisted fabric cable



NEW
2021



Opal white
2112723001



Amber
2112723027




Grey
2112723047

Uma 23 Pendant

Masterbox	Qty 3
Size	H: 39,5 cm, W: 23 cm, L: 23 cm, Shade Ø: 23 cm
Canopy	Color: Black/Gold, Material: Metal Ø: 12 cm, H: 2,5 cm
Material	Glass/Metal
IP Class	IP 20, Class 1
Cable	Textile cable: Black/Gold 200 cm non replaceable
Light source	E27, Max. 40W, Excl. light source,

Features
Modern and decorative design
Mouth blown glass shade
Characteristic twisted fabric cable



NEW
2021



Opal white
2112733001



Clear
2010783001



Amber
2112733027




Grey
2112733047

Uma 30 Pendant

Masterbox	Qty 3
Size	H: 46,5 cm, W: 29 cm, L: 29 cm, Shade Ø: 29 cm
Canopy	Color: Black/Gold, Material: Metal Ø: 12 cm, H: 2,5 cm
Material	Glass/Metal
IP Class	IP 20, Class 1
Cable	Textile cable: Black/Gold 200 cm non replaceable
Light source	E27, Max. 40W, Excl. light source,


Features
Modern and decorative design
Mouth blown glass shade
Characteristic twisted fabric cable



Jelly Pendant

Masterbox	Qty 2
Size	H: 22,8 cm, W: 39 cm, L: 39 cm, Shade Ø: 39 cm
Canopy	Color: Brass, Material: Metal Ø: 12,5 cm, H: 2,5 cm
Material	Glass/Metal
IP Class	IP20, Class 2
Cable	Textile cable: White 200 cm non replaceable
Light source	E27, Max. 40W, Excl. light source,

Features
Art deco and classic style
Easy adjustment of the wire in canopy
Opal inner shade, that creates a nice soft light
Brass decoration top and canopy



NEW
2021



Black
2112153003




Brass
2112153035

Ivona Pendant

Masterbox	Qty 2
Size	H: 41,5 cm, W: 54,2 cm, L: 54,2 cm, Shade Ø: 20 cm, Base Ø: 12 cm
Canopy	Color: Black/Brass, Material: Metal Ø: 12 cm, H: 2,5 cm
Material	Metal/Glass
IP Class	IP20, Class 2
Cable	Textile cable: Black/White 200 cm non replaceable
Light source	E27, Max. 28W, Excl. light source,


Features
Modern intepretation of the classic chandelier
Mouth blown glass
Emits a beautiful light from the glass balls for a modern and extravagant style



NEW
2021



Black
2112163003




Brass
2112163035

Ivona Pendant

Masterbox	Qty 2
Size	H: 44,5 cm, W: 62 cm, L: 62 cm, Shade Ø: 20 cm
Canopy	Color: Black/Brass, Material: Metal Ø: 12 cm, H: 2,5 cm
Material	Metal/Glass
IP Class	IP20, Class 2
Cable	Textile cable: Black/White 200 cm non replaceable
Light source	E27, Max. 28W, Excl. light source,


Features
Modern intepretation of the classic chandelier
Mouth blown glass
Emits a beautiful light from the glass balls for a modern and extravagant style



NEW
2021




Black
2113153003



Black
2010953003



Brass
2113153035




Brass
2010953035

Contina Pendant

Masterbox	Qty 4
Size	H: 23 cm, W: 10 cm, L: 10 cm, Shade Ø: 10 cm
Canopy	Color: Black/Brass, Material: Metal Ø: 12 cm, H: 2,5 cm
Material	Metal/Glass
IP Class	IP20, Class 2
Cable	Textile cable: Black/White 200 cm non replaceable
Light source	G9, Max. 5W, Excl. light source,


Features
Contemporary art deco style
White opal mouth blown glass
Provides a soft, diffused light



Contina Pendant

Masterbox	Qty 2
Size	H: 41,3 cm, W: 10 cm, L: 90 cm, Shade Ø: 10 cm
Canopy	Color: Black, Material: Metal Ø: 40*5 cm, H: 2,5 cm
Material	Metal/Glass
IP Class	IP20, Class 2
Cable	Textile cable: Black/White 200 cm
Light source	G9, Max. 5W, Excl. light source,

Features
Contemporary art deco style
White opal mouth blown glass
Three lamp heads that emits a practical light







Black
2010971003



Black
2010985003



Brass
2010971035




Brass
2010985035

Contina Wall

Masterbox	Qty 3
Size	H: 37,2 cm, W: 12,5 cm, L: 73,6 cm, Shade Ø: 10 cm, Base Ø: 12 cm, Tilt angle: 165°
Material	Metal/Glass
IP Class	IP20, Class 2
Cable	Textile cable: Black/White 150 cm Switch on cable
Light source	G9, Max. 5W, Excl. light source,


Features
Contemporary art deco style
White opal mouth blown glass
Adjustable joints for perfect placement
Can be used on both wall and ceiling



Contina Table


Masterbox	Qty 3
Size	H: 48,5 cm, W: 15 cm, L: 27 cm, Shade Ø: 10 cm, Pipe Ø: 1,25 cm, Base Ø: 15 cm, Tilt angle: 130°
Material	Metal/Glass
IP Class	IP20, Class 2
Cable	Textile cable: Black/White 150 cm non replaceable Switch on cable
Light source	G9, Max. 5W, Excl. light source,

Features
Contemporary art deco style
White opal mouth blown glass
Adjustable lamp shade to both sides and up/down





Black
2010994003



Brass
2010994035




Smoked
46473047

Contina Floor

Masterbox	Qty 2
Size	H: 139,5 cm, W: 25 cm, L: 35,5 cm, Shade Ø: 10 cm, Pipe Ø: 1,35 cm, Base Ø: 25 cm, Tilt angle: 140°
Material	Metal/Glass
IP Class	IP20, Class 2
Cable	Textile cable: Black/White 150 cm non replaceable Switch on cable
Light source	G9, Max. 5W, Excl. light source,


Features
Contemporary art deco style
White opal mouth blown glass
Adjustable lamp shade to both sides and up/down



Dillon Pendant

Masterbox	Qty 3
Size	H: 27,5 cm, Shade Ø: 20 cm
Canopy	Color: Black, Material: Plastic Ø: 11,7 cm, H: 6 cm
Material	Glass
IP Class	IP20, Class 2
Cable	Cable: Black 300 cm non replaceable
Light source	E27, Max. 60W, Excl. light source,

Features
Soft classic style
Mouth blown glass





Black/brass
2011075003




Black/brass
2011053003

Galloway Table

Masterbox	Qty 6
Size	H: 17,5 cm, W: 10 cm, L: 10 cm, Shade Ø: 5,5 cm, Base Ø: 10 cm
Material	Metal
IP Class	IP20, Class 2
Cable	Textile cable: Black 150 cm non replaceable Switch on cable
Light source	E27, Max. 40W, Excl. light source,


Features
Art deco style
Design your own luiminaire with a decorative bulb
Beautiful brass details



Galloway Pendant

Masterbox	Qty 6
Size	H: 16,8 cm, W: 5,5 cm, L: 5,5 cm, Ø: 5,5 cm
Canopy	Color: Black, Material: Plastic Ø: 12,2 cm, H: 8,6 cm
Material	Metal
IP Class	IP20, Class 2
Cable	Textile cable: Black 200 cm non replaceable
Light source	E27, Max. 40W, Excl. light source,

Features
Art deco style
Design your own luiminaire with a decorative bulb
Beautiful brass details







Black
47091003



Black
46635003



Brass
47091025



Brass
46635025

Grant Wall


Masterbox	Qty 3
Size	H: 16,4 cm, D: 20,7 cm, Shade Ø: 14,5 cm, Base mount: Ø10 cm
Material	Metal/Glass
IP Class	IP20, Class 2
Cable	Cable: Black/White 200 cm replaceable Switch on cable
Light source	E14, Max. 40W, Excl. light source,


Features
Art deco style
Mouth blown glass
Provides a soft, diffused light

Grant Table

Masterbox	Qty 3
Size	H: 41 cm, Shade Ø: 14,5 cm, Base Ø: 20 cm
Material	Metal/Glass
IP Class	IP20, Class 2
Cable	Cable: Black/White 180 cm non replaceable Switch on cable
Light source	E14, Max. 40W, Excl. light source,


Features
Glamorous modern style
Mouth blown glass
Provides a soft, diffused light







Black
2010583003



Brass
2010583035




Brass
2010553035

Grant 3-Pendant

Masterbox	Qty 3
Size	H: 29,23 cm, W: 14,5 cm, L: 69,3 cm
Canopy	Color: Black/Brass, Material: Metal
	Ø: 12 cm, H: 2,5 cm
Material	Metal/Glass
IP Class	IP20, Class 2
Light source	E14, Max. 25W, Excl. light source,


Features
Glamorous modern style
Three glass domes that emit a soft light
Provides a soft, diffused light



Grant 15 Pendant

Masterbox	Qty 3
Size	H: 29 cm, W: 15 cm, L: 15 cm, Shade Ø: 15 cm,
	Shade H: 15 cm
Canopy	Color: Brass, Material: Metal
	Ø: 12 cm, H: 6,8 cm
Material	Glass/Metal
IP Class	IP20, Class 2
Cable	Cable: White 200 cm non replaceable
Light source	E14, Max. 15W, Excl. light source,

Features
Glamorous modern style
Decorative brass canopy
Provides a soft, diffused light





Brass
2010563035




Brass
2010573035

Grant 25 Pendant

Masterbox	Qty 3
Size	H: 40 cm, W: 25 cm, L: 25 cm, Shade Ø: 25 cm, Shade H: 25 cm
Canopy	Color: Brass, Material: Metal Ø: 12 cm, H: 7,8 cm
Material	Glass/Metal
IP Class	IP20, Class 2
Cable	Cable: White 200 cm non replaceable
Light source	E27, Max. 25W, Excl. light source,


Features
Glamorous modern style
Decorative brass canopy
Provides a soft, diffused light



Grant 35 Pendant

Masterbox	Qty 2
Size	W: 35 cm, L: 35 cm, Shade Ø: 35 cm, Shade H: 35 cm
Canopy	Color: Brass, Material: Metal Ø: 12 cm, H: 7,8 cm
Material	Glass/Metal
IP Class	IP20, Class 2
Cable	Cable: White 200 cm non replaceable
Light source	E27, Max. 25W, Excl. light source,

Features
Glamorous modern style
Decorative brass canopy
Provides a soft, diffused light





Brushed steel
39553001




Brushed steel
39563001

Cafe 15 Pendant

Masterbox	Qty 3
Size	H: 29 cm, Shade Ø: 15 cm, Shade H: 15 cm
Canopy	Color: White, Material: Plastic
	Ø: 12,5 cm, H: 8,5 cm
Material	Glass/Metal
IP Class	IP20, Class 2
Cable	Cable: Clear 180 cm non replaceable
Light source	E27, Max. 15W, Excl. light source,


Features
Glamorous modern style
Provides a soft, diffused light



Cafe 20 Pendant

Masterbox	Qty 3
Size	H: 33 cm, Shade Ø: 20 cm, Shade H: 20 cm
Canopy	Color: White, Material: Plastic
	Ø: 7,9 cm, H: 8,3 cm
Material	Glass/Metal
IP Class	IP20, Class 2
Cable	Cable: Clear 180 cm non replaceable
Light source	E27, Max. 15W, Excl. light source,

Features
Glamorous modern style
Provides a soft, diffused light





Brushed steel
39573001




Brushed steel
39583001

Cafe 25 Pendant

Masterbox	Qty 3
Size	H: 38 cm, Shade Ø: 25 cm, Shade H: 25 cm
Canopy	Color: White, Material: Plastic
	Ø: 7,9 cm, H: 8,3 cm
Material	Glass/Metal
IP Class	IP20, Class 2
Cable	Cable: Clear 180 cm non replaceable
Light source	E27, Max. 25W, Excl. light source,


Features
Glamorous modern style
Provides a soft, diffused light



Cafe 30 Pendant

Masterbox	Qty 3
Size	H: 44 cm, Shade Ø: 30 cm, Shade H: 30 cm
Canopy	Color: White, Material: Plastic
	Ø: 7,9 cm, H: 8,3 cm
Material	Glass/Metal
IP Class	IP20, Class 2
Cable	Cable: Clear 180 cm non replaceable
Light source	E27, Max. 25W, Excl. light source,

Features
Glamorous modern style
Provides a soft, diffused light





Black
48891003



Black
48613003

Lilly Wall


Masterbox	Qty 6
Size	H: 17 cm, Shade Ø: 13 cm, Base mount: Ø12 cm
Material	Glass/Metal
IP Class	IP20, Class 2
Cable	Cable: Black 150 cm replaceable Switch on cable
Light source	E14, Max. 40W, Excl. light source,


Features
Glamorous modern style
Opal mouth blown glass
Provides a soft, diffused light

Lilly Floor

Masterbox	Qty 2
Size	H: 150 cm, Shade Ø: 15 cm, Base Ø: 23 cm
Material	Metal/Glass
IP Class	IP20, Class 2
Cable	Cable: Black 150 cm non replaceable Switch on cable
Light source	E14, Max. 3X15W, Excl. light source,

Features
Glamorous modern style
Opal mouth blown glass
Provides a soft, diffused light







Black
48885003



Black
48603003




Brass
48603035

Lilly Table

Masterbox	Qty 6
Size	H: 17 cm, Shade Ø: 13 cm, Base Ø: 12 cm
Material	Glass/Metal
IP Class	IP20, Class 2
Cable	Cable: Black 150 cm non replaceable Switch on cable
Light source	E14, Max. 40W, Excl. light source,


Features
Glamorous modern style
Provides a soft, diffused light



Lilly Pendant

Masterbox	Qty 2
Size	H: 36,5 cm, W: 32 cm, Shade Ø: 15 cm
Canopy	Color: Black, Material: Plastic Ø: 12,3 cm, H: 8,7 cm
Material	Metal/Glass
IP Class	IP20, Class 2
Cable	Textile cable: Black 200 cm non replaceable
Light source	E14, Max. 3X40W, Excl. light source,

Features
Glamorous modern style
Opal mouth blown glass
Provides a soft, diffused light








Black/Smoked
47303047

Alton 23 Pendant

Masterbox	Qty 3
Size	H: 43 cm, Shade Ø: 23 cm
Canopy	Color: White/Black, Material: Metal Ø: 12 cm, H: 2,5 cm
Material	Glass/Metal
IP Class	IP20, Class 1
Cable	Textile cable: White/Black 300 cm non replaceable
Light source	E27, Max. 60W, Excl. light source,

Features

Contemporary art deco style
Mouth blown glass and exclusive details
Optional top in brass and black included








Black/Smoked
47313047

Alton 25 Pendant

Masterbox	Qty 3
Size	H: 33 cm, Shade Ø: 25 cm
Canopy	Color: White/Black, Material: Metal Ø: 12 cm, H: 2,5 cm
Material	Glass/Metal
IP Class	IP20, Class 1
Cable	Textile cable: White/Black 300 cm non replaceable
Light source	E27, Max. 60W, Excl. light source,

Features

Contemporary art deco style
Mouth blown glass and exclusive details
Optional top in brass and black included





White/Brass
48973001

Incl. black
& brass top



White/Brass
2010506001



Black/Smoked
48973047




Black/Smoked
2010506047

Alton 35 Pendant

Masterbox	Qty 3
Size	H: 30 cm, Shade Ø: 35 cm
Canopy	Color: White/Black, Material: Metal Ø: 12 cm, H: 2,5 cm
Material	Glass/Metal
IP Class	IP20, Class 1
Cable	Textile cable: White/Black 300 cm non replaceable
Light source	E27, Max. 60W, Excl. light source,

Features

Contemporary art deco style
Mouth blown glass and exclusive details
Optional top in brass and black included




Alton Ceiling

Masterbox	Qty 3
Size	H: 24 cm, W: 27,5 cm, L: 27,5 cm, Shade Ø: 27,5 cm, Shade H: 21,5 cm
Canopy	Color: Brass/Black, Material: Metal Ø: 12,6 cm, H: 2,5 cm
Material	Glass/Metal
IP Class	IP20, Class 2
Light source	E27, Max. 25W, Excl. light source,

Features

Contemporary art deco style
Mouth blown glass and exclusive details






White/Brass
2010514001



White/Brass
47645001



Black/Smoked
2010514047



Black/Smoked
47645047

Alton Floor


Masterbox	Qty 2
Size	H: 150 cm, W: 28 cm, L: 28 cm, Shade Ø: 27,5 cm, Pipe Ø: 1,9 cm, Base Ø: 28 cm
Material	Metal/Glass
IP Class	IP20, Class 2
Cable	Cable: White/Black 150 cm non replaceable Switch on cable
Light source	E27, Max. 25W, Excl. light source,


Features
Contemporary art deco style
Mouth blown glass and exclusive details

Alton Table

Masterbox	Qty 3
Size	H: 29 cm, Shade Ø: 20 cm
Material	Glass/Metal
IP Class	IP20, Class 2
Cable	Textile cable: Black 150 cm non replaceable Switch on cable
Light source	E14, Max. 15W, Excl. light source,

Features
Contemporary art deco style
Mouth blown glass and exclusive details







Clear
46483000



Clear
46645000




Amber
46483027



Smoke
46483047



Amber
46645027




Smoke
46645047

Hollywood Pendant

Masterbox	Qty 3
Size	Shade Ø: 10,8 cm, Shade H: 17,7 cm
Canopy	Color: Black, Material: Plastic
	Ø: 11 cm, H: 7 cm
Material	Glass/Metal
IP Class	IP20, Class 2
Cable	Textile cable: Black 300 cm non replaceable
Light source	E27, Max. 60W, Excl. light source,

Features

Glamorous art deco style
Diamond pattern that reflects light in an exciting way
Hang 3 lamps together in a line or cluster




Hollywood Table

Masterbox	Qty 3
Size	H: 12,8 cm, Ø: 10,8 cm
Material	Glass/Plastic - Glass
IP Class	IP20, Class 2
Cable	Textile cable: Black 180 cm non replaceable
	Switch on cable
Light source	E27, Max. 60W, Excl. light source,

Features

Glamorous art deco style
Diamond pattern that reflects light in an exciting way
Create your own design expression with a decorative bulb





Grey
45883001



Black
45883003



Grey
45875001




Black
45875003

Siv Pendant

Masterbox	Qty 3
Size	H: 10 cm, Ø: 6 cm
Canopy	Color: White/Black, Material: Metal
	Ø: 8,5 cm, H: 2,5 cm
Material	Marble
IP Class	IP20, Class 1
Cable	Textile cable: White/Black 270 cm non replaceable
Light source	E27, Max. 60W, Excl. light source,


Features
Nature style
Genuine marble in natures playful colours
Create your own design expression with a decorative bulb



Siv Table

Masterbox	Qty 3
Size	H: 10,3 cm, Ø: 6 cm
Material	Marble
IP Class	IP20, Class 2
Cable	Cable: White/Black 180 cm non replaceable
	Switch on cable
Light source	E27, Max. 60W, Excl. light source,

Features
Nature style
Genuine marble in natures playful colours
Create your own design expression with a decorative bulb





Brass/Smoke
2010656047




Brass/Smoke
2010715047

Orbiform Ceiling

Masterbox	Qty 3
Size	H: 25,3 cm, W: 23 cm, L: 23 cm, Shade Ø: 23 cm
Canopy	Color: Brass, Material: Metal
	Ø: 15 cm, H: 2,5 cm
Material	Glass/Metal
IP Class	IP20, Class 2
Light source	E27, Max. 40W, Excl. light source,


Features
Glamorous art deco design
A beautiful mix of brass and smoked glass
Diamond pattern that reflects light in an exciting way
Perfect for the entrance hall



Orbiform Table

Masterbox	Qty 3
Size	H: 46,8 cm, W: 23 cm, L: 23 cm, Shade Ø: 23 cm,
	Pipe Ø: 1,15 cm, Base Ø: 15 cm
Material	Glass/Metal
IP Class	IP20, Class 2
Cable	Textile cable: Black 150 cm non replaceable
	Switch on cable
Light source	E27, Max. 40W, Excl. light source,

Features
Glamorous art deco design
A beautiful mix of brass and smoked glass
Diamond pattern that reflects light in an exciting way
Elegant table decoration





Brass/Smoke
2010673047




Brass/Smoke
2010693047

Orbiform Pendant

Masterbox	Qty 3
Size	H: 21,5 cm, W: 23 cm, L: 23 cm, Shade Ø: 23 cm
Canopy	Color: Brass, Material: Metal
	Ø: 12 cm, H: 2,5 cm
Material	Glass/Metal
IP Class	IP20, Class 2
Cable	Textile cable: Black 200 cm non replaceable
Light source	E27, Max. 40W, Excl. light source,

Features

Glamorous art deco design
A beautiful mix of brass and smoked glass
Diamond pattern that reflects light in an exciting way
Hang 3 lamps together in a line or cluster




Orbiform Pendant

Masterbox	Qty 3
Size	H: 15,2 cm, W: 15 cm, L: 71 cm, Shade Ø: 15 cm
Canopy	Color: Brass, Material: Metal
	Ø: 70x5 cm, H: 2,5 cm
Material	Glass/Metal
IP Class	IP20, Class 2
Cable	Textile cable: Black 200 cm non replaceable
Light source	E14, Max. 25W, Excl. light source,

Features

Glamorous art deco design
A beautiful mix of brass and smoked glass
Diamond pattern that reflects light in an exciting way
Perfect match for the long dining table or kitchen island





Brass
2010225035



Brass
2010244035

Cera Table

Masterbox	Qty 3
Size	H: 47 cm, Shade Ø: 24 cm, Pipe Ø: 1,6 cm, Base Ø: 18 cm
Material	Metal
IP Class	IP20, Class 2
Cable	Textile cable: Black 150 cm non replaceable Switch on cable
Light source	E14, Max. 40W, Excl. light source,

Features

Contemporary art deco style

Brass adds coziness and warmth to the interior


Cera Floor


Masterbox	Qty 2
Size	H: 140 cm, Shade Ø: 36 cm, Pipe Ø: 1,9 cm, Base Ø: 24 cm
Material	Metal
IP Class	IP20, Class 2
Cable	Textile cable: Black 150 cm non replaceable Switch on cable
Light source	E27, Max. 60W, Excl. light source,

Features

Contemporary art deco style

Brass adds coziness and warmth to the interior







Brass
2010203035


Cera Pendant

Masterbox	Qty 2
Size	W: 36 cm, L: 36 cm, Shade Ø: 36 cm, Shade H: 29 cm
Canopy	Color: Black, Material: Plastic
	Ø: 12,3 cm, H: 8,7 cm
Material	Metal
IP Class	IP20, Class 2
Cable	Textile cable: Black 200 cm non replaceable
Light source	E27, Max. 60W, Excl. light source,

Features

Contemporary art deco style

Brass adds coziness and warmth to the interior



NEW
2021



White
2112414001




Beige
2112414009

Dicte Floor

Masterbox	Qty 1
Size	H: 180 cm, W: 53 cm, L: 103,5 cm, Shade Ø: 53 cm, Pipe Ø: 2,2 cm, Base Ø: 38 cm
Material	Textile/Metal
IP Class	IP 20, Class 2
Cable	Cable: Black 150 cm non replaceable Switch on fixture
Light source	E27, Max. 60W, Excl. light source,


Features
Soft and natural design
Handtied pleated cotton shade



NEW
2021



White
2112405001




Beige
2112405009

Dicte Table

Masterbox	Qty 3
Size	H: 42,5 cm, W: 21 cm, L: 21 cm, Shade Ø: 21 cm, Pipe Ø: 1,15 cm, Base Ø: 15 cm
Material	Textile/Metal
IP Class	IP 20, Class 2
Cable	Cable: Black 150 cm non replaceable Switch on cable
Light source	E14, Max. 40W, Excl. light source,


Features
Soft and natural design
Handtied pleated cotton shade



NEW
2021



White
2112353001




Beige
2112353009

Dicte 40 Pendant

Masterbox	Qty 2
Size	H: 33,7 cm, W: 40 cm, L: 40 cm, Shade Ø: 40 cm
Canopy	Color: Black, Material: Metal
	Ø: 12 cm, H: 7,5 cm
Material	Textile/Metal
IP Class	IP 20, Class 2
Cable	Cable: Black 200 cm non replaceable
Light source	E27, Max. 60W, Excl. light source,


Features
Soft and natural design
Handtied pleated cotton shade



NEW
2021



White
2112373001




Beige
2112373009

Dicte 53 Pendant

Masterbox	Qty 2
Size	H: 29 cm, W: 53 cm, L: 53 cm, Shade Ø: 53 cm
Canopy	Color: Black, Material: Metal
	Ø: 12 cm, H: 7,5 cm
Material	Textile/Metal
IP Class	IP 20, Class 2
Cable	Cable: Black 200 cm non replaceable
Light source	E27, Max. 60W, Excl. light source,

Features
Soft and natural design
Handtied pleated cotton shade



NEW
2021



White
2112391001

USB
Output




Beige
2112391009

Dicte Wall

Masterbox	Qty 3
Size	H: 37,5 cm, W: 21 cm, D: 24 cm, Shade Ø: 21 cm
Material	Textile/Metal
IP Class	IP 20, Class 2
Cable	Cable: Black 150 cm replaceable Switch on fixture
Light source	E14, Max. 40W, Excl. light source,

Features
Soft and natural design
Handtied pleated cotton
Multifunctional bedside lamp with USB port
for charging your phone or other devise
Small shelf for storage



NEW
2021



Black
2112453003




Nature
2112453014

Groa 35 Pendant

Masterbox	Qty 3
Size	H: 41,4 cm, W: 34 cm, L: 34 cm, Shade Ø: 34 cm
Canopy	Color: Black, Material: Plastic Ø: 12,4 cm, H: 8,7 cm
Material	Wood/Metal
IP Class	IP 20, Class 2
Cable	Textile cable: Black 200 cm non replaceable
Light source	E27, Max. 60W, Excl. light source,

Features
Natural design
Wooden structure creates beautiful shadow play
Create your own design expression with a decorative bulb
Experience the wooden structure of the beautiful poplar veneer
Knock-down packing for easy self-assembly





Nature
45683014




Nature
45693014

Groa 30 Pendant

Masterbox	Qty 3
Size	H: 35,5 cm, Shade Ø: 31 cm
Canopy	Color: Black, Material: Plastic
	Ø: 11,8 cm, H: 5,8 cm
Material	Wood
IP Class	IP20, Class 2
Cable	Textile cable: Black 300 cm non replaceable
Light source	E27, Max. 60W, Excl. light source,

Features

Natural design
Wooden structure creates beautiful shadow play
Create your own design expression with a decorative bulb
Experience the wooden structure of the beautiful poplar veneer
Knock-down packing for easy self-assembly




Groa 40 Pendant

Masterbox	Qty 3
Size	H: 47 cm, Shade Ø: 41,5 cm
Canopy	Color: Black, Material: Plastic
	Ø: 11,8 cm, H: 5,8 cm
Material	Wood
IP Class	IP20, Class 2
Cable	Textile cable: Black 300 cm non replaceable
Light source	E27, Max. 60W, Excl. light source,

Features

Natural design
Wooden structure creates beautiful shadow play
Create your own design expression with a decorative bulb
Experience the wooden structure of the beautiful poplar veneer
Knock-down packing for easy self-assembly





Black
46423003




Black
46433003

Tribeca 24 Pendant

Masterbox	Qty 3
Size	Shade Ø: 24 cm, Shade H: 30 cm
Canopy	Color: Black, Material: Plastic
	Ø: 11,7 cm, H: 6 cm
Material	Wood
IP Class	IP20, Class 2
Cable	Textile cable: Black 300 cm non replaceable
Light source	E27, Max. 60W, Excl. light source,

Features

Nature style
Wooden structure creates beautiful shadow play
Create your own design expression with a decorative bulb
Experience the wooden structure of the beautiful poplar veneer
Knock-down packing for easy self-assembly




Tribeca 38 Pendant

Masterbox	Qty 3
Size	Shade Ø: 38 cm, Shade H: 30 cm
Canopy	Color: Black, Material: Plastic
	Ø: 11,7 cm, H: 6 cm
Material	Wood
IP Class	IP20, Class 2
Cable	Textile cable: Black 300 cm non replaceable
Light source	E27, Max. 60W, Excl. light source,

Features

Nature style
Wooden structure creates beautiful shadow play
Create your own design expression with a decorative bulb
Experience the wooden structure of the beautiful poplar veneer
Knock-down packing for easy self-assembly





Nature
84823014




Nature
84833014

Chino 25 Pendant

Masterbox	Qty 3
Size	H: 23 cm, Shade Ø: 25 cm
Canopy	Color: Black, Material: Plastic
	Ø: 11,8 cm, H: 5,8 cm
Material	Wood
IP Class	IP20, Class 2
Cable	Textile cable: Black 250 cm non replaceable
Light source	E27, Max. 60W, Excl. light source,

Features

Nature style
Wooden structure creates beautiful shadow play
Create your own design expression with a decorative bulb
Experience the wooden structure of the beautiful poplar veneer
Knock-down packing for easy self-assembly




Chino 30 Pendant

Masterbox	Qty 3
Size	H: 26 cm, Shade Ø: 30 cm
Canopy	Color: Black, Material: Plastic
	Ø: 11,8 cm, H: 5,8 cm
Material	Wood
IP Class	IP20, Class 2
Cable	Textile cable: Black 250 cm non replaceable
Light source	E27, Max. 60W, Excl. light source,

Features

Nature style
Wooden structure creates beautiful shadow play
Create your own design expression with a decorative bulb
Experience the wooden structure of the beautiful poplar veneer
Knock-down packing for easy self-assembly





Nature
84843014



White
14093501

Chino 40 Pendant

Masterbox	Qty 3
Size	H: 34 cm, Shade Ø: 40 cm
Canopy	Color: Black, Material: Plastic
	Ø: 11,8 cm, H: 5,8 cm
Material	Wood
IP Class	IP20, Class 2
Cable	Textile cable: Black 250 cm non replaceable
Light source	E27, Max. 60W, Excl. light source,

Features


Nature style
Wooden structure creates beautiful shadow play
Create your own design expression with a decorative bulb
Experience the wooden structure of the beautiful poplar veneer
Knock-down packing for easy self-assembly


Rispapir 35 Pendant

Masterbox	Qty 12
Size	H: 35 cm, Shade Ø: 35 cm, Shade H: 35 cm
Material	Paper
IP Class	IP20,
Light source	Max. 60W,

Features

Nature style
Provides a soft, diffused light
Excluding suspension bracket







White
14094001



White
14094801

Rispapir 40 Pendant


Masterbox	Qty 12
Size	H: 40 cm, Shade Ø: 40 cm, Shade H: 40 cm
Material	Paper
IP Class	IP20,
Light source	Max. 60W,


Features
Nature style
Provides a soft, diffused light
Excluding suspension bracket

Rispapir 48 Pendant

Masterbox	Qty 12
Size	H: 48 cm, Shade Ø: 48 cm, Shade H: 48 cm
Material	Paper
IP Class	IP20,
Light source	Max. 60W,

Features
Nature style
Provides a soft, diffused light
Excluding suspension bracket







Nature (brown)
2011123015




Nature (brown)
2011135015

Trinidad Pendant

Masterbox	Qty 3
Size	H: 28 cm, W: 35 cm, L: 35 cm, Ø: 35 cm
Canopy	Color: White, Material: Plastic Ø: 12,5 cm, H: 8,5 cm
Material	Bamboo
IP Class	IP20, Class 2
Cable	Cable: White 200 cm non replaceable
Light source	E27, Max. 25W, Excl. light source,


Features
Nature style
Handmade
Spreads a soft diffused light



Trinidad Table

Masterbox	Qty 3
Size	H: 25 cm, W: 19 cm, L: 19 cm, Ø: 19 cm
Material	Bamboo
IP Class	IP20, Class 2
Cable	Cable: White 150 cm non replaceable Switch on cable
Light source	E27, Max. 15W, Excl. light source,

Features
Nature style
Handmade
Spreads a soft diffused light





Clear/Dark Brass
45823000

NEW
2021



Black
2112053003



Smoked/Dark Brass
45823027




Brass
2112053035

Disa Pendant

Masterbox	Qty 3
Size	H: 21,5 cm, Shade Ø: 18,5 cm
Canopy	Color: Black, Material: Plastic Ø: 11,8 cm, H: 5,8 cm
Material	Glass
IP Class	IP20, Class 2
Cable	Cable: Black 300 cm non replaceable
Light source	E27, Max. 60W, Excl. light source,

Features

Industrial style
Mouth blown glass
Design your own lamp with a decorative bulb




Paco Pendant

Masterbox	Qty 6
Size	H: 17,3 cm, W: 4,2 cm, L: 4,2 cm, Pipe Ø: 0,9 cm
Canopy	Color: Black, Material: Plastic Ø: 12,5 cm, H: 8,5 cm
Material	Metal
IP Class	IP 20, Class 2
Cable	Cable: Black 200 cm non replaceable
Light source	E27, Max. 40W, Excl. light source,

Features

Minimalist and modern style
Create your own design expression with a decorative bulb
Hang 3 or more lamps together in a line or cluster



NEW
2021



Black
2112063003



Brass
2112063035


Paco 3-Pendant

Masterbox	Qty 3
Size	H: 17,3 cm, W: 18,1 cm, L: 4,2 cm, Pipe Ø: 0,9 cm
Canopy	Color: Black/Brass, Material: Metal Ø: 22,6 cm, H: 2,5 cm
Material	Metal
IP Class	IP 20, Class 2
Cable	Cable: Black 200 cm non replaceable
Light source	E27, Max. 40W, Excl. light source,

Features

Minimalist and modern style

Create your own design expression with a decorative bulb



NEW
2021



Black
2112071003


Paco Wall

Masterbox	Qty 3
Size	H: 16 cm, W: 9 cm, D: 17,5 cm, Pipe Ø: 1,13 cm, Base Ø: 9 cm
Material	Metal
IP Class	IP 20, Class 2
Cable	Cable: Black 150 cm replaceable Switch on cable
Light source	E27, Max. 15W, Excl. light source,


Features

Minimalist and modern style

Create your own design expression with a decorative bulb



NEW
2021



Black
2112094003

NEW
2021



Black
2112085003

Paco Floor

Masterbox	Qty 3
Size	H: 155 cm, W: 30 cm, L: 30 cm, Pipe Ø: 1,53 cm, Base Ø: 30 cm
Material	Metal
IP Class	IP 20, Class 2
Cable	Cable: Black 150 cm non replaceable Switch on cable
Light source	E27, Max. 40W, Excl. light source,

Features

Minimalist and modern style

Create your own design expression with a decorative bulb


Paco Table


Masterbox	Qty 4
Size	H: 55 cm, W: 18 cm, L: 18 cm, Pipe Ø: 1,13 cm, Base Ø: 18 cm
Material	Metal
IP Class	IP 20, Class 2
Cable	Cable: Black 150 cm non replaceable Switch on cable
Light source	E27, Max. 40W, Excl. light source,

Features

Minimalist and modern style

Create your own design expression with a decorative bulb







Black
2010603003


Step dimming
by wall switch



Black
46605003



Brushed steel
2010603032




Brass
46605025

Lilt Pendant

Masterbox	Qty 3
Size	H: 10,2 cm, W: 115 cm, L: 4,3 cm, D: 4,3 cm, Shade Ø: 3,7 cm
Canopy	Color: Black, Material: Metal Ø: 9 cm, H: 2,5 cm
Material	Metal/Plastic
IP Class	IP20, Class 2
Cable	Textile cable: Black 200 cm non replaceable
Light source	Fixed LED, Incl. 27W LED, Incl. 3-Step Moodmaker™ 100-40-10%, Lumen 2.000, Kelvin 2700, Life hours 20.000, RA 80, Beam angle 120°,

Features
Scandinavian minimalistic design
Moodmaker™ 3-step dimmable from wall switch
Perfect above a long dining table or kitchen island
5 year LED guarantee
Rough surface and decorative fittings
Easy adjustment for wires






Moodmaker™ 3-step dimmable on wall switch

Dean Table

Masterbox	Qty 3
Size	H: 15 cm, Base Ø: 13 cm
Material	Metal
IP Class	IP20, Class 2
Cable	Cable: Black 180 cm non replaceable Switch on cable
Light source	E27, Max. 60W, Excl. light source,

Features
Contemporary and simple style
Design your own luminaire with a decorative bulb





Black
2010303003




Mat black
48933003

Josefine Pendant

Masterbox	Qty 3
Size	H: 4,4 cm, W: 91 cm, L: 45 cm
Canopy	Color: Black, Material: Metal Ø: 30,2x9 cm, H: 2,8 cm
Material	Metal
IP Class	IP20, Class 2
Cable	Cable: Black 200 cm non replaceable
Light source	E27, Max. 60W, Excl. light source,

Features

Industrial expression with raw, masculine tubes
New interpretation of a traditional chandelier
Design your own lamp expression with beautiful decorative bulbs




Josefine Pendant

Masterbox	Qty 2
Size	H: 79 cm, W: 55 cm, L: 55 cm, Shade Ø: 4,2 cm, Pipe Ø: 1,9 cm
Canopy	Color: Black, Material: Metal Ø: 12 cm, H: 7 cm
Material	Metal
IP Class	IP20, Class 2
Cable	Textile cable: Black 200 cm non replaceable
Light source	E27, Max. 6X28W, Excl. light source,

Features

Industrial expression with raw, masculine tubes
New interpretation of a traditional chandelier
Design your own lamp expression with beautiful decorative bulbs
Rotatable arms for creating your own style and directions





Mat black
48941003



Mat black
48955003

Josefine Wall

Masterbox	Qty 3
Size	H: 44,5 cm, W: 31 cm, D: 10 cm, Shade Ø: 4,2 cm, Pipe Ø: 0,8 cm, Base mount: Ø8 cm
Material	Metal
IP Class	IP20, Class 2
Cable	Cable: Black 150 cm replaceable Switch on cable
Light source	E27, Max. 2X28W, Excl. light source,

Features


Industrial expression with raw, masculine tubes
Elegant wall decoration
Design your own lamp expression with beautiful decorative bulbs


Josefine Table

Masterbox	Qty 3
Size	H: 44 cm, Shade Ø: 4,2 cm, Pipe Ø: 0,8 cm, Base Ø: 14 cm
Material	Metal
IP Class	IP20, Class 2
Cable	Cable: Black 150 cm non replaceable Switch on cable
Light source	E27, Max. 2X28W, Excl. light source,

Features

Industrial expression with raw, masculine tubes
Elegant table decoration
Design your own lamp expression with beautiful decorative bulbs







Black
2010381003



Black
2010414003



Grey
2010381010




Grey
2010414010

Pine Wall

Masterbox	Qty 6
Size	H: 13,5 cm, W: 19,5 cm, L: 13,5 cm, Shade Ø: 13,5 cm, Tilt angle: 90°
Material	Metal
IP Class	IP20, Class 2
Cable	Cable: Black 150 cm replaceable Switch on fixture
Light source	GU10, Max. 15W, Excl. light source,

Features

Soft industrial design
Beautiful light effect with holes in the shade
Elegant mix of matt metal and brass details
On/off Switch in brass on the top of the shade




Pine Floor

Masterbox	Qty 3
Size	H: 133 cm, W: 37 cm, L: 18 cm, Shade Ø: 13,5 cm, Pipe Ø: 1,53 cm, Base Ø: 18 cm, Tilt angle: 90°
Material	Metal
IP Class	IP20, Class 2
Cable	Cable: Black 150 cm non replaceable Switch on fixture
Light source	GU10, Max. 15W, Excl. light source,

Features

Soft industrial design
Beautiful light effect with holes in the shade
Elegant mix of matt metal and brass details
On/off Switch in brass on the top of the shade





Black
2010405003



Black
2010353003



Grey
2010405010




Grey
2010353010

Pine Table

Masterbox	Qty 3
Size	H: 47 cm, W: 15 cm, L: 21 cm, Shade Ø: 13,5 cm, Pipe Ø: 1,53 cm, Base Ø: 15 cm, Tilt angle: 90°
Material	Metal
IP Class	IP20, Class 2
Cable	Cable: Black 150 cm non replaceable Switch on fixture
Light source	GU10, Max. 15W, Excl. light source,


Features
Soft industrial design
Beautiful light effect with holes in the shade
Elegant mix of matt metal and brass details
On/off Switch in brass on the top of the shade



Pine Pendant

Masterbox	Qty 3
Size	H: 31 cm, W: 30 cm, L: 30 cm, Shade Ø: 30 cm
Canopy	Color: Black, Material: Plastic Ø: 12,5 cm, H: 8,5 cm
Material	Metal
IP Class	IP20, Class 2
Cable	Cable: Black 200 cm non replaceable
Light source	E27, Max. 40W, Excl. light source,

Features
Soft industrial design
Beautiful light effect with holes in the shade
Elegant mix of matt metal and brass details
Hang 3 or more lamps together in a line or cluster





Black
84800003



Black
48801003



Brass
84800025



Copper
84800030




Grey
48801011

Avra Pendant

Masterbox	Qty 3
Size	H: 10,2 cm, Ø: 5,1 cm
Canopy	Color: Black, Material: Plastic Ø: 9,2 cm, H: 7,2 cm
Material	Metal
IP Class	IP20, Class 2
Cable	Textile cable: Black 200 cm non replaceable
Light source	E27, Max. 60W, Excl. light source,


Features
Industrial style
Design your own luiminaire with a decorative bulb



Adrian Wall

Masterbox	Qty 3
Size	H: 22 cm, D: 17 cm, Shade Ø: 12,5 cm, Base mount: Ø10 cm Tilt angle: 180°
Material	Metal/Plastic
IP Class	IP20, Class 2
Cable	Textile cable: Black/White 150 cm replaceable Switch on cable
Light source	E27, Max. 25W, Excl. light source,

Features
Industrial style
Tilting and turning shade







Black
48824003



Black
48815003



Grey
48824011



Grey
48815011

Adrian Floor


Masterbox	Qty 2
Size	H: 151 cm, Shade Ø: 12,5 cm, Pipe Ø: 1,5 cm, Base Ø: 23 cm, Tilt angle: 360°
Material	Metal/Plastic
IP Class	IP20, Class 2
Cable	Textile cable: Black/White 180 cm non replaceable Switch on cable
Light source	E27, Max. 25W, Excl. light source,


Features
Industrial style
Flexible arm to direct light where needed

Adrian Table

Masterbox	Qty 3
Size	H: 47 cm, Shade Ø: 12,5 cm, Pipe Ø: 1,5 cm, Base Ø: 16 cm, Tilt angle: 180°
Material	Metal/Plastic
IP Class	IP20, Class 2
Cable	Textile cable: Black/White 150 cm non replaceable Switch on cable
Light source	E27, Max. 25W, Excl. light source,

Features
Industrial style
Tilting and turning shade







Black
48783003



Grey
48783011



Black
48793003




Grey
48793011

Adrian 16 Pendant

Masterbox	Qty 6
Size	Shade Ø: 16 cm, Shade H: 22 cm, Tilt angle: 180°
Canopy	Color: Black, Material: Metal
	Ø: 12 cm, H: 7 cm
Material	Metal/Plastic
IP Class	IP20, Class 2
Cable	Textile cable: Black/White 200 cm non replaceable
Light source	E27, Max. 25W, Excl. light source,


Features
Industrial style
Tilting and turning shade



Adrian 25 Pendant

Masterbox	Qty 3
Size	Shade Ø: 25 cm, Shade H: 28 cm, Tilt angle: 180°
Canopy	Color: Black, Material: Metal
	Ø: 12 cm, H: 7 cm
Material	Metal/Plastic
IP Class	IP20, Class 2
Cable	Textile cable: Black/White 200 cm non replaceable
Light source	E27, Max. 25W, Excl. light source,

Features
Industrial style
Tilting and turning shade





Black
84813003



Black
46353003

Lyne Pendant


Masterbox	Qty 3
Size	H: 20 cm, Shade Ø: 29 cm
Canopy	Color: Black, Material: Plastic
	Ø: 11,8 cm, H: 5,8 cm
Material	Metal
IP Class	IP20, Class 2
Cable	Textile cable: Black 250 cm non replaceable
Light source	E27, Max. 60W, Excl. light source,


Features
Industrial style
Black silk matt finish and polished brass details

Step 17 Pendant

Masterbox	Qty 3
Size	Shade Ø: 17 cm, Shade H: 20 cm
Canopy	Color: Black, Material: Plastic
	Ø: 11,8 cm, H: 7,35 cm
Material	Metal
IP Class	IP20, Class 2
Cable	Textile cable: Black 300 cm non replaceable
Light source	E27, Max. 40W, Excl. light source,

Features
Industrial style
Upward and downward light
Rough surface with brass decoration detail







Black
84863003




Rusty brown
48491009

Tees Pendant

Masterbox	Qty 3
Size	H: 34 cm, Shade Ø: 29 cm
Canopy	Color: Black, Material: Plastic
	Ø: 11,8 cm, H: 5,8 cm
Material	Metal
IP Class	IP20, Class 2
Cable	Textile cable: Black 250 cm non replaceable
Light source	E27, Max. 60W, Excl. light source,


Features
Industrial style
Metal grid creating beautiful shadow play
Create your own design expression with a decorative bulb



Andy Wall

Masterbox	Qty 3
Size	H: 23 cm, D: 27 cm, Shade Ø: 20 cm,
	Base mount: Ø12 cm
	Tilt angle: 30°
Material	Metal/Plastic
IP Class	IP20, Class 2
Cable	Cable: Black 150 cm replaceable
	Switch on cable
Light source	E27, Max. 15W, Excl. light source,

Features
Industrial style
Rust colour and rough surface
Same color inside as outside





Rusty brown
48485009




Rusty brown
48473009

Andy Table

Masterbox	Qty 3
Size	H: 40 cm, Shade Ø: 20 cm, Base Ø: 15 cm, Tilt angle: 30°
Material	Metal/Plastic
IP Class	IP20, Class 2
Cable	Cable: Black 150 cm non replaceable Switch on cable
Light source	E14, Max. 15W, Excl. light source,


Features
Industrial style
Rust colour and rough surface
Same color inside as outside



Andy 30 Pendant


Masterbox	Qty 3
Size	Shade Ø: 30 cm, Shade H: 18 cm
Canopy	Color: Black, Material: Plastic Ø: 12,3 cm, H: 8,7 cm
Material	Metal/Plastic
IP Class	IP20, Class 2
Cable	Cable: Black 200 cm non replaceable
Light source	E27, Max. 40W, Excl. light source,

Features
Industrial style
Rust colour and rough surface
Same color inside as outside





White
72991001



Black
72991003


Cyclone Wall

Masterbox	Qty 6
Size	H: 37 cm, W: 12,5 cm, D: 37 cm, Shade Ø: 11 cm, Pipe Ø: 1,1 cm, Base mount: Ø12,5 cm
Material	Metal
IP Class	IP20, Class 1
Light source	E14, Max. 15W, Excl. light source,

Features

Contemporary classic style

Flexible armfor a directional light





White
73065001



Black
73065003


Cyclone Table

Masterbox	Qty 3
Size	H: 33 cm, Shade Ø: 11 cm, Flex arm: 8,7 cm, Shade H: 14 cm, Pipe Ø: 1,4 cm, Base Ø: 15 cm
Material	Metal
IP Class	IP20, Class 2
Cable	Cable: White/Black 155 cm non replaceable Switch on cable
Light source	E14, Max. 15W, Excl. light source,

Features

Contemporary classic style

Flexible arm for a directional light





White
73072001



Black
73072003



Aluminium
59372029

Cyclone Clamp

Masterbox	Qty 3
Size	H: 27 cm, Shade Ø: 11 cm, Flex arm: 16 cm, Shade H: 17 cm
Material	Metal
IP Class	IP20, Class 2
Cable	Cable: White/Black 200 cm non replaceable Switch on cable
Light source	E14, Max. 15W, Excl. light source,

Features
Contemporary classic style
Clamp for fasten on shelf or other edge
Flexible arm for a directional light
Turnable lamp head





Photo Clamp

Masterbox	Qty 6
Size	H: 16 cm, D: 29 cm, Shade Ø: 9,5 cm, Shade H: 16 cm
Material	Metal
IP Class	IP20, Class 2
Cable	Cable: Black 200 cm non replaceable Switch on cable
Light source	E27, Max. 40W, Excl. light source,

Features
Industrial style
Clamp for fasten on shelf or other edge
Adjustable lamp head for a directional light





White
48584001




Black
48584003

Ellen Floor

Masterbox	Qty 2
Size	H: 140 cm, Shade Ø: 40 cm, Base Ø: 30 cm
Material	Metal/Plastic
IP Class	IP20, Class 2
Cable	Cable: White/Black 150 cm non replaceable Switch on cable
Light source	E27, Max. 40W, Excl. light source,

Features
Contemporary and simple style
Creating a soft Downlight





White
48563001




Black
48563003

Ellen 30 Pendant

Masterbox	Qty 3
Size	Shade Ø: 30 cm, Shade H: 15 cm
Canopy	Color: White/Black, Material: Plastic Ø: 12,3 cm, H: 8,7 cm
Material	Metal/Plastic
IP Class	IP20, Class 2
Cable	Textile cable: White/Black 200 cm non replaceable
Light source	E27, Max. 40W, Excl. light source,

Features
Contemporary and simple style
Creating a soft Downlight





White
48555001

NEW
2021



Black
2112305003



Black
48555003



Green
48555023



Brushed steel
2112305032



Brass
2112305035

Ellen Table


Masterbox	Qty 3
Size	H: 40,5 cm, Shade Ø: 20 cm, Base Ø: 16 cm
Material	Metal/Plastic
IP Class	IP20, Class 2
Cable	Textile cable: White/Black 150 cm non replaceable Switch on cable
Light source	E14, Max. 40W, Excl. light source,


Features
Contemporary and simple style
Creating a soft Downlight

Ellen Table

Masterbox	Qty 3
Size	H: 41,5 cm, W: 20 cm, L: 20 cm, Shade Ø: 20 cm, Pipe Ø: 1,15 cm, Base Ø: 15 cm
Material	Metal/Glass
IP Class	IP20, Class 2
Cable	Textile cable: Black/White 150 cm non replaceable Switch on cable
Light source	E14, Max. 40W, Excl. light source,


Features
Exclusive and classic style
Mouth blown glass shade







White
48573001



Black
48573003



White
48405001

Ellen 40 Pendant


Masterbox	Qty 2
Size	Shade Ø: 40 cm, Shade H: 20 cm
Canopy	Color: White/Black, Material: Plastic Ø: 12,3 cm, H: 8,7 cm
Material	Metal/Plastic
IP Class	IP20, Class 2
Cable	Textile cable: White/Black 200 cm non replaceable
Light source	E27, Max. 40W, Excl. light source,


Features
Contemporary and simple style
Creating a soft Downlight

Julian Table

Masterbox	Qty 3
Size	H: 40 cm, Shade Ø: 13 cm, Base Ø: 19 cm
Material	Metal
IP Class	IP20, Class 2
Cable	Cable: White 150 cm non replaceable
Light source	E14, Max. 25W, Excl. light source,

Features
Contemporary and simple style
Beautiful brass decoration
Spreads the light upwards too through the small holes in the top of the shade







White
48413001




White
48423001

Julian 13 Pendant

Masterbox	Qty 6
Size	Shade Ø: 13 cm, Shade H: 14 cm
Canopy	Color: White, Material: Plastic Ø: 12,3 cm, H: 8,7 cm
Material	Metal
IP Class	IP20, Class 2
Cable	Textile cable: White 200 cm non replaceable
Light source	E14, Max. 25W, Excl. light source,

Features

Contemporary and simple style
Beautiful brass decoration tube
Spreads the light upwards too through the small holes in the top of the shade




Julian 23 Pendant

Masterbox	Qty 3
Size	Shade Ø: 23 cm, Shade H: 22 cm
Canopy	Color: White, Material: Plastic Ø: 12,3 cm, H: 8,7 cm
Material	Metal
IP Class	IP20, Class 2
Cable	Textile cable: White 200 cm non replaceable
Light source	E27, Max. 25W, Excl. light source,

Features

Contemporary and simple style
Beautiful brass decoration tube
Spreads the light upwards too through the small holes in the top of the shade




NEW
2021



Black
2112811003

NEW
2021




Black
2112825003

Molli Wall

Masterbox	Qty 3
Size	H: 22,5 cm, W: 11 cm, D: 16,8 cm, Shade Ø: 10 cm, Base Ø: 11 cm, Tilt angle: 90°
Material	Metal/Glass
IP Class	IP20, Class 2
Cable	Cable: Black 150 cm replaceable Switch on fixture
Light source	E14, Max. 40W, Excl. light source,


Features
Minimalist and classic design
Oblique, opal glass shade
Adjustable lamp head for a directional light




Molli Table

Masterbox	Qty 3
Size	H: 46 cm, W: 15 cm, L: 16,7 cm, Shade Ø: 10 cm, Pipe Ø: 1,27 cm, Base Ø: 15 cm, Tilt angle: 90°
Material	Metal/Glass
IP Class	IP20, Class 2
Cable	Cable: Black 150 cm non replaceable Switch on fixture
Light source	E14, Max. 40W, Excl. light source,

Features
Minimalist and classic design
Oblique, opal glass shade
Adjustable lamp head for a directional light



NEW
2021



Black
2112834003

NEW
2021




Black
2112844003

Molli Floor

Masterbox	Qty 2
Size	H: 156,5 cm, W: 23 cm, L: 23 cm, Shade Ø: 10 cm, Flex arm: 29 cm, Pipe Ø: 1,53 cm, Base Ø: 15 cm
Material	Metal/Glass
IP Class	IP20, Class 2
Cable	Cable: Black 150 cm non replaceable Switch on cable
Light source	E14, Max. 40W, Excl. light source,


Features
Minimalist and classic design
Oblique, opal glass shade
Adjustable lamp head for a directional light



Molli 2-Floor

Masterbox	Qty 2
Size	H: 166,4 cm, W: 25,4 cm, L: 25,4 cm, Shade Ø: 10 cm, Flex arm: 18,9 cm, Pipe Ø: 1,53 cm, Base Ø: 25,4 cm
Material	Metal/Glass
IP Class	IP20, Class 2
Cable	Cable: Black 150 cm non replaceable Switch on fixture
Light source	E14, Max. 40W, Excl. light source,

Features
Minimalist and classic design
Oblique, opal glass shade
Adjustable lamp head for a directional light



NEW
2021




Black
2112803003

Molli 2-kit Pendant

Masterbox	Qty 3
Size	H: 18,7 cm, W: 10 cm, L: 10 cm, Shade Ø: 10 cm
Canopy	Color: Black, Material: Plastic Ø: 12,2 cm, H: 8,7 cm
Material	Metal/Glass
IP Class	IP20, Class 2
Cable	Cable: Black 200 cm non replaceable
Light source	E14, Max. 40W, Excl. light source,

Features
Minimalist and classic design
Oblique, opal glass shade
Set of 2 lamps



NEW
2021




Black
2112991003

Cole Wall

Masterbox	Qty 3
Size	H: 15,3 cm, W: 9 cm, D: 19 cm, Shade Ø: 8 cm, Base Ø: 9 cm, Tilt angle: 90°
Material	Metal/Glass
IP Class	IP20, Class 2
Cable	Cable: Black 150 cm replaceable Switch on fixture
Light source	E14, Max. 40W, Excl. light source,

Features
Minimalist and classic design
Opal glass shade
Adjustable lamp head for a directional light
Ideal as bedlight



NEW
2021




Black
2112890003

Cole 2-Wall

Masterbox	Qty 3
Size	H: 17,6 cm, W: 28,5 cm, D: 21,3 cm, Shade Ø: 8 cm, Base Ø: 0 cm, Tilt angle: 90°
Canopy	Color: Black, Material: Metal Ø: 9 cm, H: 2,5 cm
Material	Metal/Glass
IP Class	IP20, Class 2
Light source	E14, Max. 40W, Excl. light source,

Features
Minimalist and classic design
Opal glass shade
Adjustable lamp head for a directional light
Seperate on/off switch on base
Ideal as bedlight



NEW
2021




Black
2112910003

Cole Spot

Masterbox	Qty 3
Size	H: 17,6 cm, W: 48,5 cm, D: 21,3 cm, Shade Ø: 8 cm, Tilt angle: 90°
Canopy	Color: Black, Material: Metal Ø: 9 cm, H: 2,5 cm
Material	Metal/Glass
IP Class	IP20, Class 2
Light source	E14, Max. 40W, Excl. light source,

Features
Minimalist and classic design
Opal glass shade
Adjustable lamp head for a directional light



NEW
2021



Black
2112950003



White
76633001




Black
76633003

Cole Spot

Masterbox	Qty 3
Size	H: 18,6 cm, W: 87 cm, D: 24,2 cm, Shade Ø: 8 cm, Base Ø: 11 cm, Tilt angle: 90°
Canopy	Color: Black, Material: Metal Ø: 11 cm, H: 2,5 cm
Material	Metal/Glass
IP Class	IP20, Class 2
Light source	E14, Max. 40W, Excl. light source,


Features
Minimalist and classic design
Opal glass shade
Adjustable lamp head for a directional light



Anniversary Pendant

Masterbox	Qty 3
Size	H: 16 cm, Shade Ø: 35 cm, Shade H: 16 cm
Canopy	Color: White/Black, Material: Plastic Ø: 11,7 cm, H: 9 cm
Material	Metal
IP Class	IP20, Class 2
Cable	Cable: White/Black 210 cm non replaceable
Light source	E27, Max. 60W, Excl. light source,

Features
Contemporary and industrial style





White
48621001



White
48654001



Black
48621003



Black
48654003

Alexander Wall

Masterbox	Qty 2
Size	H: 28 cm, D: 35 cm, Shade Ø: 16 cm, Base mount: Ø13 cm, Tilt angle: 30°
Material	Metal/Plastic
IP Class	IP20, Class 2
Cable	Cable: White/Black 150 cm replaceable Switch on wall base
Light source	E27, Max. 15W, Excl. light source,

Features

Contemporary and simple style

Adjustable lamp head for a directional light


Alexander Floor


Masterbox	Qty 2
Size	H: 140 cm, Shade Ø: 16 cm, Base Ø: 25 cm, Tilt angle: 30°
Material	Metal/Plastic
IP Class	IP20, Class 2
Cable	Cable: White/Black 150 cm non replaceable Switch on fixture
Light source	E27, Max. 15W, Excl. light source,

Features

Contemporary and simple style

Adjustable lamp head for a directional light







White
48635001




Black
48635003

Alexander Table

Masterbox	Qty 2
Size	H: 54 cm, Shade Ø: 16 cm, Base Ø: 18 cm, Tilt angle: 30°
Material	Metal/Plastic
IP Class	IP20, Class 2
Cable	Cable: White/Black 150 cm non replaceable Switch on the base
Light source	E27, Max. 15W, Excl. light source,

Features
Contemporary and simple style
Adjustable lamp head for a directional light





White
48673001




Black
48673003

Alexander Pendant

Masterbox	Qty 3
Size	Shade Ø: 30 cm, Shade H: 26 cm
Canopy	Color: White/Black, Material: Plastic Ø: 12,3 cm, H: 8,7 cm
Material	Metal/Plastic
IP Class	IP20, Class 2
Cable	Cable: White/Black 200 cm non replaceable
Light source	E27, Max. 40W, Excl. light source,

Features
Contemporary and simple style
Place 2 or 3 over the dining table





White
47141001



White
47615001



Black
47141003



Black
47615003

Texas Wall

Masterbox	Qty 3
Size	H: 18 cm, W: 13 cm, D: 20 cm, Shade Ø: 12,5 cm, Base mount: Ø12,5 cm
Material	Metal
IP Class	IP20, Class 2
Cable	Cable: White/Black 180 cm Switch on fixture
Light source	E27, Max. 60W, Excl. light source,

Features

Contemporary and simple style

Adjustable lamp head for a directional light


Texas Table


Masterbox	Qty 3
Size	H: 40 cm, Shade Ø: 12,5 cm, Flex arm: 15 cm, Base Ø: 14 cm
Material	Metal
IP Class	IP20, Class 2
Cable	Cable: White/Black 150 cm non replaceable Switch on cable
Light source	E27, Max. 60W, Excl. light source,

Features

Contemporary and simple style

Adjustable lamp head for a directional light







Black
45713003



Black
63191003



Replaceable
rings for 63191003




Chrome
63191033

Trude Pendant

Masterbox	Qty 3
Size	H: 22,5 cm, Shade Ø: 21,5 cm
Canopy	Color: Black, Material: Plastic Ø: 11,8 cm, H: 5,8 cm
Material	Metal
IP Class	IP20, Class 2
Cable	Cable: Black 300 cm non replaceable
Light source	E27, Max. 42W, Excl. light source,


Features
Industrial style



Ray Wall

Masterbox	Qty 3
Size	H: 20 cm, D: 23 cm, Shade Ø: 12 cm, Shade H: 9 cm, Pipe Ø: 1,2 cm, Base mount: Ø11 cm
Material	Metal - Metal/Glass
IP Class	IP20, Class 2
Cable	Cable: Black/Clear 180 cm replaceable Switch on fixture
Light source	E14, Max. 40W, Excl. light source,

Features
Classic and stylish design
Suitable for bedside ligth
Create your own look with either brass or chrome ring (replaceable) on the black lamp





Black
63201003

Replaceable
rings for 63201003



Black
63214003

Replaceable
rings for 63214003



Chrome
63201033




Chrome
63214033

Ray Table

Masterbox	Qty 3
Size	H: 46 cm, D: 22 cm, Shade Ø: 12 cm, Shade H: 9 cm, Pipe Ø: 1,2 cm, Base Ø: 15 cm
Material	Metal - Metal/Glass
IP Class	IP20, Class 2
Cable	Cable: Black/Clear 180 cm non replaceable Switch on cable
Light source	E14, Max. 40W, Excl. light source,


Features
Classic and stylish design
Replaceable rings for optinal choice
Create your own look with either brass or chrome ring (replaceable) on the black lamp



Ray Floor

Masterbox	Qty 2
Size	H: 155 cm, Shade Ø: 12 cm, Flex arm: 21 cm, Shade H: 9 cm, Pipe Ø: 1,6 cm, Base Ø: 25 cm
Material	Metal - Metal/Glass
IP Class	IP20, Class 2
Cable	Cable: Black/Clear 180 cm non replaceable Switch on cable
Light source	E14, Max. 40W, Excl. light source,

Features
Classic and stylish design
Replaceable rings for optinal choice
Create your own look with either brass or chrome ring (replaceable) on the black lamp





Black
63224003

Replaceable
rings for 63224003




Chrome
63224033

Ray Floor

Masterbox	Qty 2
Size	H: 155 cm, Shade Ø: 12 cm, Flex arm: 21 cm, Shade H: 9 cm, Pipe Ø: 1,6 cm, Base Ø: 25 cm
Material	Metal - Metal/Glass
IP Class	IP20, Class 2
Cable	Cable: Black 180 cm non replaceable Switch on cable
Light source	E14, Max. 2X40W, Excl. light source,

Features

Classic and stylish design
Create your own look with either brass or chrome ring (replaceable) on the black lamp





Black
72224003

Replaceable
rings for 72224003




Chrome
72224033

Ray Dim Floor

Masterbox	Qty 2
Size	H: 164 cm, Shade Ø: 12 cm, Flex arm: 19 cm, Shade H: 9 cm, Pipe Ø: 1,6 cm, Base Ø: 28 cm
Material	Metal - Metal/Glass
IP Class	IP20, Class 2
Cable	Cable: Black/Clear 180 cm non replaceable Switch on fixture
Light source	E14, Max. 2X40W, Excl. light source, Incl. Rotate dimmer,

Features

Classic and stylish design
Dim the light by rotating the switch
Create your own look with either brass or chrome ring (replaceable) on the black lamp





Black
63233003

Replaceable
rings for 63233003



Chrome
63233033



White
63233001



Black
75554003


Ray 2-Kit Pendant

Masterbox	Qty 3
Size	H: 16,5 cm, Shade Ø: 12 cm, Shade H: 9 cm
Canopy	Color: Black/White, Material: Plastic Ø: 7,2 cm, H: 7,2 cm
Material	Metal - Glass/Metal
IP Class	IP20, Class 2
Cable	Cable: Black/Clear 180 cm non replaceable
Light source	E14, Max. 2X40W, Excl. light source,

Features

Classic and stylish design

Create your own look with either brass or chrome ring (replaceable) on the black lamp



Lelio Floor


Masterbox	Qty 2
Size	H: 155 cm, Shade Ø: 16 cm, Flex arm: 30 cm, Shade H: 16 cm, Pipe Ø: 1,5 cm, Base Ø: 23 cm
Material	Metal/Textile
IP Class	IP20, Class 2
Cable	Cable: Black 180 cm non replaceable Switch on cable
Light source	E14, Max. 2X40W, Excl. light source,

Features

Classic style

Fabric shade

Flexible arm for a directional light





White
45761001



White
45770101



Grey
45761010



Grey
45770110

Eik Wall


Masterbox	Qty 3
Size	H: 11 cm, D: 15 cm, Shade Ø: 8,6 cm, Base mount: Ø8 cm
Material	Metal
IP Class	IP20, Class 2
Cable	Cable: White/Black 200 cm replaceable Switch on cable
Light source	GU10, Max. 35W, Excl. light source,


Features
Contemporary and simple style
Tilting and turning shade

Eik Spot

Masterbox	Qty 3
Size	L: 28,5 cm, D: 15 cm, Shade Ø: 8,6 cm, Base mount: 26,0 x 3,7 cm
Material	Metal
IP Class	IP20, Class 1
Light source	GU10, Max. 35W, Excl. light source,

Features
Contemporary and simple style
Tilting and turning shade
Can be used on both wall and ceiling







White
45780101



Grey
45780110



White
3001601

Eik Spot

Masterbox	Qty 3
Size	L: 45 cm, D: 15 cm, Shade Ø: 8,6 cm, Base mount: 45 x 3,7 cm
Material	Metal
IP Class	IP20, Class 1
Light source	GU10, Max. 35W, Excl. light source,

Features


Contemporary and simple style
Tilting and turning shade
Can be used on both wall and ceiling


Trio 45 Ceiling

Masterbox	Qty 6
Size	D: 15 cm, Shade Ø: 45 cm
Material	Plastic
IP Class	IP20, Class 2
Cable	Cable: White 200 cm Switch on cable
Light source	E27, Max. 40W, Excl. light source,

Features

Classic style
Can be used on both wall and ceiling







Black
19861003



Black
19874003

Break Wall


Masterbox	Qty 3
Size	H: 34 cm, W: 29 cm, D: 53 cm, Shade Ø: 29 cm, Pipe Ø: 1,2 cm, Base mount: Ø12 cm
Material	Metal/Plastic
IP Class	IP20, Class 2
Cable	Cable: Black 170 cm non replaceable Switch on fixture
Light source	E27, Max. 40W, Excl. light source,


Features
Classic style
Fabric shade
Adjustable arm for a directional light

Break Floor

Masterbox	Qty 2
Size	H: 158 cm, Shade Ø: 44 cm, Shade H: 29 cm, Pipe Ø: 2 cm, Base Ø: 25,5 cm
Material	Metal/Plastic
IP Class	IP20, Class 2
Cable	Cable: Black 200 cm non replaceable Switch on cable
Light source	E27, Max. 40W, Excl. light source,


Features
Classic style
Fabric shade
Adjustable arm for a directional light







White
75531001




Black
75531003

Mento Wall

Masterbox	Qty 6
Size	H: 30 cm, W: 5 cm, D: 19 cm, Shade Ø: 3,5 cm, Flex arm: 23 cm, Base mount: 2 x 12 cm
Material	Metal
IP Class	IP20, Class 2
Cable	Cable: White/Black 180 cm replaceable Switch on fixture
Light source	Fixed LED, Incl. 3W LED, Lumen 130, Kelvin 3000, Candela 500, Life hours 30.000, RA 80, Beam angle 60°,

Features
Minimalistic functional style
5 year LED guarantee
Flexible arm for a directional light





White
75582001




Black
75582003

Mento Clamp

Masterbox	Qty 6
Size	H: 40 cm, W: 6,5 cm, Shade Ø: 3,5 cm, Flex arm: 30 cm, Shade H: 8 cm
Material	Metal
IP Class	IP20, Class 3
Cable	Cable: White/Black 180 cm non replaceable Switch on fixture
Light source	Fixed LED, Incl. 3W LED, Lumen 130, Kelvin 3000, Candela 500, Life hours 30.000, RA 80, Beam angle 60°,

Features
Minimalistic functional style
5 year LED guarantee
Clamp for fasten on shelf or other edge
Flexible arm for a directional light





Black
320130

White
320131



Black
84593103

Drop Wall


Masterbox	Qty 3
Size	D: 51,7 cm, Shade Ø: 3,5 cm, Flex arm: 32 cm, Base mount: Ø 5,5 cm
Material	Aluminium
IP Class	IP20, Class 2
Cable	Cable: White 180 cm non replaceable Switch on fixture
Light source	Fixed LED, Incl. 3W LED, Lumen 130, Kelvin 3000, Candela 500, Life hours 20.000, RA 80, Beam angle 120°,


Features
Comtemporary functional style
Flexible arms for a directional light
5 year LED guarantee

Dove Table

Masterbox	Qty 3
Size	H: 36,5 cm, Shade Ø: 10,5 cm, Base Ø: 14,3 cm
Material	Plastic/Metal
IP Class	IP20, Class 2
Cable	Cable: Black 160 cm non replaceable Switch on fixture
Light source	Fixed LED, Incl. 5.4W LED, Lumen 340, Kelvin 3000, Life hours 20.000, RA 80, Beam angle 100°,

Features
Comtemporary functional style
Flexible arms for a directional light
Turnable lamp head
5 year LED guarantee







White
47131001



Black
47131003




White
49801001

Mason Wall

Masterbox	Qty 3
Size	H: 56 cm, D: 35 cm, Shade Ø: 10 cm, Flex arm: 25 cm, Base mount: 7 x 14,5 cm
Material	Plastic
IP Class	IP20, Class 2
Cable	Cable: White/Black 180 cm non replaceable Switch on fixture
Light source	Fixed LED, Max. 5W LED, Incl. 5W LED, Incl. 3-Step Moodmaker™ 100-45-10%, Lumen 1.600, Kelvin 2700, Life hours 30.000, RA 80, Beam angle 120°,

Features

Minimalistic functional style
Moodmaker™ 3-step dimmable on base
USB port for charging your phone or other device
5 year LED guarantee




Frida Wall

Masterbox	Qty 6
Size	H: 11,5 cm, D: 11,5 cm, Shade Ø: 5,1 cm, Base mount: 8,5x8,5 cm Tilt angle: 90°
Material	Metal/Plastic
IP Class	IP20, Class 2
Cable	Cable: White 150 cm replaceable Switch on cable
Light source	GU10, Max. 35W, Excl. light source,

Features

Contemporary and simple style
Adjustable lamp head for a directional light





White
49810101




White
49820101

Frida Spot

Masterbox	Qty 3
Size	W: 8 cm, L: 29 cm, D: 11,5 cm, Shade Ø: 5,1 cm, Base mount: 29x6 cm Tilt angle: 90°
Material	Metal/Plastic
IP Class	IP20, Class 2
Light source	GU10, Max. 2X35W, Excl. light source,


Features
Contemporary and simple style
Adjustable lamp head for a directional light
Can be used on both wall and ceiling



Frida Spot

Masterbox	Qty 3
Size	W: 23 cm, L: 23 cm, D: 11,5 cm, Shade Ø: 5,1 cm, Base mount: 20x20 cm Tilt angle: 90°
Material	Metal/Plastic
IP Class	IP20, Class 2
Light source	GU10, Max. 4X35W, Excl. light source,

Features
Contemporary and simple style
Adjustable lamp head for a directional light






White
45721001



White
45730101



Black
45721003




Black
45730103

Aslak Wall

Masterbox	Qty 3
Size	H: 10,5 cm, D: 18,5 cm, Shade Ø: 8 cm, Base mount: Ø8 cm
Material	Metal
IP Class	IP20, Class 2
Cable	Cable: White/Black 200 cm replaceable Switch on cable
Light source	GU10, Max. 35W, Excl. light source,


Features
Industrial style
Tilting and turning shade
Same color inside as outside



Aslak Spot

Masterbox	Qty 3
Size	L: 32,5 cm, D: 20 cm, Shade Ø: 8 cm, Base mount: Ø9 cm
Material	Metal
IP Class	IP20, Class 2
Light source	GU10, Max. 35W, Excl. light source,

Features
Industrial style
Tilting and turning shade
Can be used on both wall and ceiling
Same color inside as outside






White
45740101



Black
45740103



Black
46553003

Aslak Spot


Masterbox	Qty 3
Size	L: 56,5 cm, D: 20 cm, Shade Ø: 8 cm, Base mount: Ø9 cm
Material	Metal
IP Class	IP20, Class 2
Light source	GU10, Max. 35W, Excl. light source,


Features
Industrial style
Tilting and turning shade
Can be used on both wall and ceiling
Same color inside as outside

Aslak Pendant

Masterbox	Qty 3
Size	Shade Ø: 20 cm, Shade H: 24,5 cm
Canopy	Color: Black, Material: Plastic Ø: 11,7 cm, H: 6 cm
Material	Metal
IP Class	IP20, Class 2
Cable	Cable: Black 300 cm non replaceable
Light source	E27, Max. 40W, Excl. light source,

Features
Industrial style
Same color inside as outside







Black
46724003



Black
46685003

Aslak Floor


Masterbox	Qty 3
Size	H: 140 cm, Shade Ø: 23 cm, Base Ø: 15 cm
Material	Metal
IP Class	IP20, Class 2
Cable	Cable: Black 200 cm non replaceable Switch on cable
Light source	E27, Max. 15W, Excl. light source,


Features
Industrial style
Tilting and turning shade
Same color inside as outside

Aslak Table

Masterbox	Qty 3
Size	H: 48 cm, Shade Ø: 15 cm, Base Ø: 15 cm
Material	Metal
IP Class	IP20, Class 2
Cable	Cable: Black 180 cm non replaceable Switch on cable
Light source	E27, Max. 15W, Excl. light source,

Features
Industrial style
Tilting and turning shade
Same color inside as outside







White
47051001



Black
47051003



Black
47060003

Largo Wall


Masterbox	Qty 3
Size	H: 18 cm, D: 26 cm, Shade Ø: 12 cm, Base mount: Ø10 cm
Material	Metal
IP Class	IP20, Class 2
Cable	Cable: White/Black 180 cm replaceable Switch on fixture
Light source	E27, Max. 25W, Excl. light source,


Features
Industrial style
Tilting and turning shade

Largo Spot

Masterbox	Qty 3
Size	W: 35,8 cm, D: 26 cm, Shade Ø: 12 cm
Material	Metal
IP Class	IP20, Class 1
Light source	E27, Max. 25W, Excl. light source,

Features
Industrial style
Tilting and turning shade








Black
47070003



White
72091001



Black
72091003

Largo Spot


Masterbox	Qty 3
Size	W: 55 cm, D: 26 cm, Shade Ø: 12 cm
Material	Metal
IP Class	IP20, Class 1
Light source	E27, Max. 25W, Excl. light source,


Features
Industrial style
Tilting and turning shade

Explore Wall

Masterbox	Qty 6
Size	H: 8 cm, W: 5,5 cm, D: 14 cm, Shade Ø: 5,5 cm, Pipe Ø: 1,3 cm, Base mount: Ø8 cm
Material	Metal
IP Class	IP20, Class 2
Cable	Cable: Clear 200 cm replaceable Switch on fixture
Light source	GU10, Max. 7W, Incl. 3W LED SMD, Lumen 200, Kelvin 2700, Candela 90, Life hours 25.000, RA 80, Beam angle 110°, Light source energy class A+

Features
Contemporary and simple style
Adjustable lamp head for a directional light







White
74811001




Black
74811003

Explore Wall

Masterbox	Qty 6
Size	H: 12 cm, W: 8 cm, D: 24 cm, Shade Ø: 5,5 cm, Flex arm: 21,5 cm, Pipe Ø: 1 cm, Base mount: Ø8 cm
Material	Metal
IP Class	IP20, Class 2
Cable	Cable: Clear 200 cm replaceable Switch on fixture
Light source	GU10, Max. 7W, Incl. 3W LED SMD, Lumen 200, Kelvin 2700, Candela 90, Life hours 25.000, RA 80, Beam angle 110°, Light source energy class A+

Features
Contemporary and simple style
Adjustable lamp head for a directional light
Flexible arms for a directional light





White
74830001




Black
74830003

Explore Spot

Masterbox	Qty 3
Size	H: 16,5 cm, L: 48 cm, D: 16,5 cm, Shade Ø: 5,5 cm, Pipe Ø: 1,6 cm, Base mount: Ø9 cm
Material	Metal
IP Class	IP20, Class 1
Light source	GU10, Max. 3X7W, Incl. 3X3W LED, Lumen 3X200, Kelvin 2700, Candela 90, Life hours 25.000, RA 80, Beam angle 110°, Light source energy class A+

Features
Contemporary and simple style
Adjustable lamp head for a directional light





Brushed steel
76551132



Brushed steel
73561132

Avenue LED Wall


Masterbox	Qty 6
Size	H: 10 cm, W: 8 cm, D: 13 cm, Shade Ø: 3,8 cm, Base mount: Ø8 cm
Material	Metal
IP Class	IP20, Class 1
Light source	GU10, Max. 3W, Incl. GU10, Lumen 230, Kelvin 3000, Life hours 15.000, RA 80, Beam angle 120°, Light source energy class A+


Features
Classic functional style
Tilting and turning shade
Incl. light source
5 year LED guarantee

Avenue 2 LED Spot

Masterbox	Qty 3
Size	L: 38,5 cm, D: 12 cm, Base mount: Ø9 cm
Material	Metal
IP Class	IP20, Class 1
Light source	GU10, Max. 2X28W, Incl. 2xGU10, Lumen 230, Kelvin 3000, Life hours 15.000, RA 80, Beam angle 120°, Light source energy class A+

Features
Classic functional style
Tilting and turning shade
Incl. light source
Can be used on both wall and ceiling
5 year LED guarantee







Brushed steel
76570132




Brushed steel
76560132

Avenue 3 LED Spot

Masterbox	Qty 3
Size	L: 56,5 cm, D: 13 cm, Shade Ø: 3,8 cm, Base mount: Ø8,5 cm
Material	Metal
IP Class	IP20, Class 1
Light source	GU10, Max. 3X35W, Incl. 3xGU10, Lumen 230, Kelvin 3000, Life hours 15.000, RA 80, Beam angle 120°, Light source energy class A+


Features
Classic functional style
Tilting and turning shade
Incl. light source
Can be used on both wall and ceiling
5 year LED guarantee



Avenue 3 LED Spot round

Masterbox	Qty 3
Size	D: 13 cm, Shade Ø: 3,8 cm, Base mount: Ø25 cm
Material	Metal
IP Class	IP20, Class 1
Light source	GU10, Max. 3X3W, Incl. 3xGU10, Lumen 230, Kelvin 3000, Life hours 15.000, RA 80, Beam angle 120°, Light source energy class A+

Features
Classic functional style
Tilting and turning shade
Incl. light source
5 year LED guarantee





Brushed steel
47490032



Brushed steel
47440032

Avenue Spot


Masterbox	Qty 2
Size	L: 119 cm, D: 13 cm, Shade Ø: 3,8 cm, Base mount: Ø9 cm
Material	Metal
IP Class	IP20, Class 1
Light source	GU10, Max. 3W, Incl. 6xGU10, Lumen 230, Kelvin 3000, Life hours 15.000, RA 80, Beam angle 120°, Light source energy class A+


Features
Classic functional style
Tilting and turning shade
Incl. light source
5 year LED guarantee

Chicago Wall

Masterbox	Qty 3
Size	H: 10 cm, W: 8 cm, D: 14 cm, Base mount: Ø8 cm
Material	Metal
IP Class	IP20, Class 1
Light source	GU10, Max. 10W, Incl. 4,6W GU10, Lumen 345, Kelvin 2700, Life hours 50.000, RA 80, Beam angle 36°, Light source energy class A+

Features
Classic functional style
Tilting and turning shade
Incl. light source







Brushed steel
47450032



Brushed steel
47460032

Chicago Spot


Masterbox	Qty 3
Size	W: 10 cm, L: 35 cm, D: 16,8 cm, Base mount: Ø8 cm
Material	Metal
IP Class	IP20, Class 1
Light source	GU10, Max. 10W, Incl. 2X4,6W GU10, Lumen 2X345, Kelvin 2700, Life hours 50.000, RA 80, Beam angle 36°, Light source energy class A+


Features
Classic functional style
Tilting and turning shade
Can be used on both wall and ceiling
Incl. light source

Chicago Spot

Masterbox	Qty 3
Size	W: 12 cm, L: 64,5 cm, D: 16,8 cm
Material	Metal
IP Class	IP20, Class 1
Light source	GU10, Max. 10W, Incl. 4X4,6W GU10, Lumen 4X345, Kelvin 2700, Life hours 50.000, RA 80, Beam angle 36°, Light source energy class A+

Features
Classic functional style
Tilting and turning shade
Can be used on both wall and ceiling
Incl. light source







Black/brass
50101003




Black/brass
50110103

Lotus Wall

Masterbox	Qty 6
Size	H: 14 cm, D: 16 cm, Shade Ø: 6,6 cm, Base mount: Ø9 cm Tilt angle: 150°
Material	Metal/Plastic
IP Class	IP20, Class 2
Cable	Cable: Black 150 cm replaceable Switch on cable
Light source	E14, Max. 40W, Excl. light source,


Features
Industrial style
Adjustable lamp head for a directional light
Black silk matt finish and polished brass details



Lotus Spot

Masterbox	Qty 3
Size	L: 37 cm, D: 20 cm, Shade Ø: 6,6 cm, Base mount: Ø9 cm Tilt angle: 150°
Material	Metal/Plastic
IP Class	IP20, Class 2
Light source	E14, Max. 2X40W, Excl. light source,

Features
Industrial style
Adjustable lamp head for a directional light
Black silk matt finish and polished brass details





Black/brass
50120103



Black/brass
50130103

Lotus Spot


Masterbox	Qty 3
Size	L: 58 cm, D: 20 cm, Shade Ø: 6,6 cm, Base mount: Ø9 cm Tilt angle: 150°
Material	Metal/Plastic
IP Class	IP20, Class 2
Light source	E14, Max. 3X40W, Excl. light source,


Features
Industrial style
Adjustable lamp head for a directional light
Black silk matt finish and polished brass details

Lotus Spot

Masterbox	Qty 3
Size	L: 78 cm, D: 20 cm, Shade Ø: 6,6 cm, Base mount: Ø9 cm Tilt angle: 150°
Material	Metal/Plastic
IP Class	IP20, Class 2
Light source	E14, Max. 4X40W, Excl. light source,

Features
Industrial style
Adjustable lamp head for a directional light
Black silk matt finish and polished brass details







White
49881001



White
49890101

Agnes Wall


Masterbox	Qty 6
Size	H: 12 cm, W: 9 cm, D: 14 cm, Shade Ø: 5,8 cm, Base mount: Ø9 cm Tilt angle: 150°
Material	Metal/Plastic
IP Class	IP20, Class 2
Cable	Cable: White 150 cm replaceable Switch on cable
Light source	G9, Max. 35W, Excl. light source,


Features
Industrial style
Tilting and turning shade
With mesh detail

Agnes Spot

Masterbox	Qty 3
Size	L: 30 cm, D: 14,5 cm, Shade Ø: 5,8 cm, Base mount: Ø9 cm Tilt angle: 150°
Material	Metal/Plastic
IP Class	IP20, Class 2
Light source	G9, Max. 2X35W, Excl. light source,

Features
Industrial style
Tilting and turning shade
With mesh detail
Can be used on both wall and ceiling







White
49900101




White
49910101

Agnes Spot

Masterbox	Qty 3
Size	L: 45 cm, D: 14,5 cm, Shade Ø: 5,8 cm, Base mount: Ø9 cm Tilt angle: 150°
Material	Metal/Plastic
IP Class	IP20, Class 2
Light source	G9, Max. 3X35W, Excl. light source,


Features
Industrial style
Tilting and turning shade
With mesh detail
Can be used on both wall and ceiling



Agnes Spot

Masterbox	Qty 3
Size	D: 12 cm, Shade Ø: 5,8 cm, Base mount: Ø18 cm Tilt angle: 150°
Material	Metal/Plastic
IP Class	IP20, Class 2
Light source	G9, Max. 3X35W, Excl. light source,

Features
Industrial style
Tilting and turning shade
With mesh detail





White
49920101




Black
49831003

Agnes Spot

Masterbox	Qty 3
Size	L: 80 cm, D: 14,5 cm, Shade Ø: 5,8 cm,
	Base mount: Ø9 cm
	Tilt angle: 150°
Material	Metal/Plastic
IP Class	IP20, Class 2
Light source	G9, Max. 4X35W, Excl. light source,


Features
Industrial style
Tilting and turning shade
With mesh detail
Can be used on both wall and ceiling



Alfred Wall

Masterbox	Qty 6
Size	H: 12 cm, D: 8,5 cm, Shade Ø: 5,1 cm,
	Base mount: Ø9 cm
	Tilt angle: 90°
Material	Metal/Plastic
IP Class	IP20, Class 2
Cable: Black 150 cm replaceable	
	Switch on cable
Light source	G9, Max. 40W, Excl. light source,

Features
Industrial style
Tilting and turning shade
Makes intriguing shadows of light
Golden color inside the shade for a beautiful and warm light






Black
49840103

Alfred Spot

Masterbox	Qty 3
Size	L: 39 cm, D: 13 cm, Shade Ø: 5,1 cm, Base mount: Ø9 cm Tilt angle: 90°
Material	Metal/Plastic
IP Class	IP20, Class 2
Light source	G9, Max. 2X40W, Excl. light source,

Features
Industrial style
Tilting and turning shade
Makes intriguing shadows of light
Golden color inside the shade for a beautiful and warm light






Black
49850103

Alfred Spot

Masterbox	Qty 3
Size	L: 55 cm, D: 16 cm, Shade Ø: 5,1 cm, Base mount: Ø9 cm Tilt angle: 90°
Material	Metal/Plastic
IP Class	IP20, Class 2
Light source	G9, Max. 3X40W, Excl. light source,

Features
Industrial style
Tilting and turning shade
Makes intriguing shadows of light
Golden color inside the shade for a beautiful and warm light







Outdoor Collection 2021-2022

Good lighting is just as important outdoors as it is indoors. A great ambience is crucial for creating inviting outdoor areas that are both aesthetically pleasing as well as practical. This year, our 2021 novelties for the Outdoor collection add a wide variety of designs to an already extensive range.

In close cooperation with skilled Danish designers, we introduce timeless, outstanding designs that will beautifully embellish any house façade, driveway or garden and at the same time provide a good, practical light.

We also introduce Cross by designer Maria Berntsen - an elegant, round wall light with maritime design references. Both designs are made from very durable materials that stay beautiful year after year even in harsh outdoor environments.

The popular "Take Me Anywhere" concept is expanded with two new products, Bob and Leo. The wireless, portable concept is perfect for warm summer nights on the balcony or the terrace where there is no electricity to be connected.

We also extend our Solar range with new products that are charged by sunlight during the day and turn on when detecting motion or when darkness falls. Both concepts building on technology that challenge the boundaries of fixed outdoor lighting.

We proudly present our 2021 collection.



Arki 35 Wall
2118111003

Arki Series



Arki 20 Wall & Arki 100 Garden
75181031 & 21 18108031

The Arki series by Danish designer Bønnelycke MDD is characterised by its beautiful dome-like shade and minimalist, clean lines inspired by the classic architect lamp. The oversize shade adds a grandiose and spectacular quality to your house facade.

Arki beautifully balances simplicity with sophistication while emitting the perfect light for your entrance, driveway, terrace or other outdoor space.

Learn more about Arki on page 278



Arki 100 Garden
2118108003









Take me anywhere





Take Me Anywhere is a range of portable outdoor lights that will beautifully light up the dark and extend warm summer nights on the terrace, the balcony or wherever you need a pleasant, cosy light.

Take Me Anywhere perfectly balances functionality and aesthetics by providing great light wrapped in a beautiful and streamlined design.

The range has a high IP rating and is made from very durable materials that stay beautiful in all kinds of weather.





Sponge 20 Table, Sponge 34 Table, Sponge Pendant & Sponge Spike
2018135003, 2018165003, 2018103003 & 2018128003

Designed by Danish designers Says Who

Sponge is named after sponges in the forest, where the inspiration for design, shape and expression also is found. The simple design and soft shapes make Sponge an incredibly elegant series, suitable inside and outside the home.

With the Build-in battery, Sponge can be placed and moved as you like and simultaneously, the brightness of the light can be adjusted in three levels. The battery has a durability up to five hours at full power and even longer, if the light is turned down to a cosy lighting. The battery is easily charged by the included USB cable.

Learn more about Sponge on page 247

SAYS WHO

Sponge Series

The portable Sponge series is designed for your balcony, garden and terrace. You can also bring it with you to the beach or the park.

Decorative Danish design - designed for the harsh outdoors with long battery life and high lumen output.



Sponge To Go & Sponge 34 Floor
2018145003 & 2018154003



Kettle 22, Kettle 36, Kettle Tripod 31 Metal, Kettle Tripod 110 Wood & Kettle Spike
2018003003, 2018013003, 2018035003, 2018044014 & 2018028003

Kettle Series



Kettle 22, Kettle 36, Kettle Tripod 31 Metal, Kettle Tripod 31 Wood & Kettle Tripod 110 Metal
2018003003, 2018013003, 2018035003, 2018035014 & 2018044003

Designed by Danish designers Says Who

The possibilities are endless with the Kettle series, as you can customise the type of lamp you want with the replaceable accessories.

Design and functionality is carefully thought through, beautifully illuminating your everyday life - both inside and outside.

Kettle is not only decorative, it also provides a good light that can be adjusted in three levels. The Build-in battery has a durability up to five hours at full power and even longer, if the light is turned down to a cosy lighting.

The battery is easily charged by the included USB cable.

Learn more about Kettle on page 250

SAYS WHO











Solar Series

Learn more about our Solar Series from page xx

Bob Series



Designed by Danish designers Says Who

Bob is a modern, solar powered and transportable lamp designed by Danish designers Says Who. Design and functionality comes perfectly together - just grab the cordless lamp by the handle and place it wherever you need it.

Bob creates a cosy ambience in the garden or on the terrace by turning on automatically when darkness falls. Suitable to place on Kettle spike or tripod, if you want to elevate your light.

Learn more about Bob on page 246

SAYS WHO





Rica Round Wall & Rica Round Garden
2118141003 & 2118158003

Rica Series



The Rica series is a series of cordless, solar powered garden lamps in a modern and minimalist design.

The pole lamps are charged by sunlight during the day, and turn on automatically when detecting motion. The downwards facing light is perfect for illuminating your main entrance, driveway or other areas with a lot of traffic. Nordlux offers a 5-year LED guarantee.

Learn more about Rica on page 280

Cross Series



Cross 25 Wall
2118131035


Designed by Danish designer Maria Berntsen

The round, minimalist design expression of the Cross wall light by Danish designer Maria Berntsen will embellish any exterior design - almost like a piece of jewellery for your home. Emits a warm, diffused light that creates an inviting atmosphere for your outdoor areas.

The beautiful and durable brass version is especially suitable for harsh seaside use. Nordlux offers 15 years of guarantee on brass. This guarantee applies to extensive corrosion in the form of holes in the metal caused by rust.

Learn more about Cross on page 313

MARIA BERNTSEN
INDUSTRIEL DESIGN



Cross 20 Wall
2118121003

Cross 25 Wall
2118131003











Designed for costal, urban and other rough enviroments





At Nordlux we recommend seaside lamps for most outdoor environments. All our seaside lamps are durable and resistant towards the elements, which means that seaside lamps are advantageous near the shore.

When you purchase a seaside lamp, it will have a glossy surface. The surface will over time take on a beautifully flat and rustic appearance, as the natural and living material moves and changes continuously.

A seaside lamp generally does not require any maintenance. Yet, it is recommended by Nordlux, especially in areas near the coast, to frequently wash the lamp with warm water and a soft brush, to remove salt and in that way achieve the longest possible lifetime.

Nordlux offers a 15-year guarantee on all outdoor lamps in galvanized steel, copper and brass.

Kurnos Wall



The Kurnos wall light has a classic and modern design that is perfect for your entrance, driveway, terrace or any other outdoor space. The curved shades ensure a functional, yet glare-free and diffused light.

The beautiful and durable version in galvanized steel is especially suitable for harsh seaside use. Nordlux offers 15 years of guarantee on galvanized steel. This guarantee applies to extensive corrosion in the form of holes in the metal caused by rust.

Learn more about Kurnos on page 256




Kurnos 20
2118061031



Kurnos 35
2118071031





Bastia 35
2118051003

Bastia Wall



Bastia 35
2118051031

Bastia balances a classic and timeless look with a modern, architectural expression. The horizontal shades and acrylic diffuser provide a soft, glare-free light that is perfect for the facade of your home.

The beautiful and durable version in galvanized steel is especially suitable for harsh seaside use. Nordlux offers 15 years of guarantee on galvanized steel. This guarantee applies to extensive corrosion in the form of holes in the metal caused by rust.

Learn more about Bastia on page 257




Fold 10
2019041003


Fold Wall



Fold 15
2019051003



Fold light masks



Designed by Danish designer Bønnelycke MDD

"Fold a sheet of paper, place a bulb behind - and you have a lamp." Although the reality is not that simple, designer Henrik Bønnelycke wants the light to appear as if it is. In terms of shape, Fold is brightly clear, where the selected details and latest LED technology are in focus.

The magnetic shade makes the installation simple and the design distinct without visible screws. The light shines up and down, and the four included 3 light patterns change the light based on desire and personal style.


Learn more about Fold on page 304

Canto 2
Wall





Canto Kubi 2
49711031





Canto Maxi Kubi 2
49721003








Designed by Danish designer Bønnelycke MDD


Whether Canto 2 is placed indoors or outdoors, the lamp offers a unique lighting experience.

The minimalist design makes the lamp both decorative and sculptural. The light flows both up and down, and with the three included pattern inserts, it is possible to change the light image according to desire and personal style.

Learn more about Canto 2 on page 306

Canto 2 light masks







Bastia 35
2019061003

Turn Wall



Bastia 35
2019061003

Designed by Danish designer Bønnelycke MDD

Imagine a lamp that can be turned freely after installation, creating beautiful effects with light and shades making the lamp an illuminating piece of art on the wall. This is exactly what Danish designer, Henrik Bønnelycke, has created. Turn is both playful and sculptural, as the magnetic shade can be rotated 360°, making it possible to illuminate exactly what you want.

Turn oozes of Nordic minimalism as it combines modern design and functionality in the most beautiful way. The lamp is resistant to wind and water, and therefore it can be used both outdoors and indoors in the bathroom.

Learn more about Turn on page 309

Scorpius Wall



Scorpius
21651031




Scorpius Maxi
21651003


Scorpius Wall light has a classic and timeless design. Scorpius has many uses – the perfect fit beside the front door, at the entrance, on the fence, or in the stairwell. It can be used alone or with several placed side by side.

The version in galvanised steel is well suited for the Nordic climate. Nordlux recommends light fixtures in galvanised steel for coastal areas.

Learn more about Scorpius on page 308







There’s a perfect light for everyone with Nordlux Smart






Watch the video

Nordlux Smart is a comfortable and flexible solution to easily set your lights according to your needs and situations. Nordlux Smart bulbs enables you to set the right light for every occasion, from a cozy, relaxing atmosphere to a functional, activating illumination.


The Nordlux Smart products are controlled with the Nordlux Smart app via Bluetooth Mesh without the need of an internet connection.

By adding the Nordlux Smart Bridge you can expand the features and functionalities of the smart system, including for example voice control (Amazon Alexa or Google Home) and control of the light from anywhere.




Take Me Anywhere

246




Classical Designs

254




Designer Series

276




Solar Panel Series

280




Modern
Light Series

284



Wall/Ceiling
Series

312



Special Light
Series

320

Outdoor Collection 2021-2022



Nature (brown)
2118085062

Daylight Sensor

Solar Panel

Bob To-Go Portable by Says Who

Masterbox	Qty 2
Size	H: 30 cm, Ø: 32 cm, Shade Ø: 29,4 cm, Base Ø: 18 cm
Material	Bamboo/Plastic
IP Class	IP44, Class 3
Cable	Cable: Black 100 cm replaceable Switch on fixture
Light source	SOLAR LED, Incl. 4W LED, Lumen 300, Kelvin 2700, Life hours 30.000, RA 80, Beam angle 240°, Not dimmable Light source energy class A+

Features

Solar charged
High light output (300 lumen)
Turns on automatically when darkness falls
30 cm high (suitable for Kettle spike and tripod)
FSC approved bamboo



Nature (brown)
2118095062

Daylight Sensor


Solar Panel


LEO To-Go Portable by Says Who

Masterbox	Qty 2
Size	H: 30 cm, Ø: 29,9 cm, Base Ø: 18 cm
Material	Bamboo/Plastic
IP Class	IP44, Class 3
Cable	Cable: Black 100 cm Switch on fixture
Light source	SOLAR LED, Incl. 4W LED, Lumen 300, Kelvin 2700, Life hours 30.000, RA 80, Beam angle 240°, Not dimmable Light source energy class A+

Features

Solar charged
High light output (300 lumen)
Turns on automatically when darkness falls
30 cm high (suitable for Kettle spike and tripod)
FSC approved bamboo








White
2018103003


Sponge 20 Portable by Says Who

Masterbox	Qty 3
Size	H: 55,4 cm, W: 20 cm, L: 20 cm, Ø: 20 cm, Shade Ø: 20 cm, Pipe Ø: 2,3 cm
Material	Plastic/Metal
IP Class	IP65, Class 3
Light source	Fixed LED, Incl. 4,8W LED, Incl. 3-Step Moodmaker™, Lumen 300, Kelvin 2700, Life hours 30.000, RA 80, Beam angle 120°, Dimmable

Features
Long life battery
Durable materials
High lumen output with 3 step dimming
5 year LED guarantee
IP65 water resistant
Warm white LED 2700 Kelvin
Space saving pendent



Moodmaker™ 3-step dimmable




White
2018128003

Sponge 20 Portable by Says Who

Masterbox	Qty 3
Size	H: 51,5 cm, W: 20 cm, L: 20 cm, Ø: 20 cm, Shade Ø: 20 cm, Pipe Ø: 2,3 cm
Material	Plastic/Metal
IP Class	IP65, Class 3
Cable	Cable: Black 150 cm replaceable, Switch on fixture
Light source	Fixed LED, Incl. 4,8W LED, Incl. 3-Step Moodmaker™, Lumen 300, Kelvin 2700, Life hours 30.000, RA 80, Beam angle 120°, Dimmable

Features
Long life battery
Durable materials
High lumen output with 3 step dimming
5 year LED guarantee
IP65 water resistant
Warm white LED 2700 Kelvin
Spike included for easy placement



Moodmaker™ 3-step dimmable





White
2018135003

Sponge 20 Portable by Says Who

Masterbox	Qty 3
Size	H: 21,5 cm, W: 20 cm, L: 20 cm, Ø: 20 cm, Pipe Ø: 2,3 cm
Material	Plastic/Metal
IP Class	IP65, Class 3
Light source	Fixed LED, Incl. 4,8W LED, Incl. 3-Step Moodmaker™, Lumen 300, Kelvin 2700, Life hours 30.000, RA 80, Beam angle 120°, Dimmable

Features
Long life battery
Durable materials
High lumen output with 3 step dimming
5 year LED guarantee
IP65 water resistant
Warm white LED 2700 Kelvin





Moodmaker™ 3-step dimmable





White
2018145003

Sponge 20 Portable by Says Who

Masterbox	Qty 3
Size	H: 27,7 cm, W: 22,5 cm, L: 22,5 cm, Ø: 22,5 cm, Pipe Ø: 1 cm, Base Ø: 13,5 cm
Material	Plastic/Metal
IP Class	IP65, Class 3
Cable	Cable: Black 150 cm replaceable Switch on fixture
Light source	Fixed LED, Incl. 4,8W LED, Incl. 3-Step Moodmaker™, Lumen 300, Kelvin 2700, Life hours 30.000, RA 80, Beam angle 120°, Dimmable

Features
Long life battery
Durable materials
High lumen output with 3 step dimming
5 year LED guarantee
IP65 water resistant
Warm white LED 2700 Kelvin
Handle for easy bring along





Moodmaker™ 3-step dimmable





White
2018154003

Sponge 34 Portable by Says Who

Masterbox	Qty 3
Size	H: 40,5 cm, W: 34 cm, L: 34 cm, Ø: 34 cm, Pipe Ø: 2,3 cm
Material	Plastic/Metal
IP Class	IP65, Class 3
Light source	Fixed LED, Incl. 6,8W LED, Incl. 3-Step Moodmaker™, Lumen 450, Kelvin 2700, Life hours 30.000, RA 80, Beam angle 120°, Dimmable

Features
Long life battery
Durable materials
High lumen output with 3 step dimming
5 year LED guarantee
IP65 water resistant
Warm white LED 2700 Kelvin
Big size and 450 Lumen





Moodmaker™ 3-step dimmable





White
2018165003

Sponge 34 Portable by Says Who

Masterbox	Qty 3
Size	H: 126 cm, W: 34 cm, L: 34 cm, Ø: 34 cm, Pipe Ø: 2,3 cm, Base Ø: 28,5 cm
Material	Plastic/Metal
IP Class	IP65, Class 3
Light source	Fixed LED, Incl. 6,8W LED, Incl. 3-Step Moodmaker™, Lumen 450, Kelvin 2700, Life hours 30.000, RA 80, Beam angle 120°, Dimmable

Features
Long life battery
Durable materials
High lumen output with 3 step dimming
5 year LED guarantee
IP65 water resistant
Warm white LED 2700 Kelvin
Big size and 450 Lumen





Moodmaker™ 3-step dimmable

NEW
2021



White
2118245001



Step dimming
on the product



Black
2118245003





Black
2018028003

Ara To Go Portable

Masterbox	Qty 3
Size	H: 29,2 cm, Shade Ø: 19,7 cm
Material	Aluminium/Plastic
IP Class	IP54, Class 3
Cable	Cable: White 100 cm non replaceable
Light source	Fixed LED, Incl. 2W LED, Lumen 105, Kelvin 3000, Candela 730, Life hours 30.000, RA 80, Beam angle 125°, Not dimmable

Features
Battery powered
3-step Moodmaker™ function
Up to 80 hours of battery life
5 year LED guarantee






Moodmaker™ 3-step dimmable

Kettle spike Portable by Says Who

Masterbox	Qty 3
Size	H: 51,6 cm, W: 5,8 cm, L: 5,8 cm, Pipe Ø: 1,8 cm
Material	Metal/Aluminium

Features
Easy twist mount accessory for Kettle luminaire
Metal spike





White
2018003003




White
2018013003


Kettle 22 Portable by Says Who

Masterbox	Qty 3
Size	H: 19,6 cm, W: 22 cm, L: 22 cm, Ø: 22 cm
Material	Plastic/Plastic
IP Class	IP65, Class 3
Cable	Cable: Black 150 cm replaceable Switch on fixture
Light source	Fixed LED, Incl. 4,8W LED, Incl. 3-step dimmer, Lumen 300, Kelvin 2700, Life hours 30.000, RA 80, Beam angle 120°, Dimmable

Features

Long life battery
Durable materials
High lumen output with 3 step dimming
5 year LED guarantee
IP65 water resistant
Warm white LED 2700 Kelvin
Easy twist mount accessories for placement






Moodmaker™ 3-step dimmable


Kettle 36 Portable by Says Who

Masterbox	Qty 3
Size	H: 30,8 cm, W: 36 cm, L: 36 cm, Ø: 36 cm
Material	Plastic/Plastic
IP Class	IP65, Class 3
Cable	Cable: Black 150 cm replaceable Switch on fixture
Light source	Fixed LED, Incl. 6,8W LED, Incl. 3-step dimmer, Lumen 450, Kelvin 2700, Life hours 30.000, RA 80, Beam angle 120°, Dimmable

Features

Long life battery
Durable materials
High lumen output with 3 step dimming
5 year LED guarantee
IP65 water resistant
Warm white LED 2700 Kelvin
Easy twist mount accessories for placement





Moodmaker™ 3-step dimmable



Black
2018035003



Black
2018044003



Nature (brown)
2018035014



Nature (brown)
2018044014

Kettle tripod 31 Portable by Says Who

Masterbox	Qty 3
Size	H: 34,4 cm, W: 17,9 cm, L: 15,7 cm, Pipe Ø: 1,6 cm
Material	Metal - Wood/Metal

Features

Easy twist mount accessory for Kettle luminaire

Tripod turns it into table or low floor lamp


Kettle tripod 100 Portable by Says Who


Masterbox	Qty 3
Size	H: 102,9 cm, W: 36,7 cm, L: 32 cm, Pipe Ø: 1,6 cm
Material	Metal - Wood/Metal

Features

Easy twist mount accessory for Kettle luminaire

High tripod turns it into floor lamp








Black
46901003

Parallel connection possible

Dalton Wall

Masterbox	Qty 3
Size	H: 29,6 cm, W: 20 cm, D: 24,8 cm
Material	Stainless steel/Glass
IP Class	IP44, Class 1
Light source	E27, Max. 40W, Excl. light source,

Features
Build-in parallel connection






Rusty
72805009

Parallel connection possible

Luxembourg Pendant

Masterbox	Qty 3
Size	H: 24 cm, Shade Ø: 27,5 cm, Base mount: Ø11 cm
Canopy	Color: Brown, Material: Galvanized Steel Ø: 10,9 cm, H: 2,15 cm
Material	Galvanized steel/Glass
IP Class	IP23, Class 2
Cable	Cable: Black 110 cm
Light source	E27, Max. 60W, Excl. light source,

Features
Natural rusty brown surface
Including canopy in same material
Build-in parallel connection





Galvanized
22671031

Parallel connection possible

15 year guarantee against corrosion



Black
22671003



Rusty
22671009



Copper
22671030


Luxembourg Wall

Masterbox	Qty 3
Size	H: 27 cm, D: 39 cm, Shade Ø: 26 cm, Base mount: Ø11,5 cm
Material	Galvanized steel/Glass - Copper/Glass
IP Class	IP54, Class 2
Light source	E27, Max. 60W, Excl. light source,

Features

Build-in parallel connection

15 year anti corrosion guarantee on Copper and Galvanized steel





Galvanized
22661031

Parallel connection possible

Motion sensor

15 year guarantee against corrosion

Luxembourg Sensor Wall


Masterbox	Qty 3
Size	H: 27 cm, D: 47 cm, Shade Ø: 27 cm, Base mount: Ø11,5 cm
Material	Galvanized steel/Glass
IP Class	IP54, Class 1
Light source	E27, Max. 60W, Excl. light source,

Features

Build-in daylight and motion sensor

Build-in parallel connection

15 year anti corrosion guarantee on Galvanized steel



NEW
2021



Galvanized
2118061031

Parallel connection possible

15 year guarantee against corrosion




Black
2118061003

Kurnos 20 Wall

Masterbox	Qty 3
Size	H: 18,2 cm, D: 25,6 cm, Shade Ø: 20 cm, Base mount: Ø 9,8 cm
Material	Metal/Plastic
IP Class	IP54, Class 1
Light source	E14, Max. 12W, Excl. light source,

Features

Well suited for Nordlux Smart Bulb
Parallel connection possible
Only one visible screw
15 year anti corrosion guarantee on Metal



NEW
2021



Galvanized
2118071031

Parallel connection possible

15 year guarantee against corrosion




Black
2118071003

Kurnos 35 Wall


Masterbox	Qty 2
Size	H: 23,7 cm, D: 38,6 cm, Shade Ø: 35 cm, Base mount: Ø 9,8 cm
Material	Metal/Plastic
IP Class	IP54, Class 1
Light source	E27, Max. 20W, Excl. light source,

Features

Well suited for Nordlux Smart Bulb
Parallel connection possible
Only one visible screw
15 year anti corrosion guarantee on Metal



NEW
2021



Galvanized
2118041031

Parallel connection possible

15 year guarantee against corrosion




Black
2118041003

Bastia 24 Wall


Masterbox	Qty 3
Size	H: 17,6 cm, D: 27,6 cm, Shade Ø: 24 cm, Base mount: Ø 9,8 cm
Material	Metal/Plastic
IP Class	IP54, Class 1
Light source	E14, Max. 12W, Excl. light source,

Features

Well suited for Nordlux Smart Bulb
Parallel connection possible
Only one visible screw
15 year anti corrosion guarantee on Metal



NEW
2021



Galvanized
2118051031

Parallel connection possible

15 year guarantee against corrosion




Black
2118051003


Bastia 35 Wall

Masterbox	Qty 2
Size	H: 24,3 cm, D: 38,6 cm, Shade Ø: 35 cm, Base mount: Ø 9,8 cm
Material	Metal/Plastic
IP Class	IP54, Class 1
Light source	E27, Max. 20W, Excl. light source,

Features

Well suited for Nordlux Smart Bulb
Parallel connection possible
Only one visible screw
15 year anti corrosion guarantee on Metal





Copper
24381030

Parallel connection possible


15 year guarantee against corrosion



Galvanized
25091031

Parallel connection possible

15 year guarantee against corrosion



Galvanized
24381031



White
25091001



Black
25091003



Stainless steel
25091034

Phoenix Wall

Masterbox	Qty 2
Size	H: 22 cm, D: 42,5 cm, Shade Ø: 39 cm, Base mount: Ø 11,7 cm
Material	Copper/Plastic - Galvanized steel/Plastic
IP Class	IP54, Class 2
Light source	E27, Max. 16W, Lumen 799, Kelvin 2700, Life hours 10.000, RA 80, Beam angle 270°, Not dimmable

Features

Huge 42,5 cm shade

Build-in parallel connection

15 year anti corrosion guarantee on Copper and Galvanized steel


Vejers Wall


Masterbox	Qty 3
Size	H: 23 cm, D: 26 cm, Shade Ø: 22 cm, Base mount: Ø 9.5 cm
Material	Galvanized steel/Glass - Stainless steel/Glass
IP Class	IP54, Class 1
Light source	E27, Max. 60W, Excl. light source,

Features

Build-in parallel connection

15 year anti corrosion guarantee on Galvanized steel







Galvanized
25101031

Parallel connection possible

Motion sensor

15 year guarantee against corrosion




Black
25101003

Vejers Sensor Wall

Masterbox	Qty 3
Size	H: 23 cm, D: 26 cm, Shade Ø: 22 cm, Base mount: Ø 9.5 cm
Material	Galvanized steel/Glass
IP Class	IP54, Class 1
Light source	E27, Max. 60W, Excl. light source,

Features

Build-in parallel connection
Build-in daylight and motion sensor
15 year anti corrosion guarantee on Galvanized steel





Galvanized
74461031

Parallel connection possible

15 year guarantee against corrosion




Black
74471003

Vejers Down Wall

Masterbox	Qty 3
Size	H: 23 cm, D: 26 cm, Shade Ø: 22 cm, Base mount: Ø 9,5 cm
Material	Galvanized steel/Glass
IP Class	IP54, Class 1
Light source	E27, Max. 60W, Excl. light source,

Features

Parallel connection possible










Galvanized
25118031

Parallel connection possible

15 year guarantee against corrosion



Black
25118003




Stainless steel
25118034

Vejers Garden

Masterbox	Qty 3
Size	H: 92 cm, Shade Ø: 22 cm, Pipe Ø: 3,5 cm, Base Ø: 15 cm
Material	Galvanized steel/Glass - Stainless steel/Glass
IP Class	IP54, Class 2
Light source	E27, Max. 60W, Excl. light source,

Features

Build-in parallel connection
Can be mounted on Nordlux base unit
15 year anti corrosion guarantee on Galvanized steel
Suitable for Base no. 22039931











Galvanized
25168031

Parallel connection possible

Adjustable height


15 year guarantee against corrosion

Vejers 2M Garden

Masterbox	Qty 2
Size	H: 215 cm, Shade Ø: 39 cm, Pipe Ø: 7,4 cm, Base Ø: 15 cm
Material	Galvanized steel/Glass
IP Class	IP54, Class 2
Light source	E27, Max. 60W, Excl. light source,

Features

Build-in parallel connection
Adjustable from 130 to 200 cm hight
Can be mounted on Nordlux base unit
15 year anti corrosion guarantee on Galvanized steel
Suitable for Base no. 22039931





Galvanized
24111031

Parallel connection possible

15 year guarantee against corrosion



Copper
24981030

Parallel connection possible

15 year guarantee against corrosion



Galvanized
24981031

Virum Wall

Masterbox	Qty 3
Size	H: 22 cm, D: 38 cm, Shade Ø: 32 cm, Base mount: Ø 10,5 cm
Material	Galvanized steel/Glass
IP Class	IP44, Class 2
Light source	E27, Max. 60W, Excl. light source,

Features

Build-in parallel connection

15 year anti corrosion guarantee on Galvanized steel

Nibe Wall


Masterbox	Qty 6
Size	H: 24 cm, D: 34 cm, Shade Ø: 27,5 cm, Base mount: Ø 10,8 cm
Material	Copper/Glass - Galvanized steel/Glass
IP Class	IP54, Class 1
Light source	E27, Max. 60W, Excl. light source,


Features

Compact elegant design

Build-in parallel connection

15 year anti corrosion guarantee on Copper and Galvanized steel







Galvanized
10600619

Parallel connection possible

15 year guarantee against corrosion



Galvanized
10600719

Parallel connection possible

15 year guarantee against corrosion



Copper
10600625



Copper
10600725

Venø Wall

Masterbox	Qty 3
Size	H: 26 cm, D: 40 cm, Shade Ø: 35 cm, Base mount: Ø 11,7 cm
Material	Galvanized steel/Plastic - Copper/Plastic
IP Class	IP54, Class 1
Light source	E27, Max. 60W, Excl. light source,

Features


Build-in parallel connection
Parallel connection possible
15 year anti corrosion guarantee on Galvanized steel and Copper


Venø Garden


Masterbox	Qty 3
Size	H: 93 cm, Shade Ø: 35 cm, Pipe Ø: 5 cm, Base Ø: 14,5 cm
Material	Galvanized steel/Plastic - Copper/Plastic
IP Class	IP54, Class 2
Light source	E27, Max. 60W, Excl. light source,

Features

Build-in parallel connection
Can be mounted on Nordlux base unit
Parallel connection possible
15 year anti corrosion guarantee on Galvanized steel and Copper
Suitable for Base no. 22039931







Galvanized
10600219

Parallel connection possible

15 year guarantee against corrosion


Amalienborg Wall

Masterbox	Qty 3
Size	H: 26 cm, D: 37,5 cm, Shade Ø: 32,5 cm, Base mount: Ø 11,5 cm
Material	Galvanized steel/Plastic
IP Class	IP54, Class 1
Light source	E27, Max. 60W, Excl. light source,

Features

Build-in parallel connection

15 year anti corrosion guarantee on Galvanized steel





Galvanized
10600319

Parallel connection possible

15 year guarantee against corrosion

Amalienborg Garden


Masterbox	Qty 3
Size	H: 92 cm, Shade Ø: 32,5 cm, Pipe Ø: 5 cm, Base Ø: 15 cm
Material	Galvanized steel/Plastic
IP Class	IP54, Class 2
Light source	E27, Max. 60W, Excl. light source,


Features


Build-in parallel connection

15 year anti corrosion guarantee on Galvanized steel


Suitable for Base no. 22039931











Blokhus Wall

Masterbox	Qty 3
Size	H: 23 cm, D: 25 cm, Shade Ø: 22 cm, Base mount: Ø 9,7 cm
Material	Galvanized steel/Glass - Copper/Glass - Stainless steel/Glass
IP Class	IP54, Class 1
Light source	E27, Max. 60W, Excl. light source,

Features

Build-in parallel connection

15 year anti corrosion guarantee on Copper and Galvanized steel

Blokhus Sensor Wall


Masterbox	Qty 3
Size	H: 23 cm, D: 25 cm, Shade Ø: 22 cm, Base mount: Ø 9,7 cm
Material	Galvanized steel/Glass - Copper/Glass - Stainless steel/Glass
IP Class	IP54, Class 1
Light source	E27, Max. 60W, Excl. light source,


Features

Build-in parallel connection

Build-in daylight and motion sensor

15 year anti corrosion guarantee on Copper and Galvanized steel







Galvanized
25051031

Parallel connection possible

15 year guarantee against corrosion



Copper
25078030

Parallel connection possible

15 year guarantee against corrosion



Galvanized
25078031



Stainless steel
25078034


Blokhus Wall

Masterbox	Qty 3
Size	H: 23 cm, D: 25 cm, Shade Ø: 22 cm, Base mount: Ø 9,7 cm
Material	Galvanized steel/Glass
IP Class	IP54, Class 1
Light source	E27, Max. 60W, Excl. light source,

Features

Build-in parallel connection

15 year anti corrosion guarantee on Galvanized steel



Blokhus Garden

Masterbox	Qty 3
Size	H: 92 cm, Shade Ø: 22 cm, Pipe Ø: 3,5 cm, Base Ø: 15 cm
Material	Copper/Glass - Galvanized steel/Glass - Stainless steel/Glass
IP Class	IP54, Class 2
Light source	E27, Max. 60W, Excl. light source,


Features

Build-in parallel connection

Can be mounted on Nordlux base unit

15 year anti corrosion guarantee on Copper and Galvanized steel

Suitable for Base no. 22039931





Galvanized
71431031

Parallel connection possible

15 year guarantee against corrosion



Black
71431003


Lønstrup 22 Wall

Masterbox	Qty 3
Size	H: 26,5 cm, D: 26,5 cm, Shade Ø: 22 cm, Pipe Ø: 1,9 cm, Base mount: Ø 9,4 cm
Material	Galvanized steel/Glass
IP Class	IP44, Class 1
Light source	E27, Max. 60W, Excl. light source,

Features

Build-in parallel connection

15 year anti corrosion guarantee on Galvanized steel





Galvanized
71432031

Parallel connection possible

Motion sensor

15 year guarantee against corrosion


Lønstrup 22 Sensor Wall

Masterbox	Qty 3
Size	H: 26,5 cm, D: 26,5 cm, Shade Ø: 22 cm, Pipe Ø: 1,9 cm, Base mount: Ø 9,4 cm
Material	Galvanized steel/Glass
IP Class	IP44, Class 1
Light source	E27, Max. 60W, Excl. light source,

Features

Build-in parallel connection

15 year anti corrosion guarantee on Galvanized steel





Galvanized
71411031

Parallel connection possible

15 year guarantee against corrosion



Black
71411003



Galvanized
71412031

Parallel connection possible

Motion sensor

15 year guarantee against corrosion

Lønstrup 32 Wall

Masterbox	Qty 3
Size	H: 28,5 cm, D: 36 cm, Shade Ø: 32 cm, Pipe Ø: 1,9 cm, Base mount: Ø 10,8 cm
Material	Galvanized steel/Glass
IP Class	IP44, Class 2
Light source	E27, Max. 60W, Excl. light source,

Features

Build-in parallel connection

15 year anti corrosion guarantee on Galvanized steel

Lønstrup 32 Sensor Wall


Masterbox	Qty 3
Size	H: 28,5 cm, D: 36 cm, Shade Ø: 32 cm, Pipe Ø: 1,9 cm, Base mount: Ø 10,8 cm
Material	Galvanized steel/Glass
IP Class	IP44, Class 2
Light source	E27, Max. 60W, Excl. light source,


Features

Build-in parallel connection

Build-in daylight and motion sensor

15 year anti corrosion guarantee on Galvanized steel







Galvanized
71428031

Parallel connection possible

15 year guarantee against corrosion




Black
71428003

Lønstrup 32 Garden

Masterbox	Qty 3
Size	H: 116 cm, Shade Ø: 32 cm, Pipe Ø: 5 cm, Base Ø: 15 cm
Material	Galvanized steel/Glass
IP Class	IP44, Class 2
Light source	E27, Max. 60W, Excl. light source,

Features

Build-in parallel connection
Can be mounted on Nordlux base unit
15 year anti corrosion guarantee on Galvanized steel
Suitable for Base no. 22039931





Galvanized
74481031

Parallel connection possible


15 year guarantee against corrosion


Agger Wall

Masterbox	Qty 3
Size	H: 20 cm, D: 29,5 cm, Shade Ø: 25,5 cm, Base mount: Ø 11 cm
Material	Galvanized steel/Glass
IP Class	IP54, Class 2
Light source	E27, Max. 60W, Excl. light source,

Features

Build-in parallel connection
15 year anti corrosion guarantee on Galvanized steel





Galvanized
74501031

Parallel connection possible

Motion sensor


15 year guarantee against corrosion

Agger Sensor Wall

Masterbox	Qty 3
Size	H: 20 cm, D: 29,5 cm, Shade Ø: 25,5 cm, Base mount: Ø 11 cm
Material	Galvanized steel/Glass
IP Class	IP54, Class 2
Light source	E27, Max. 60W, Excl. light source,

Features

Build-in parallel connection
Build-in daylight and motion sensor
15 year anti corrosion guarantee on Galvanized steel





Galvanized
74528031

Parallel connection possible


15 year guarantee against corrosion

Agger Garden

Masterbox	Qty 3
Size	H: 83 cm, Shade Ø: 26 cm, Pipe Ø: 3,8 cm, Base Ø: 15 cm
Material	Galvanized steel/Glass
IP Class	IP54, Class 2
Light source	E27, Max. 60W, Excl. light source,

Features

Build-in parallel connection
Can be mounted on Nordlux base unit
15 year anti corrosion guarantee on Galvanized steel
Suitable for Base no. 22039931





Galvanized
77509931

Parallel connection possible

15 year guarantee against corrosion



Galvanized
77518031

Parallel connection possible


15 year guarantee against corrosion

Fuse Base Additional by Bønnelcke mdd

Masterbox	Qty 3
Size	H: 35 cm, Pipe Ø: 2 cm, Base Ø: 35 cm
Material	Galvanized steel

Features

Transforms Fuse into a outdoor floorlamp
Designed by Bønnelycke mdd
15 year anti corrosion guarantee on Galvanized steel




Fuse Garden by Bønnelcke mdd

Masterbox	Qty 1
Size	H: 165 cm, Shade Ø: 35 cm, Pipe Ø: 2,5 cm
Material	Galvanized steel/Glass
IP Class	IP44, Class 2
Cable	Cable: Black 500 cm
Light source	E27, Max. 60W, Excl. light source,

Features

Spear for effortless placement
Mesh light and shadow effect
Designed by Bønnelycke mdd
15 year anti corrosion guarantee on Galvanized steel






Black
45321003

Parallel connection possible

Elm Wall

Masterbox	Qty 3
Size	H: 18 cm, W: 11 cm, D: 15,5 cm
Material	Aluminium/Plastic
IP Class	IP44, Class 1
Light source	GU10, Max. 20W, Excl. light source,

Features
Build-in parallel connection






Black
45331003

Parallel connection possible

Elm Wall

Masterbox	Qty 3
Size	H: 23,4 cm, W: 9 cm, D: 13 cm, Pipe Ø: 2,9 cm
Material	Aluminium/Plastic
IP Class	IP44, Class 1
Light source	GU10, Max. 2X20W, Excl. light source,

Features
Build-in parallel connection






Black
45348003

Parallel connection possible

Elm Garden

Masterbox	Qty 3
Size	H: 80 cm, W: 13 cm
Material	Aluminium/Plastic
IP Class	IP44, Class 2
Light source	E27, Max. 20W, Excl. light source,

Features
Build-in parallel connection






Black
45521003

Parallel connection possible

Birk Wall

Masterbox	Qty 3
Size	H: 17,2 cm, D: 15,5 cm, Ø: 9 cm, Pipe Ø: 3 cm, Base mount: Ø 11 cm
Material	Aluminium/Plastic
IP Class	IP44, Class 1
Light source	GU10, Max. 28W, Excl. light source,

Features
Build-in parallel connection





Black
45501003

Parallel connection possible



Black
45518003

Parallel connection possible

Birk Wall


Masterbox	Qty 3
Size	H: 23,5 cm, D: 15,5 cm, Ø: 9 cm, Pipe Ø: 3 cm, Base mount: Ø 11 cm
Material	Aluminium/Plastic
IP Class	IP44, Class 1
Light source	GU10, Max. 2X28W, Excl. light source,


Features
Build-in parallel connection

Birk Garden

Masterbox	Qty 3
Size	H: 80 cm, Ø: 9 cm, Base Ø: 13,2 cm
Material	Aluminium/Plastic
IP Class	IP44, Class 2
Light source	E27, Max. 40W, Excl. light source,

Features
Build-in parallel connection
Can be mounted on Nordlux base unit
Suitable for Base no. 22039931







Black
74371003


Parallel connection possible

Cardiff Wall

Masterbox	Qty 3
Size	H: 40 cm, W: 22,5 cm, D: 27 cm, Base mount: 12,5 x 20 cm
Material	Aluminium/Glass
IP Class	IP44, Class 1
Light source	E27, Max. 60W, Excl. light source,

Features

Romantic design





Black
74381003


Parallel connection possible

Cardiff Wall

Masterbox	Qty 3
Size	H: 40 cm, W: 21 cm, D: 27 cm, Base mount: 12,5 x 20 cm
Material	Aluminium/Glass
IP Class	IP44, Class 1
Light source	E27, Max. 60W, Excl. light source,

Features

Romantic design





Black
74398003




Parallel connection possible

Cardiff Garden

Masterbox	Qty 3
Size	H: 100 cm, W: 21 cm, Shade Ø: 22 cm, Pipe Ø: 4 cm, Base Ø: 15 cm
Material	Aluminium/Glass
IP Class	IP44, Class 1
Light source	E27, Max. 60W, Excl. light source,

Features

Romantic design
Build-in parallel connection
Parallel connection possible





Arki 100 Garden
2118108003





Black
75181003

Parallel connection possible




Galvanized
75181031

Arki outdoor Wall by Bønnelcke mdd

Masterbox	Qty 3
Size	H: 20 cm, D: 26 cm, Shade Ø: 20 cm, Base mount: Ø11,6 cm
Material	Galvanized steel/Plastic
IP Class	IP54, Class 1
Light source	E27, Max. 20W, Excl. light source,

Features

Well suited for Nordlux Smart Bulb
Parallel connection possible
15 year anti corrosion guarantee on Galvanized steel



NEW
2021



Black
2118111003

Parallel connection possible




Galvanized
2118111031

Arki 35 Wall by Bønnelcke mdd

Masterbox	Qty 2
Size	H: 27,6 cm, D: 40,7 cm, Shade Ø: 35 cm, Base Ø: 11,6 cm
Material	Metal/Plastic
IP Class	IP54, Class 1
Light source	E27, Max. 20W, Excl. light source,

Features

Oversize architectural luminaire
Well suited for Nordlux Smart Bulb
Parallel connection possible
15 year anti corrosion guarantee on Metal



NEW
2021



Black
2118108003



Parallel connection possible




Galvanized
2118108031

Arki 100 Garden by Bønnelcke mdd

Masterbox	Qty 2
Size	H: 100 cm, D: 32,5 cm, Shade Ø: 20 cm, Base Ø: 14,6 cm
Material	Metal/Plastic
IP Class	IP54, Class 1
Light source	E27, Max. 20W, Excl. light source,

Features

Classic, architectural design
Well suited for Nordlux Smart Bulb
Parallel connection possible
15 year anti corrosion guarantee on Metal



NEW
2021



Black
2118141003

Motion sensor

Solar Panel


Rica Round Wall

Masterbox	Qty 3
Size	H: 12 cm, D: 18,2 cm, Shade Ø: 15 cm
Material	Plastic/Plastic
IP Class	IP44, Class 3
Light source	SOLAR LED, Incl. 5W LED, Lumen 480, Kelvin 3000, Life hours 30.000, RA 80, Not dimmable

Features

Solar charged

Motion sensor turns light on



NEW
2021



Black
2118158003

Motion sensor

Solar Panel

Rica Round Garden


Masterbox	Qty 3
Size	H: 60 cm, D: 19,5 cm, Shade Ø: 15 cm
Material	Stainless steel/Plastic
IP Class	IP44, Class 3
Light source	SOLAR LED, Incl. 5W LED, Lumen 480, Kelvin 3000, Life hours 30.000, RA 80, Not dimmable

Features

Solar charged


Motion sensor turns light on

Easy to install with the included spike



NEW
2021






Black
2118161003

Rica Square Wall


Masterbox	Qty 3
Size	H: 12 cm, W: 18 cm, D: 12,8 cm
Material	Plastic/Plastic
IP Class	IP44, Class 3
Light source	SOLAR LED, Incl. 5W LED, Lumen 450, Kelvin 3000, Life hours 30.000, RA 80, Not dimmable

Features
Solar charged
Motion sensor turns light on



NEW
2021






Black
2118178003

Rica Square Garden

Masterbox	Qty 3
Size	H: 60 cm, W: 15 cm, D: 14 cm
Material	Stainless steel/Plastic
IP Class	IP44, Class 3
Light source	SOLAR LED, Incl. 5W LED, Lumen 450, Kelvin 3000, Life hours 30.000, RA 80, Not dimmable

Features
Solar charged
Motion sensor turns light on
Easy to install with the included spike



NEW
2021






Black
2118268003

Nama 50 Garden

Masterbox	Qty 2
Size	H: 50 cm, Shade Ø: 17 cm, Pipe Ø: 6,5 cm, Tilt angle: 10°
Material	Aluminium/Plastic
IP Class	IP54, Class 3
Light source	SOLAR LED, Incl. 1W LED, Lumen 65, Kelvin 3000, Candela 89, Life hours 30.000, RA 80, Beam angle 87°, Not dimmable

Features
Solar charged
Night light and motion sensor turns full light on
360 degree light output
Easy to install with the included spike



NEW
2021






Black
2118278003

Nama 90 Garden


Masterbox	Qty 2
Size	H: 90 cm, Shade Ø: 17 cm, Pipe Ø: 6,5 cm, Tilt angle: 10°
Material	Aluminium/Plastic
IP Class	IP54, Class 3
Light source	SOLAR LED, Incl. 1W LED, Lumen 65, Kelvin 3000, Candela 89, Life hours 30.000, RA 80, Beam angle 87°, Not dimmable

Features
Solar charged
Night light and motion sensor turns full light on
360 degree light output
Easy to install with the included spike



NEW
2021






2118221003

Agena Wall


Masterbox	Qty 3
Size	H: 9 cm, L: 22 cm, D: 12,7 cm
Material	Plastic/Plastic
IP Class	IP44, Class 3
Light source	SOLAR LED, Incl. 5W LED, Lumen 400, Kelvin 3000, Life hours 30.000, RA 80, Not dimmable

Features
Solar charged
Motion sensor turns light on



NEW
2021






Black
2118231003

Alya Wall

Masterbox	Qty 3
Size	H: 20 cm, W: 9 cm, D: 20,5 cm
Material	Plastic/Plastic
IP Class	IP44, Class 3
Light source	SOLAR LED, Incl. 5W LED, Lumen 400, Kelvin 3000, Life hours 30.000, RA 80, Not dimmable

Features
Solar charged
Motion sensor turns light on





Black
49041003


Parallel connection possible

Nestor Wall

Masterbox	Qty 3
Size	H: 22,1 cm, W: 14,7 cm, D: 8,7 cm
Material	Aluminium/Plastic
IP Class	IP44, Class 1
Light source	Fixed LED, Incl. 8W LED, Lumen 550, Kelvin 2700, Life hours 25.000, RA 80, Beam angle 120°, Not dimmable

Features

5 year LED guarantee
Build-in parallel connection





Black
49051503

Parallel connection possible

Daylight Sensor


Motion sensor

Nestor sensor Wall

Masterbox	Qty 3
Size	H: 22,1 cm, W: 14,7 cm, D: 8,7 cm
Material	Aluminium/Plastic
IP Class	IP44, Class 1
Light source	Fixed LED, Incl. 8W LED, Lumen 550, Kelvin 2700, Life hours 25.000, RA 80, Beam angle 120°, Not dimmable

Features

Build-in daylight and motion sensor
5 year LED guarantee
Build-in parallel connection





Black
2019141003

NEW
2021



White
2019131001



Black
2019131003



Grey
2019131010

Calvi Wall


Masterbox	Qty 3
Size	H: 15 cm, W: 7,1 cm, L: 4 cm
Material	Aluminium/Glass
IP Class	IP54, Class 1
Light source	Fixed LED, Incl. 6,3W Led, Lumen 210, Kelvin 2700, Life hours 30.000, RA 80, Beam angle 210°, Not dimmable


Features
Slim elegant design
No visible screws
cozy up- and down-light
5 year LED guarantee

Aleria Wall

Masterbox	Qty 3
Size	H: 10,7 cm, W: 11,5 cm, D: 14,7 cm
Material	Metal
IP Class	IP44, Class 1
Light source	GU10, Max. 35W, Excl. light source,

Features
Modern and compact design
Well suited for Nordlux Smart Bulb
Designed for both outdoor and bathroom use







Black
2019151003



Black
84971003

Parallel connection possible

Incl. 3 light masks



Grey
84971010

Pignia Wall


Masterbox	Qty 3
Size	H: 23,8 cm, W: 5 cm, D: 8,5 cm
Material	Aluminium
IP Class	IP54, Class 1
Light source	Fixed LED, Incl. 10W LED, Lumen 500, Kelvin 2700, Life hours 30.000, RA 80, Beam angle 207°, Not dimmable


Features
Horizontal and vertical mounting options
5 year LED guarantee

Asbol Wall

Masterbox	Qty 6
Size	H: 15 cm, W: 6,7 cm, D: 9,5 cm, Base mount: 5,5 x 14 cm
Material	Aluminium/Glass
IP Class	IP44, Class 1
Light source	Fixed LED, Inkl. 2X6,5W LED, Lumen 2X150, Kelvin 3000, Life hours 20.000, RA 80, Beam angle 120°, Not dimmable

Features
3 light effects included
High 2x370 lumen output
5 year LED guarantee
Parallel connection possible











Black
2019071003

Parallel connection possible

Incl. 3 light masks



Grey
2019071010





Black
872723

Parallel connection possible

Asbol Kubi Wall

Masterbox	Qty 6
Size	H: 15 cm, W: 6,7 cm, D: 9,5 cm, Base mount: 5,5 x 14 cm
Material	Aluminium/Glass
IP Class	IP44, Class 1
Light source	Fixed LED, Inkl. 2X6,5W LED, Lumen 2X150, Kelvin 3000, Life hours 20.000, RA 80, Beam angle 120°, Not dimmable

Features


3 light effects included
High 2x370 lumen output
5 year LED guarantee
Parallel connection possible


Nene Wall

Masterbox	Qty 3
Size	H: 6,4 cm, W: 14 cm, D: 8,85 cm, Base mount: 5,5 x 13 cm
Material	Metal/Glass
IP Class	IP54, Class 1
Light source	Fixed LED, Incl. 6W LED, Lumen 480, Kelvin 3000, Candela 306, Life hours 25.000, RA 80, Beam angle 42°, Not dimmable

Features

Parallel connection possible
5 year LED guarantee







Black
2019081003



Black
2019098003




Parallel connection possible

Piana Wall

Masterbox	Qty 6
Size	H: 4,7 cm, W: 11,3 cm, D: 15,2 cm
Material	Aluminium/Plastic
IP Class	IP54, Class 1
Light source	Fixed LED, Incl. 7,2W LED, Lumen 410, Kelvin 2700, Life hours 30.000, RA 80, Beam angle 107°, Not dimmable

Features

Minimalistic design
5 year LED guarantee
Both wall and pole versions available




Piana 30 Garden

Masterbox	Qty 4
Size	H: 30 cm, W: 11,3 cm, L: 4,7 cm
Material	Aluminium/Plastic
IP Class	IP54, Class 1
Light source	Fixed LED, Incl. 7,2W LED, Lumen 410, Kelvin 2700, Life hours 30.000, RA 80, Beam angle 107°, Not dimmable

Features

Minimalistic design
5 year LED guarantee
Both wall and pole versions available
Parallel connection possible
Ready for mounting on Nordlux base
Low 30 cm height





Black
2019108003

Parallel connection possible




Grey
77611010

Piana 50 Garden

Masterbox	Qty 2
Size	H: 50 cm, W: 11,3 cm, L: 4,7 cm
Material	Aluminium/Plastic
IP Class	IP54, Class 1
Light source	Fixed LED, Incl. 7,2W LED, Lumen 410, Kelvin 2700, Life hours 30.000, RA 80, Beam angle 107°, Not dimmable

Features

Minimalistic design
5 year LED guarantee
Both wall and pole versions available
Parallel connection possible
Ready for mounting on Nordlux base
Low 50 cm height




Norma Wall

Masterbox	Qty 3
Size	H: 17 cm, W: 7,5 cm, D: 11 cm, Base mount: 16 x 6,5 cm
Material	Aluminium/Glass
IP Class	IP54, Class 1
Light source	Fixed LED, Incl. 2X3W LED, Lumen 2X409, Kelvin 3000, Life hours 20.000, RA 80, Beam angle 120°, Not dimmable

Features

Adjustable light beam top and buttom
5 year LED guarantee





Black
46801003



Parallel connection possible




Black
84081003



Parallel connection possible



White
46801001



White
84081001

Front Single Wall

Masterbox	Qty 3
Size	H: 15,6 cm, D: 17 cm, Shade Ø: 11,8 cm, Base mount: Ø9,1 cm
Material	Aluminium/Glass
IP Class	IP44, Class 1
Light source	GU10, Max. 28W, Excl. light source,

Features


Retrofit GU10 bulbs
Designed for both outdoor and bathroom use
Build-in parallel connection


Front 26 Wall

Masterbox	Qty 3
Size	H: 6,8 cm, W: 26 cm, D: 6,8 cm
Material	Metal/Plastic
IP Class	IP44, Class 1
Light source	Fixed LED, Incl. 8W LED, Lumen 650, Kelvin 3000, Life hours 25.000, RA 80, Not dimmable

Features

5 year LED guarantee
Designed for both outdoor and bathroom use
Parallel connection possible








Black
84091003

Parallel connection possible

reddot design award winner 2017

DESIGN AWARD 2017



White
84091001

Front 36 Wall

Masterbox	Qty 3
Size	H: 6,8 cm, W: 36 cm, D: 6,8 cm
Material	Metal/Plastic
IP Class	IP44, Class 1
Light source	Fixed LED, Incl. 12W LED, Lumen 850, Kelvin 3000, Life hours 25.000, RA 80, Not dimmable

Features

5 year LED guarantee
Designed for both outdoor and bathroom use
Parallel connection possible



Black
76391003


Parallel connection possible


Bell Wall

Masterbox	Qty 3
Size	H: 15 cm, D: 24,5 cm, Shade Ø: 20 cm, Base mount: 9.5 x 6 cm
Material	Aluminium/Plastic
IP Class	IP44, Class 1
Light source	E27, Max. 15W, Excl. light source,

Features

Build-in parallel connection
Parallel connection possible







Black
84181003



Parallel connection possible




White
84181001

Kinver Wall

Masterbox	Qty 3
Size	H: 9 cm, W: 17,5 cm, D: 3 cm, Base mount: 14,5 x 5,5 cm
Material	Metal
IP Class	IP54, Class 1
Light source	Fixed LED, Incl. 2x6W LED, Lumen 400, Kelvin 3000, Life hours 25.000, RA 80, Beam angle 120°, Not dimmable

Features
Super slim design
Lights both up and down
5 year LED guarantee



NEW
2021



Black
2118181003



Parallel connection possible




White
2118181001

Kinver 26 Wall

Masterbox	Qty 3
Size	H: 9 cm, W: 26 cm, D: 3,3 cm
Material	Aluminium/Glass
IP Class	IP54, Class 1
Light source	Fixed LED, Incl. 10W LED, Lumen 990, Kelvin 3000, Life hours 25.000, RA 80, Beam angle 120°, Not dimmable

Features
Super slim design
High light output (990 lumen)
Parallel connection possible
5 year LED guarantee





Black
46821003

Parallel connection possible



White
46821001

Marina Flatline Wall

Masterbox	Qty 3
Size	H: 20 cm, W: 13,5 cm, D: 18 cm, Base mount: 8,8 x 8,9 cm
Material	Aluminium/Plastic
IP Class	IP44, Class 1
Light source	Fixed LED, Incl. 10W LED, Lumen 750, Kelvin 3000, Life hours 25.000, RA 80, Beam angle 120°, Not dimmable

Features

5 year LED guarantee

Parallel connection possible



Black
46831003

Parallel connection possible

Motion sensor



White
46831001

Marina Flatline Pir Sensor Wall


Masterbox	Qty 3
Size	H: 20 cm, W: 13,5 cm, D: 18 cm, Base mount: 8,8 x 8,9 cm
Material	Aluminium/Plastic
IP Class	IP44, Class 1
Light source	Fixed LED, Incl. 10W LED, Lumen 750, Kelvin 3000, Life hours 25.000, RA 80, Beam angle 120°, Not dimmable


Features


5 year LED guarantee

Movement sensor build-in

Parallel connection possible







Black
46941003


Parallel connection possible


Artego Wall

Masterbox	Qty 3
Size	D: 5 cm, Shade Ø: 15 cm
Material	Aluminium/Plastic
IP Class	IP54, Class 1
Light source	Fixed LED, Incl. 8W LED, Lumen 468, Kelvin 3000, Life hours 20.000, RA 82, Beam angle 120°, Not dimmable

Features

5 year LED guarantee
Parallel connection possible





Black
46951003


Parallel connection possible

Artego Wall

Masterbox	Qty 3
Size	H: 15 cm, W: 15 cm, D: 5 cm
Material	Aluminium/Plastic
IP Class	IP54, Class 1
Light source	Fixed LED, Incl. 8W LED, Lumen 484, Kelvin 3000, Life hours 20.000, RA 81, Beam angle 120°, Not dimmable

Features

5 year LED guarantee
Parallel connection possible





Black
46961003

Parallel connection possible



Black
46971003

Parallel connection possible

Akron 11 Wall


Masterbox	Qty 3
Size	H: 10,7 cm, W: 11,5 cm, D: 5,2 cm, Base mount: 8,5 x 5,5 cm
Material	Aluminium/Plastic
IP Class	IP54, Class 1
Light source	Fixed LED, Max. 4W, Incl. 2X3W LED, Lumen 2X244, Kelvin 3000, Life hours 20.000, RA 80, Beam angle 120°, Not dimmable


Features
5 year LED guarantee

Akron 17 Wall

Masterbox	Qty 3
Size	H: 10,7 cm, W: 17,5 cm, D: 5,2 cm, Base mount: 14,5 x 5,5 cm
Material	Aluminium/Plastic
IP Class	IP54, Class 1
Light source	Fixed LED, Incl. 2x6W LED, Lumen 460, Kelvin 3000, Life hours 20.000, RA 80, Beam angle 120°, Not dimmable

Features
5 year LED guarantee






NEW
2021



Anthracite
2118211050

Parallel connection possible



Black
2118211003



Galvanized
28601131

Parallel connection possible

15 year guarantee against corrosion

Heka Wall

Masterbox	Qty 3
Size	H: 21,6 cm, W: 10,6 cm, D: 13,8 cm
Material	Aluminium/Glass
IP Class	IP44, Class 1
Light source	E27, Max. 15W, Excl. light source,

Features

Compact and modern design

Parallel connection possible

Bowler Wall


Masterbox	Qty 3
Size	H: 13 cm, W: 26 cm, D: 14,5 cm
Material	Galvanized steel/Plastic
IP Class	IP44, Class 1
Light source	E27, Max. 60W, Incl. 14W E27, Lumen 799, Kelvin 2700, Life hours 10.000, RA 80, Beam angle 270°, Not dimmable Light source energy class A


Features

Including E27 bulb

Parallel connection possible

15 year anti corrosion guarantee on Galvanized steel








Black
84141003

Parallel connection possible

Rold Wall

Masterbox	Qty 3
Size	H: 16 cm, W: 9 cm, D: 5,5 cm, Base mount: 8 x 14,3 cm
Material	Metal/Glass
IP Class	IP44, Class 1
Light source	Fixed LED, Incl. 2X5W LED, Lumen 2X375, Kelvin 3000, Life hours 25.000, RA 80, Beam angle 125°, Not dimmable

Features
5 year LED guarantee
Parallel connection possible






Black
84151003

Parallel connection possible

Rold Kubi Wall

Masterbox	Qty 3
Size	H: 16 cm, W: 9 cm, D: 5,5 cm, Base mount: 8 x 14,3 cm
Material	Metal/Glass
IP Class	IP44, Class 1
Light source	Fixed LED, Incl. 2X5W LED, Lumen 2X375, Kelvin 3000, Life hours 25.000, RA 80, Beam angle 125°, Not dimmable


Features
5 year LED guarantee
Parallel connection possible





White
45471001

Parallel connection possible




Black
45471003

Arn Wall

Masterbox	Qty 3
Size	H: 17,5 cm, W: 10,5 cm, D: 11 cm, Base mount: 9 x 12 cm
Material	Aluminium/Plastic
IP Class	IP44, Class 1
Light source	GU10, Max. 28W, Excl. light source,

Features


Build-in parallel connection





White
45481001

Parallel connection possible




Black
45481003

Arn Wall

Masterbox	Qty 3
Size	H: 22,5 cm, W: 10,5 cm, D: 11 cm, Base mount: 9 x 12 cm
Material	Aluminium/Plastic
IP Class	IP44, Class 1
Light source	GU10, Max. 2X28W, Excl. light source,

Features

Build-in parallel connection





Parallel connection possible

15 year guarantee against corrosion


71379931

Castor Maxi Wall

Masterbox	Qty 3
Size	H: 12,5 cm, D: 13,3 cm, Shade Ø: 7,5 cm
Material	Galvanized steel/Glass
IP Class	IP54, Class 1
Light source	GU10, Max. 35W, Excl. light source,

Features

15 year anti corrosion guarantee on Galvanized steel
Parallel connection possible





Parallel connection possible

15 year guarantee against corrosion


71389931

Castor Maxi Wall

Masterbox	Qty 3
Size	H: 20,5 cm, D: 13,5 cm, Shade Ø: 7,5 cm
Material	Galvanized steel/Glass
IP Class	IP54, Class 1
Light source	GU10, Max. 35W, Excl. light source,

Features

15 year anti corrosion guarantee on Galvanized steel
Parallel connection possible





Copper
21269930

15 year guarantee
against corrosion



Black
21269903


Tin Wall

Masterbox	Qty 3
Size	H: 12 cm, D: 11,5 cm, Ø: 6 cm, Base mount: 3,6 x 9,8 cm
Material	Metal/Glass - Copper/Glass
IP Class	IP54, Class 1
Light source	GU10, Max. 35W, Excl. light source,

Features

Retrofit GU10 bulbs

15 year anti corrosion guarantee on Copper





Copper
21279930

15 year guarantee
against corrosion



Black
21279903



Stainless steel
21279134

Tin Wall


Masterbox	Qty 3
Size	H: 17 cm, D: 11,5 cm, Ø: 6,2 cm, Base mount: 3,6 x 9,8 cm
Material	Stainless steel/Glass - Metal/Glass - Copper/Glass
IP Class	IP54, Class 1
Light source	GU10, Max. 2X35W, Excl. light source,

Features

Retrofit GU10 bulbs

Both up- and down-light

15 year anti corrosion guarantee on Copper





Stainless steel
21279934

Motion sensor



Aluminium
21509929



Black
21509903

White
21509901

Tin Sensor Wall


Masterbox	Qty 3
Size	H: 22 cm, W: 6 cm, D: 10,5 cm, Base mount: 5,9 x 15,2 cm
Material	Stainless steel/Glass
IP Class	IP54, Class 1
Light source	GU10, Max. 2X35W, Excl. light source,


Features
Retrofit GU10 bulbs
Both up- and down-light

Tin Maxi Wall

Masterbox	Qty 3
Size	H: 10,5 cm, D: 12,5 cm, Ø: 7,6 cm, Base mount: 4,3 x 7,4 cm
Material	Metal/Glass
IP Class	IP54, Class 1
Light source	GU10, Max. 35W, Excl. light source,

Features
Retrofit GU10 bulbs







Aluminium
21509129

Motion sensor



Stainless steel
21519934



Black
21509103

White
21519901



Black
21519903



Aluminium
21519929

Tin Maxi Sensor Wall

Masterbox	Qty 3
Size	H: 16 cm, D: 12,5 cm, Ø: 7,5 cm, Base mount: 6,6 x 16 cm
Material	Metal/Glass
IP Class	IP54, Class 1
Light source	GU10, Max. 35W, Excl. light source,

Features


Retrofit GU10 bulbs
Build-in daylight and motion sensor
Parallel connection possible


Tin Maxi Wall

Masterbox	Qty 3
Size	H: 19 cm, D: 12,5 cm, Ø: 7,6 cm, Base mount: 4 x 7 cm
Material	Metal/Glass - Stainless steel/Glass
IP Class	IP54, Class 1
Light source	GU10, Max. 2X35W, Excl. light source,

Features

Retrofit GU10 bulbs
Both up- and down-light







Aluminium
21519129

Parallel connection possible

Motion sensor



Black
21519103

Tin Maxi Sensor Wall

Masterbox	Qty 3
Size	H: 22 cm, W: 7,6 cm, D: 12,5 cm, Ø: 7,6 cm, Base mount: 7,3 x 16 cm
Material	Aluminium/Glass
IP Class	IP54, Class 1
Light source	GU10, Max. 2X35W, Excl. light source,

Features

Retrofit GU10 bulbs
Build-in daylight and motion sensor
Both up- and down-light
Parallel connection possible




Aluminium
28819929


Can Maxi Wall

Masterbox	Qty 3
Size	H: 23 cm, D: 12,5 cm, Ø: 7,5 cm, Base mount: 7.5X4.5 cm
Material	Aluminium/Glass
IP Class	IP54, Class 1
Light source	GU10, Max. 2X35W, Excl. light source,


Features

Retrofit GU10 bulbs
Both up- and down-light









Parallel connection possible



Magnetic mounting




Incl. 3 light masks



15 year guarantee against corrosion

Galvanized
2019041031





Parallel connection possible



Magnetic mounting



Incl. 3 light masks



15 year guarantee against corrosion

Galvanized
2019051031



White
2019041001



Black
2019041003



Copper
2019041030



Brass
2019041035



Corten
2019041038



White
2019051001



Black
2019051003



Copper
2019051030



Brass
2019051035



Corten
2019051038

Fold 10 Wall by Bønnelcke mdd

Masterbox	Qty 3
Size	H: 14,8 cm, W: 10,5 cm, D: 5 cm
Material	Aluminium/Plastic - Copper/Plastic - Galvanized steel/ Plastic - Brass/Plastic - Corten/Plastic
IP Class	IP54, Class 1
Light source	Fixed LED, Incl. 2X3,5W LED, Lumen 2X250, Kelvin 3000, Life hours 30.000, Beam angle 205°, Not dimmable

Features


3 light effects included
Both up- and down-light
Parallel connection possible
15 year anti corrosion guarantee on
Copper, Galvanized steel, Brass and Corten
5 year LED guaranteeDesigned by Bønnelycke mdd
Designed for both outdoor and bathroom use


Fold 15 Wall by Bønnelcke mdd

Masterbox	Qty 3
Size	H: 21 cm, W: 14,8 cm, D: 5 cm
Material	Aluminium/Plastic - Copper/Plastic - Galvanized steel/ Plastic - Brass/Plastic - Metal/Plastic
IP Class	IP54, Class 1
Light source	Fixed LED, Incl. 2X3,5W LED, Lumen 2X200, Kelvin 3000, Life hours 30.000, Beam angle 205°, Not dimmable

Features

3 light effects included
Both up- and down-light
Parallel connection possible
15 year anti corrosion guarantee on
Copper, Galvanized steel, Brass and Metal
Designed by Bønnelycke mdd
Designed for both outdoor and bathroom use







Galvanized
77479931

15 year guarantee
against corrosion




Corten
77479938

Helix Wall by Bønnelcke mdd

Masterbox	Qty 3
Size	H: 32,5 cm, D: 14 cm, Shade Ø: 8 cm
Material	Metal/Plastic
IP Class	IP44, Class 1
Light source	GU10, Max. 8W, Excl. light source,

Features
15 year anti corrosion guarantee on Metal





Galvanized
77499931

15 year guarantee
against corrosion




Corten
77499938

Helix Garden by Bønnelcke mdd

Masterbox	Qty 2
Size	H: 80 cm, Ø: 15 cm
Material	Metal/Plastic
IP Class	IP44, Class 1
Light source	GU10, Max. 8W, Excl. light source,

Features
15 year anti corrosion guarantee on Metal












Galvanized **49701031** | Parallel connection possible | Incl. 3 light masks | 15 year guarantee against corrosion






Galvanized **49721031** | Parallel connection possible | 15 year guarantee against corrosion





White **49701001** | Black **49701003** | Grey **49701010** | Stainless steel **49701034** | Brass **49701035**








White **49721001** | Black **49721003** | Grey **49721010** | Stainless steel **49721034** | Brass **49721035**

Canto 2 Wall by Bønnelcke mdd

Masterbox	Qty 3
Size	H: 10,4 cm, W: 8,7 cm, D: 10 cm
Material	Aluminium - Metal - Stainless steel - Brass
IP Class	IP44, Class 1
Light source	Fixed LED, Incl. 2x6W LED, Lumen 500, Kelvin 2700, Life hours 25.000, RA 80, Beam angle 120°, Not dimmable

Features

3 light effects included
Both up- and down-light
Build-in parallel connection
15 year anti corrosion guarantee on Metal and Brass
5 year LED guarantee




Canto Maxi 2 Wall by Bønnelcke mdd

Masterbox	Qty 3
Size	H: 17 cm, W: 8,7 cm, D: 10 cm
Material	Aluminium - Metal - Stainless steel - Brass
IP Class	IP44, Class 1
Light source	GU10, Max. 2X28W, Excl. light source,

Features

Retrofit GU10 bulbs
Both up- and down-light
Build-in parallel connection
15 year anti corrosion guarantee on Metal and Brass









Galvanized
49711031

Parallel connection possible

Incl. 3 light masks

15 year guarantee against corrosion






Galvanized
49731031

Parallel connection possible

15 year guarantee against corrosion



Black
49711003



Grey
49711010




White
49711001



Stainless steel
49711034



White
49731001



Black
49731003



Grey
49731010

Canto Kubi 2 Wall by Bønnelcke mdd

Masterbox	Qty 3
Size	H: 10,4 cm, W: 8,7 cm, D: 10 cm
Material	Aluminium - Metal - Stainless steel
IP Class	IP44, Class 1
Light source	Fixed LED, Incl. 2x6W LED, Lumen 500, Kelvin 2700, Life hours 25.000, RA 80, Beam angle 120°, Not dimmable

Features


3 light effects included
Both up- and down-light
Build-in parallel connection
5 year LED guarantee


Canto Maxi Kubi 2 Wall by Bønnelcke mdd

Masterbox	Qty 3
Size	H: 17 cm, W: 8,7 cm, D: 10 cm
Material	Aluminium - Metal
IP Class	IP44, Class 1
Light source	GU10, Max. 2X28W, Excl. light source,

Features

Retrofit GU10 bulbs
Both up- and down-light
Build-in parallel connection








Galvanized
21651031

Parallel connection possible


15 year guarantee against corrosion



White
21651001



Black
21651003



Copper
21651030

Scorpius Wall


Masterbox	Qty 6
Size	H: 10 cm, W: 20 cm, D: 10 cm
Material	Galvanized steel/Plastic - Copper/Plastic
IP Class	IP23, Class 1
Light source	E14, Max. 40W, Excl. light source,

Features

Timeless design

Build-in parallel connection

15 year anti corrosion guarantee on Copper and Galvanized steel






Galvanized
21751031

Parallel connection possible


15 year guarantee against corrosion



White
21751001



Black
21751003



Copper
21751030

Scorpius Maxi Wall


Masterbox	Qty 3
Size	H: 14 cm, W: 27 cm, D: 14,5 cm
Material	Galvanized steel/Plastic - Copper/Plastic
IP Class	IP23, Class 1
Light source	E27, Max. 60W, Excl. light source,

Features

Timeless design

Build-in parallel connection

15 year anti corrosion guarantee on Copper and Galvanized steel





Galvanized
21769931

15 year guarantee
against corrosion




White
2019061001

Parallel connection
possible

360°
turnable



Black
2019061003




Grey
2019061010

Scorpius Maxi Garden

Masterbox	Qty 3
Size	H: 100 cm, W: 26 cm, Pipe Ø: 3,2 cm
Material	Galvanized steel

Features

Pole for mounting Scorpius luminaire
1 meter high
15 year anti corrosion guarantee on Galvanized steel




Turn Wall by Bønnelcke mdd

Masterbox	Qty 3
Size	W: 15 cm, L: 15 cm, D: 8,3 cm
Material	Aluminium
IP Class	IP54, Class 1
Light source	Fixed LED, Incl. 13W LED, Lumen 800, Kelvin 2700, Life hours 30.000, RA 80, Beam angle 120°, Dimmable

Features

360° turnable shade
Build-in parallel connection
Dimmable with wall dimmer
5 year LED guarantee
Designed for both outdoor and bathroom use





Anthracite
49018050




Parallel connection possible

Concordia Garden by Bønnelcke mdd

Masterbox	Qty 3
Size	H: 100 cm, Ø: 15 cm
Material	Aluminium/Plastic
IP Class	IP44, Class 1
Light source	GU10, Max. 28W, Excl. light source,

Features

1 meter high
Can be mounted on Nordlux base unit
Parallel connection possible
Suitable for Base no. 22039931






Nickel
49021055

Parallel connection possible

15 year guarantee against corrosion



Nickel
49031055

Parallel connection possible

15 year guarantee against corrosion



Brass
49021035



Brass
49031035

Polperro Wall

Masterbox	Qty 3
Size	D: 9,3 cm, Ø: 19,5 cm, Shade Ø: 18 cm, Base mount: Ø 12 cm
Material	Brass/Glass
IP Class	IP64, Class 1
Light source	E27, Max. 12,5W, Excl. light source,

Features

Maritime robust design

Build-in parallel connection

15 year anti corrosion guarantee on Brass


Helford Wall


Masterbox	Qty 3
Size	W: 12,5 cm, L: 19 cm, D: 11 cm
Material	Brass/Glass
IP Class	IP64, Class 1
Light source	E27, Max. 12,5W, Excl. light source,

Features

Maritime robust design

15 year anti corrosion guarantee on Brass






NEW
2021



Brass
2118121035

Parallel connection possible

15 year guarantee against corrosion




Black
2118121003

Cross 20 Wall by Maria Berntsen

Masterbox	Qty 3
Size	D: 10,4 cm, Ø: 20,5 cm
Material	Aluminium/Plastic - Brass/Plastic
IP Class	IP54, Class 1
Light source	E14, Max. 15W, Excl. light source,

Features

Classic and modern design
Like a piece of jewellery for your house
Well suited for Nordlux Smart Bulb
15 year anti corrosion guarantee on Brass
Parallel connection possible




NEW
2021



Brass
2118131035

Parallel connection possible

15 year guarantee against corrosion




Black
2118131003

Cross 25 Wall by Maria Berntsen

Masterbox	Qty 3
Size	D: 13 cm, Ø: 26 cm
Material	Aluminium/Plastic - Brass/Plastic
IP Class	IP54, Class 1
Light source	E27, Max. 15W, Excl. light source,

Features

Classic and modern design
Like a piece of jewellery for your house
Well suited for Nordlux Smart Bulb
15 year anti corrosion guarantee on Brass
Parallel connection possible



NEW
2021



Black
2019161003




White
2019161001

Cuba Energy Wall

Masterbox	Qty 3
Size	H: 17,5 cm, W: 4,3 cm, Ø: 17,5 cm, Shade Ø: 16,3 cm
Material	Plastic/Plastic
IP Class	IP54, Class 2
Light source	Fixed LED, Incl. 6,5W LED, Lumen 700, Kelvin 3000, Life hours 30.000, RA 80, Beam angle 120°, Not dimmable

Features
High light output (700 lumen)
Designed for both wall and ceiling mounting
5 year LED guarantee



NEW
2021



Black
2019171003




White
2019171001

Cuba Bright Wall

Masterbox	Qty 3
Size	H: 17,5 cm, W: 4,3 cm, Ø: 17,5 cm, Shade Ø: 16,3 cm
Material	Plastic/Aluminium
IP Class	IP54, Class 2
Light source	Fixed LED, Incl. 14W LED, Lumen 1.600, Kelvin 3000, Life hours 30.000, RA 80, Beam angle 120°, Not dimmable

Features
Very high light output (1600 lumen)
Designed for both wall and ceiling mounting
5 year LED guaranteeHigh lumen output



NEW
2021



Black
2019181003




White
2019181001

Cuba Energy Wall

Masterbox	Qty 3
Size	H: 20,5 cm, W: 4,3 cm, L: 10 cm
Material	Plastic/Plastic
IP Class	IP54, Class 2
Light source	Fixed LED, Incl. 6,5W LED, Lumen 700, Kelvin 3000, Life hours 30.000, RA 80, Beam angle 120°, Not dimmable

Features
High light output (700 lumen)
Designed for both wall and ceiling mounting
5 year LED guarantee



NEW
2021



Black
2019191003




White
2019191001

Cuba Bright Wall

Masterbox	Qty 3
Size	H: 20,5 cm, W: 4,3 cm, L: 10 cm
Material	Plastic/Aluminium
IP Class	IP54, Class 2
Light source	Fixed LED, Incl. 14W LED, Lumen 1.600, Kelvin 3000, Life hours 30.000, RA 80, Beam angle 120°, Not dimmable

Features
Very high light output (1600 lumen)
Designed for both wall and ceiling mounting
5 year LED guaranteeHigh lumen output





Galvanized
21841031

Parallel connection possible

15 year guarantee against corrosion


Malte Wall

Masterbox	Qty 3
Size	D: 9,5 cm, Ø: 24 cm
Material	Galvanized steel/Plastic
IP Class	IP54, Class 1
Light source	E27, Max. 60W, Excl. light source,

Features

Build-in parallel connection

15 year anti corrosion guarantee on Galvanized steel





Galvanized
21861031

Parallel connection possible

15 year guarantee against corrosion


Malte Wall

Masterbox	Qty 3
Size	D: 9,5 cm, Ø: 24 cm
Material	Galvanized steel/Plastic
IP Class	IP54, Class 1
Light source	E27, Max. 60W, Excl. light source,

Features

Build-in parallel connection

15 year anti corrosion guarantee on Galvanized steel






Black
77636003

Parallel connection possible

Desi 22 Ceiling

Masterbox	Qty 3
Size	D: 7 cm, Shade Ø: 22,3 cm
Material	Aluminium/Plastic
IP Class	IP44, Class 1
Light source	E27, Max. 12W, Excl. light source,

Features
Build-in parallel connection






Black
77646003

Parallel connection possible

Desi 28 Ceiling

Masterbox	Qty 3
Size	D: 7,5 cm, Shade Ø: 27,5 cm
Material	Aluminium/Plastic
IP Class	IP44, Class 1
Light source	E27, Max. 2X12W, Excl. light source,

Features
Build-in parallel connection





Black
84136003

Parallel connection possible



White
17051001

Parallel connection possible



Black
17051003

Teton Ceiling


Masterbox	Qty 3
Size	D: 4,5 cm, Shade Ø: 20,2 cm
Material	Metal/Plastic
IP Class	IP54, Class 1
Light source	Fixed LED, Incl. 12W LED, Lumen 880, Kelvin 3000, Life hours 25.000, RA 80, Beam angle 160°, Not dimmable


Features
5 year LED guarantee
Parallel connection possible

Skot Wall

Masterbox	Qty 4
Size	W: 10 cm, L: 18 cm, D: 11 cm
Material	Plastic/Glass
IP Class	IP44, Class 2
Light source	E27, Max. 60W, Excl. light source,

Features
Build-in parallel connection








Black
20789903

Spotlight

Masterbox	Qty 3
Size	H: 38 cm, D: 14 cm, Ø: 10 cm
Material	Aluminium/Glass
IP Class	IP54, Class 1
Cable	Black 180 cm non replaceable
Light source	GU10, Max. 35W, Excl. light source,

Features
Retrofit GU10 bulbs
Fixed 1,5 meter cable






Black
83698003

Mono Spotlight


Masterbox	Qty 3
Size	H: 57,7 cm, Shade Ø: 7 cm
Material	Aluminium
IP Class	IP44, Class 1
Cable	Cable: Black 170 cm replaceable
Light source	GU10, Max. 35W, Excl. light source,

Features
Retrofit GU10 bulbs





Stainless steel
77029934



Stainless steel
45420034

Taurus Spotlight


Masterbox	Qty 3
Size	H: 31 cm, Ø: 10 cm
Material	Stainless steel
IP Class	IP54, Class 1
Cable	Cable: Black 150 cm non replaceable
Light source	GU10, Max. 28W, Excl. light source,


Features
Retrofit GU10 bulbs
Fixed 1,5 meter cable

Une 6-Kit Ground

Masterbox	Qty 3
Size	H: 2,5 cm, Ø: 3,7 cm, Mounting min. height: 3 cm Cut-out Ø: 2,5 cm
Material	Plastic/Stainless Steel
IP Class	IP67, Class 3
Cable	Cable: Black cm
Light source	Fixed LED, Incl. 6X0.6W LED, Lumen 6X20, Kelvin 3000, Life hours 30.000, RA 65, Beam angle 120°, Not dimmable

Features
5 year LED guarantee








Stainless steel
83830034

Pato Round Ground

Masterbox	Qty 3
Size	H: 12 cm, Ø: 11 cm, H: 12 cm, Ø: 11 cm, Cut-out Ø: 9 cm
Material	Metal/Glass
IP Class	IP65, Class 1
Light source	GU10, Max. 35W, Excl. light source,

Features
Retrofit GU10 bulbs






Stainless steel
83840034

Pato Square Ground

Masterbox	Qty 3
Size	H: 12 cm, W: 11 cm, L: 11 cm, H: 12 cm, Cut-out Ø: 9 cm
Material	Metal/Glass
IP Class	IP65, Class 1
Light source	GU10, Max. 35W, Excl. light source,

Features
Retrofit GU10 bulbs





Parallel connection possible

96409934


Tilos Ground

Masterbox	Qty 3
Size	H: 14,1 cm, Ø: 10,5 cm
Material	Stainless steel/Plastic
IP Class	IP67, Class 2
Light source	GU10, Max. 5W, Excl. light source,

Features

5 year LED guarantee

Build-in parallel connection





Parallel connection possible

96439934


Tilos Ground

Masterbox	Qty 3
Size	H: 13,5 cm, Ø: 10,5 cm
Material	Stainless steel/Glass
IP Class	IP67, Class 2
Light source	GU10, Max. 5W, Excl. light source,


Features

5 year LED guarantee

Build-in parallel connection







Functional Collection 2021-2022

Our 2021 Functional collection incorporates new technologies and modern design making everyday life easier, smarter and better with lighting. Just as our existing range, the novelties are balancing form, function and quality at excellent value for money, which makes them accessible and easy to use for everyone.

Supplied with the newest technology, our functional products have a long lifetime, are easy to install and many of them are equipped with our Moodmaker™ dimmer function that makes it easy to set the light according to any situation just by using your regular wall switch.

Our streamlined, functional range is perfect for the bathroom, hallway, cellar, garage or any other place that needs a practical and pleasing light wrapped in a beautiful design.

We proudly present our 2021 collection.



Link your lights








The Nordlux Link System makes mounting of spots and pendants simple and easy.

Choose your desired shape and size of the link rail and connect it to the power outlet.

Then, simply click the spot or pendant into the rail wherever you want it. It is easy to move the lamps along the rail and to add more lights without having to drill any holes.



Rondie Link



Rondie has a round, classic design with a frosted glass ring that adds an interesting light effect to the design.

Provides a pleasant, directional light.

Easy installation and adjustment with the Nordlux Link system.

Learn more about Rondie Link on page 352



Rondie Spot Link
2110639901

Koniekel Link




The Koniekel series has a classic, cone shaped design that fits perfectly into most interiors and does not take up any unnecessary space.

Provides a pleasant, directional light that is perfect in the hallway or above the kitchen counter where you need a functional and practical light.

Learn more about Koniekel Link on page 352

Open Link



Open is a spot series in a simple, minimalist design. Add decorative bulbs of your taste to create your own personal design. Spot heads can easily be adjusted for a directional light.

Learn more about Open Link on page 351



Ethan 2-spot
2110410101


Ethan
Build On



Ethan is a square build-on spot series that gives a pleasant light with the included inside reflectors. Fits any GU10 bulb, has additional cable inlet on two opposite sides and is interconnectable (with internal or external wiring).

Learn more about Ethan on page 376

Oja Sensor



Oja Sensor 42
2110476101

The Oja series is characterised by its classic round and thin design with backlight effect, fitting perfectly into any interior design.


Oja Sensor has a high IP rating (IP54) making it perfect for the bathroom or other humid areas and a built-in sensor that turns the light on when detecting motion

Learn more about Oja Sensor on page 383



Oja Sensor 29
2110456101

Kitchenio Build On



Kitchenio
2015450103

The Kitchenio series is a series of classic, round Downlights that are perfect for the ceiling or underneath the kitchen cabinets giving a pleasant, yet practical light.

Comes with the option of both surface or built-in mounting.

Learn more about Kitchenio on page 410


Harlow Ceiling



Harlow is a rectangular ceiling light in an ultra thin design with backlight effect. Adjust the light with three-step Moodmaker™ dimmer on the regular wall switch.

Suitable for humid areas such as the bathroom because of the high IP rating (IP54).

Learn more about Harlow on page xx







Bathe In Light





Bathroom lighting is a category with very specific safety regulations. Wet areas with moisture, steam and flowing water require very strict lighting regulations. Therefore, Nordlux designs and produces bathroom safe lighting specific for the different zones in the bathroom taking all regulations into consideration.

In most countries, the bathroom lighting zones are divided into four zones - zone 0, zone 1, zone 2 and outside those zones. Please note that the regulations are guiding and can vary depending on the country.

Our "Bathe in Light" concept combines all safety regulations with contemporary LED technology as CCT (Colour Changing Temperature), night light, sensor, dimming by your standard wall switch (no new installations necessary), RA/CRI90 (natural light), etc.

Forget all stress and Bathe in Light in your very own bathroom!

Marlee Wall





Marlee
2110701003

Marlee is the perfect bathroom mirror light carried out in a slim, rectangular design. Easy to mount onto a cabinet, on the mirror or on the wall.

Provides a pleasant, yet practical, downwards light. High IP rating (IP44) makes it suitable for the bathroom or other humid areas.

Learn more about Marlee on page 360

Sóller 2-in-1



Sóller 22
2110746101

Sóller is a series of recessed or surface mounted ceiling lights in a round and minimalist design. Sóller has three-step Moodmaker™ dimmer that makes it possible to adjust the light to every situation.


Perfect for the bathroom or other humid areas (IP44).

Learn more about Sóller 2-in-1 on page 358




Sóller 12
2110726101

Link Your Lights




346

Bathe In Light




358

Ceiling Series




374

Downlight Series




402



Build On
Series

440



Batten
Series

443

Functional Collection 2021-2022



White
79079901

NEW
2021



Mat White
2110589901



Black
79079903




Mat black
2110589903

Link 1M

Masterbox	Qty 3
Size	W: 3,5 cm, L: 107 cm, D: 1,8 cm
Material	Metal
IP Class	IP20, Class 1
Light source	Max. 690W,


Features
Adaptor included



Link 1,8M

Masterbox	Qty 3
Size	H: 1,8 cm, W: 3,5 cm, L: 180 cm
Material	Metal/Plastic
Light source	Excl. light source,

Features
Adaptor included





White
79029901



White
79059901



Black
79029903



Black
79059903

Link Connect Turnable

Masterbox	Qty 6
Size	W: 3,5 cm, L: 12 cm, D: 1,8 cm
Material	Plastic
IP Class	IP20, Class 1

Features


Connector for rails, without power supply


Link Connect

Masterbox	Qty 6
Size	W: 3,5 cm, L: 6,5 cm, D: 1,8 cm
Material	Plastic
IP Class	IP20, Class 1
Light source	Max. 690W,

Features

Discrete connector between 2 rails







White
86079901



White
79049901



Black
86079903



Black
79049903

Link X-Connector


Masterbox	Qty 6
Size	H: 1,8 cm, W: 17,2 cm, L: 17,2 cm
Material	Plastic/Metal
IP Class	IP20, Class 1
Light source	Max. 660W,


Features
Connector for rails, without power supply

Link Double Adaptor

Masterbox	Qty 3
Size	W: 3,5 cm, L: 9,5 cm, D: 1,8 cm
Material	Plastic
IP Class	IP20, Class 1

Features
Central adaptor for rails, with power supply







White
79069901



Black
79069903

Link Adaptor

Masterbox	Qty 6
Size	W: 3,5 cm, L: 8 cm, D: 5,5 cm
Material	Plastic
IP Class	IP20, Class 1
Light source	Max. 115W,

Features
Adaptor for any pendant, to be connected in the rail
Removable hook



White
86059901





Black
86059903

Link T-Connector Right

Masterbox	Qty 6
Size	H: 1,8 cm, W: 10,3 cm, L: 17,2 cm
Material	Plastic/Metal
IP Class	IP20, Class 1
Light source	Max. 660W,

Features
Connector for rails, without power supply







White
86069901




Black
86069903

Link T-Connector Left

Masterbox	Qty 6
Size	H: 1,8 cm, W: 10,3 cm, L: 17,2 cm
Material	Plastic/Metal
IP Class	IP20, Class 1
Light source	Max. 660W,

Features
Connector for rails, without power supply





White
79039901




Black
79039903

Link Opposite Adaptor

Masterbox	Qty 3
Size	W: 3,5 cm, L: 6,5 cm, D: 1,8 cm
Material	Plastic
IP Class	IP20, Class 1

Features
Opposite adaptor for rails, with power supply



NEW
2021



Mat White
2110609901




Mat black
2110609903

Link Diskie Spot

Masterbox	Qty 3
Size	H: 14 cm, D: 14 cm, Shade Ø: 20 cm, Tilt angle: 90°
Material	Metal/Plastic
IP Class	IP20, Class 1
Light source	Fixed LED, Incl. 8W LED, Lumen 750, Kelvin 3000, Life hours 20.000, RA 90, Beam angle 120°,

Features

LED integrated AC SMD 7W
Dimmable
RA90 natural light
5 year LED guarantee



NEW
2021



Mat White
2110619901




Mat black
2110619903

Link Open Spot

Masterbox	Qty 3
Size	H: 13,6 cm, L: 8,1 cm, Ø: 4,2 cm, Tilt angle: 90°
Material	Metal/Plastic
IP Class	IP20, Class 1
Light source	E27, Max. 15W, Excl. light source,

Features

Spot head can be positioned straight down
Especially designed for LED decorative bulbs



NEW
2021



Mat White
2110629901




Mat black
2110629903

Link Koniekel Spot

Masterbox	Qty 3
Size	H: 17,13 cm, W: 10,37 cm, L: 8 cm, Shade Ø: 8 cm, Tilt angle: 90°
Material	Metal/Glass
IP Class	IP20, Class 1
Light source	GU10, Max. 50W, Excl. light source,

Features

Including two reflectors, metal and glass
Chose your bulb for colour, beam angle and lumen
White: Including frosted white glass
Black: Including smoked transparent glass



NEW
2021



2110649901




2110649903

Link Rondie Pendant

Masterbox	Qty 3
Size	H: 215,2 cm, W: 6 cm, L: 8,2 cm, Shade Ø: 6 cm
Material	Metal/Glass
IP Class	IP20, Class 1
Cable	Cable: White/Black 200 cm non replaceable
Light source	GU10, Excl. light source,

Features

Inside frosted glass for special effect
Chose your bulb for colour, beam angle and lumen
Wire can be shortened to any desired length
Frosted Glass/ Ring



NEW
2021



2110639901



White
86189901



2110639903




Black
86189903

Link Rondie Spot

Masterbox	Qty 3
Size	H: 15,2 cm, W: 6 cm, L: 8,2 cm, Shade Ø: 6 cm, Tilt angle: 90°
Material	Metal/Glass
IP Class	IP20, Class 1
Light source	GU10, Excl. light source,

Features

Inside frosted glass for special effect
Chose your bulb for colour, beam angle and lumen
Frosted Glass/ Ring




Link Explore Spot

Masterbox	Qty 6
Size	D: 28,5 cm, Shade Ø: 5,5 cm, Tilt angle: 180°
Material	Metal/Plastic
IP Class	IP20, Class 2
Light source	GU10, Max. 7W, Excl. light source,

Features

Ideally suited for combination with NORDLUX SMART





White
71669901




Black
71669903

Link Mib 6 Spot

Masterbox	Qty 3
Size	H: 32 cm, Shade Ø: 6 cm, Shade H: 20 cm, Pipe Ø: 1 cm, Tilt angle: 180°
Material	Metal/Plastic
IP Class	IP20, Class 2
Light source	GU10, Max. 8W, Excl. light source,

Features
Ideally suited for combination with NORDLUX SMART






White
86119901

Link Frøya Spot

Masterbox	Qty 3
Size	L: 10,9 cm, D: 8,8 cm, Shade Ø: 3,6 cm, Tilt angle: 180°
Material	Metal/Plastic
IP Class	IP20, Class 2
Light source	GU10, Max. 50W, Excl. light source,

Features
Ideally suited for combination with NORDLUX SMART





White
86129901



White
86109901



Black
86109903

Link Munin Spot


Masterbox	Qty 3
Size	H: 11,6 cm, L: 8 cm, D: 13,6 cm, Shade Ø: 6,1 cm, Tilt angle: 180°
Material	Metal/Plastic
IP Class	IP20, Class 2
Light source	GU10, Max. 35W, Excl. light source,


Features
Ideally suited for combination with NORDLUX SMART

Link Single Spot

Masterbox	Qty 6
Size	L: 8 cm, D: 14,5 cm, Shade Ø: 8,5 cm, Tilt angle: 180°
Material	Metal/Plastic
IP Class	IP20, Class 1
Light source	GU10, Max. 35W, Excl. light source,

Features
Ideally suited for combination with NORDLUX SMART







White
2112229901



White
2112859901

Link Omari Spot


Masterbox	Qty 4
Size	H: 17 cm, W: 23 cm, Tilt angle: 320°
Material	Metal/Plastic
IP Class	IP20, Class 2
Light source	Fixed LED, Incl. 3,2W LED, Incl. 3-Step, Lumen 360, Kelvin 2700, Life hours 25.000, RA 80, Not dimmable


Features
5 year LED guarantee

Link Cole Spot

Masterbox	Qty 3
Size	H: 19,5 cm, W: 8 cm, Tilt angle: 350°
Material	Metal/Glass
IP Class	IP20, Class 2
Light source	E14, Max. 40W, Excl. light source,

Features
5 year LED guarantee





NEW
2021



White
2110711001

IP44 bathroom zone 2


Step dimming on the product


Sjaver Bathroom

Masterbox	Qty 3
Size	H: 7 cm, W: 5,6 cm, L: 60 cm
Material	Plastic/Aluminium
IP Class	IP44, Class 1
Cable	Cable: White 35 cm non replaceable Switch on fixture
Light source	Fixed LED, Incl. 15W LED, Lumen 1.200, Kelvin 3000/4000, Life hours 30.000, RA 90, Beam angle 120°, Not dimmable

Features

Moodmaker™ SCENE SELECT 3000K/4000K by body switch
Including EU plug
5 year LED guarantee





Moodmaker™ 2-step dimmable on the product

NEW
2021



White
2110726101

IP44 bathroom zone 2


Step dimming by wall switch


Sóller 12 Bathroom

Masterbox	Qty 3
Size	H: 2,5 cm, D: 2,5 cm, Ø: 12,9 cm, Mounting min. height: 4,5 cm Cut-out Ø: 10 cm
Material	Plastic/Plastic
IP Class	IP20/44, Class 2
Light source	Fixed LED, Incl. 7,5W LED, Incl. 3-Step Moodmaker™, Lumen 600, Kelvin 4000/3000, Life hours 20.000, RA 80, Beam angle 110°, Not dimmable

Features

Moodmaker™ SCENE SELECT 3000K/4000K and night light
Can be recessed mounted from Ø95-115 mm, as well as surface mounted
With memory and reset function
5 year LED guarantee





Moodmaker™ 3-step dimmable on wall switch

NEW
2021



2

IP44 bathroom zone 2

Step dimming by wall switch


White
2110736101


Sóller 17 Bathroom

Masterbox	Qty 3
Size	H: 2,5 cm, D: 2,5 cm, Ø: 17,9 cm, Mounting min. height: 4,5 cm Cut-out Ø: 15 cm
Material	Plastic/Plastic
IP Class	IP20/44, Class 2
Light source	Fixed LED, Incl. 9,5W LED, Incl. 3-Step Moodmaker™, Lumen 1.000, Kelvin 4000/3000, Life hours 20.000, RA 80, Beam angle 110°, Not dimmable

Features

Moodmaker™ SCENE SELECT 3000K/4000K and night light
Can be recessed mounted from Ø95-115 mm, as well as surface mounted
With memory and reset function
5 year LED guarantee





Moodmaker™ 3-step dimmable on wall switch

NEW
2021



2

IP44 bathroom zone 2

Step dimming by wall switch


White
2110746101


Sóller 22 Bathroom

Masterbox	Qty 3
Size	H: 2,5 cm, D: 2,5 cm, Ø: 23,4 cm, Mounting min. height: 4,5 cm Cut-out Ø: 20 cm
Material	Plastic/Plastic
IP Class	IP20/44, Class 2
Light source	Fixed LED, Incl. 14W LED, Incl. 3-Step Moodmaker™, Lumen 1.600, Kelvin 4000/3000, Life hours 20.000, RA 80, Beam angle 110°, Not dimmable

Features

Moodmaker™ SCENE SELECT 3000K/4000K and night light
Can be recessed mounted from Ø95-115 mm, as well as surface mounted
With memory and reset function
5 year LED guarantee





Moodmaker™ 3-step dimmable on wall switch

NEW
2021



White
2110701001

2

IP44 bathroom
zone 2



Black
2110701003



Brushed steel
17131032

2


IP44 bathroom
zone 2

Marlee Bathroom

Masterbox	Qty 3
Size	H: 38 cm, W: 136 cm, L: 500 cm
Material	Metal/Plastic
IP Class	IP44, Class 2
Light source	Fixed LED, Lumen 800, Kelvin 3000, Life hours 25.000, RA 90, Beam angle 120°, Not dimmable

Features

Incl. three different installation possibilities
Can be mounted on a wall, on a mirror or on a cabinet
IP44 protected for water splashing in all directions
5 year LED guarantee
RA90 natural light and 800 lumen





Tangens Bathroom

Masterbox	Qty 3
Size	H: 18,5 cm, W: 6 cm, D: 9,5 cm, Shade Ø: 6 cm, Base mount: 6 x 6 cm
Material	Glass/Metal
IP Class	IP44, Class 2
Light source	E14, Max. 40W, Excl. light source,

Features

Ideally suited for combination with NORDLUX SMART
Manually blown frosted glass
5 year LED guarantee





Brushed steel
17141032

IP44 bathroom zone 2



White
2015301001

IP44 bathroom zone 2

Step dimming by wall switch



Chrome
17141029




Chrome
2015301033

Tangens Bathroom

Masterbox	Qty 3
Size	H: 6 cm, W: 31 cm, D: 9,5 cm, Shade Ø: 6 cm, Base mount: 6 x 6 cm
Material	Glass/Metal
IP Class	IP44, Class 2
Light source	E14, Max. 2X25W, Excl. light source,

Features

Ideally suited for combination with NORDLUX SMART
Manually blown frosted glass
Vertical/horizontal installation possible
5 year LED guarantee





Helva Night Wall Bathroom

Masterbox	Qty 3
Size	H: 10,6 cm, W: 5,7 cm, L: 26,9 cm, D: 10,5 cm
Material	Plastic/Plastic
IP Class	IP44, Class 2
Light source	Fixed LED, Incl. 6.8W LED, Lumen 600, Kelvin 3000, Life hours 25.000, RA 90, Not dimmable


Features

2-Step Moodmaker™ full + night light
Touch switch / Night light 60lm
Memory function
5 year LED guarantee





Moodmaker™ 2-step dimmable on the product



White
2015311001

IP44 bathroom zone 2




Chrome
2015321033

IP44 bathroom zone 2

Step dimming on the product



Black
2015311003



Brushed Nickel
2015321055

Helva Basic Wall Bathroom

Masterbox	Qty 3
Size	H: 10,6 cm, W: 5,7 cm, L: 42,5 cm, D: 10,5 cm
Material	Plastic/Plastic
IP Class	IP44, Class 2
Light source	Fixed LED, Incl. 9W LED, Lumen 900, Kelvin 3000, Life hours 25.000, RA 90, Not dimmable

Features


Cabinet bracket included
Vertical/horizontal installation possible
5 year LED guarantee


Helva Wall Bathroom


Masterbox	Qty 3
Size	H: 10,6 cm, W: 5,7 cm, L: 42,5 cm, D: 10,5 cm
Material	Plastic/Plastic
IP Class	IP44, Class 2
Light source	Fixed LED, Incl. 9,5W LED, Lumen 900, Kelvin 3000/4000, Life hours 25.000, RA 90,

Features

2-Step Moodmaker™ scene select 3000K/4000K+dim
Stepless touch dimmer memory
Cabinet bracket included
5 year LED guarantee
Vertical/horizontal installation possible







Moodmaker™ 2-step dimmable on the product



White
2015401001

IP44 bathroom zone 2

Step dimming by wall switch



Chrome
2015401033




Brushed Nickel
2015401055


Otis 40 Wall Bathroom

Masterbox	Qty 3
Size	H: 7,5 cm, W: 14,6 cm, L: 40 cm, D: 7,5 cm
Material	Aluminium/Plastic
IP Class	IP44, Class 2
Light source	Fixed LED, Incl. 14W LED, Lumen 1.300, Kelvin 3000, Life hours 25.000, RA 90, Not dimmable

Features

2-Step Moodmaker™ by wall switch: 100% + night light
Night Light Function 35lm / Memory Function
Cabinet bracket included
Adjustable - rotating reflector/telescopic depth
5 year LED guarantee





Moodmaker™ 2-step dimmable on wall switch



Chrome
2015411033




Brushed Nickel
2015411055


Otis 60 Wall Bathroom

Masterbox	Qty 3
Size	H: 7,5 cm, W: 14,6 cm, L: 60 cm, D: 7,5 cm
Material	Aluminium/Plastic
IP Class	IP44, Class 2
Light source	Fixed LED, Incl. 17W LED, Lumen 1.650, Kelvin 3000, Life hours 25.000, RA 90, Not dimmable

Features

2-Step Moodmaker™ by wall switch: 100% + night light
Night Light Function 35lm / Memory Function
Cabinet bracket included
Adjustable - rotating reflector/telescopic depth
5 year LED guarantee





Moodmaker™ 2-step dimmable on wall switch



White
78511001



Brushed steel
78511032

IP44 bathroom zone 2

IP S4 Bathroom Spot

Masterbox	Qty 3
Size	D: 11 cm, Ø: 10 cm, Base mount: Ø 9,8 cm Tilt angle: 20°
Material	Metal/Plastic
IP Class	IP44, Class 2
Light source	GU10, Max. 8W LED, Excl. light source,

Features

Ideally suited for combination with NORDLUX SMART
Also ideal to install in other indoor rooms



White
78521001


IP44 bathroom zone 2


IP S5 Bathroom

Masterbox	Qty 3
Size	H: 11 cm, D: 15 cm, Ø: 10 cm, Base mount: 7,8 x 5,7 cm Tilt angle: 20°
Material	Metal/Plastic
IP Class	IP44, Class 2
Light source	GU10, Max. 8W LED, Excl. light source,

Features

Ideally suited for combination with NORDLUX SMART
Also ideal to install in other indoor rooms







White
78531001

IP44 bathroom zone 2



White
83051001

IP44 bathroom zone 2



Brushed steel
78531032



Chrome
83051033

IP S6 Bathroom

Masterbox	Qty 3
Size	H: 18 cm, D: 19 cm, Shade Ø: 12,1 cm, Shade H: 10,5 cm, Base mount: Ø 8,5 cm
Material	Metal/Plastic
IP Class	IP44, Class 2
Light source	GU10, Max. 8W SMD LED, Excl. light source,

Features


Ideally suited for combination with NORDLUX SMART
Adjustable reflector
Also ideal to install in other indoor rooms
Ideally suited as bed lamp


IP S12 Bathroom

Masterbox	Qty 3
Size	H: 9 cm, W: 8,5 cm, D: 10,5 cm, Base mount: 8,5 x 9 cm
Material	Metal/Plastic
IP Class	IP44, Class 2
Light source	Fixed LED, Incl. 5W LED, Lumen 400, Kelvin 3000, Life hours 20.000, RA 80, Beam angle 120°, Not dimmable

Features

Adjustable reflector
Also ideal to install in other indoor rooms
5 year LED guarantee







White
83061001

IP44 bathroom zone 2




Brushed steel
83061032

IP S13 Bathroom

Masterbox	Qty 3
Size	L: 40,3 cm, D: 11,8 cm, Base mount: Ø9 cm
Material	Metal/Plastic
IP Class	IP44, Class 2
Light source	Fixed LED, Incl. 5.6W LED, Lumen 406, Kelvin 3000, Life hours 30.000, RA 80, Beam angle 120°, Not dimmable

Features

Adjustable reflector
Also ideal to install as picture light
5 year LED guarantee





White
83071001

IP44 bathroom zone 2




Brushed steel
83071032

IP S13 Bathroom

Masterbox	Qty 3
Size	L: 60,3 cm, D: 11,8 cm, Base mount: Ø9 cm
Material	Metal/Plastic
IP Class	IP44, Class 2
Light source	Fixed LED, Incl. 6.3W LED, Lumen 443, Kelvin 3000, Life hours 30.000, RA 80, Beam angle 120°, Not dimmable

Features

Adjustable reflector
Also ideal to install as picture light
5 year LED guarantee





White
84531001

IP44 bathroom zone 2



Black
62329903

IP44 bathroom zone 2



Chrome
62329933

IP S16 Bathroom

Masterbox	Qty 3
Size	H: 7 cm, L: 59,5 cm, D: 6 cm
Material	Metal/Plastic
IP Class	IP44, Class 2
Light source	Fixed LED, Incl. 7W+9W LED, Lumen 1.100, Kelvin 3000, Life hours 20.000, RA 80, Beam angle 120°, Dimmable

Features


Up & down light effect 450-650lm
Stepless dimmable 0-100% by wall dimmer excl.
Also ideal to install in other indoor rooms
5 year LED guarantee


Marina Bathroom

Masterbox	Qty 3
Size	H: 14 cm, W: 8,6 cm, D: 15 cm, Shade Ø: 5,5 cm, Base mount: 5,5 x 5,5 cm
Material	Metal/Glass
IP Class	IP44, Class 2
Light source	G9, Max. 40W, Excl. light source,

Features

Manually blown sandblasted glass









IP54 bathroom zone 2



Step dimming by wall switch

Black
2015066103





IP54 bathroom zone 2



Step dimming by wall switch

Black
2015026103



Chrome
2015066133




Chrome
2015026133


Oja 29 IP54 Bathroom

Masterbox	Qty 3
Size	H: 2,3 cm, W: 29,4 cm, L: 29,4 cm, D: 2,3 cm
Material	Plastic/Plastic
IP Class	IP54, Class 2
Light source	Fixed LED, Incl. 14,5W LED, Lumen 1.600, Kelvin 3000/4000, Life hours 30.000, RA 80, Beam angle 120°, Not dimmable

Features

3-Step Moodmaker™ 3000K/4000K+night light by wall switch
With back light effect / Night light 20%
Memory & reset function
Screwless Connection / Easy Twist Installation
5 year LED guarantee






Moodmaker™ 3-step dimmable by wall switch


Oja 29 Ceiling Bathroom

Masterbox	Qty 3
Size	H: 2,3 cm, W: 29,4 cm, L: 29,4 cm, D: 2,3 cm, Ø: 29,4 cm
Material	Plastic/Plastic
IP Class	IP54, Class 2
Light source	Fixed LED, Incl. 14,5W LED, Lumen 1.600, Kelvin 3000/4000, Life hours 30.000, RA 80, Beam angle 120°, Not dimmable

Features

3-Step Moodmaker™ 3000K/4000K+night light by wall switch
With back light effect / Night light 20%
Memory & reset function
Screwless Connection / Easy Twist Installation
5 year LED guarantee





Moodmaker™ 3-step dimmable by wall switch



Black
2015116103

IP54 bathroom zone 2

Step dimming by wall switch




Chrome
2015116133


Oja Ceiling 42 Bathroom

Masterbox	Qty 3
Size	H: 2,3 cm, W: 42,4 cm, L: 42,4 cm, D: 2,3 cm, Ø: 42,4 cm
Material	Plastic/Plastic
IP Class	IP54, Class 2
Light source	Fixed LED, Incl. 19W LED, Lumen 2.100, Kelvin 3000/4000, Life hours 30.000, RA 80, Beam angle 120°, Not dimmable

Features

3-Step Moodmaker™ 3000K/4000K+night light by wall switch
With back light effect / Night light 20%
Memory & reset function
Screwless Connection / Easy Twist Installation
5 year LED guarantee





Moodmaker™ 3-step dimmable by wall switch



White
2015356101

IP54 bathroom zone 2

Step dimming by wall switch




Black
2015356103


Noxy 35 Ceiling Bathroom

Masterbox	Qty 3
Size	H: 5 cm, W: 35 cm, L: 35 cm, D: 5,1 cm
Material	Plastic/Aluminium
IP Class	IP44, Class 2
Light source	Fixed LED, Incl. 17W LED, Lumen 1.650, Kelvin 3000-4000, Life hours 25.000, RA 90, Not dimmable

Features

3-Step Moodmaker™ 3000K/4000K+night light by wall switch
Back Night Light Function 100lm /Memory Function
2 Detachable rings included
Screwless Connection / Easy Twist installation
5 year LED guarantee





Moodmaker™ 3-step dimmable by wall switch



Chrome
2015376101

IP54 bathroom zone 2


Step dimming by wall switch


Theros 35 Ceiling Bathroom

Masterbox	Qty 3
Size	H: 5 cm, W: 35 cm, L: 35 cm, D: 5 cm
Material	Plastic/Aluminium
IP Class	IP44, Class 2
Light source	Fixed LED, Incl. 17W LED, Lumen 1.650, Kelvin 3000/4000, Life hours 25.000, RA 90, Not dimmable


Features

3-Step Moodmaker™ 3000K/4000K+night light by wall switch
Back Night Light Function 100lm /Memory Function
Screwless Connection / Easy Twist installation
5 year LED guarantee





Moodmaker™ 3-step dimmable by wall switch




White
2015226101


Montone 33 Ceiling Bathroom

Masterbox	Qty 3
Size	H: 9,6 cm, W: 33 cm, L: 33 cm, D: 9,6 cm, Shade Ø: 33 cm
Material	Metal/Plastic
IP Class	IP44, Class 1
Light source	Fixed LED, Incl. 18W LED, Lumen 1.500, Kelvin 3000, Life hours 30.000, RA 80, Beam angle 120°, Not dimmable

Features

PIR movement SENSOR INSIDE
Adjustable sensor: lux, time sec./min. & radius
Screwless Connection
5 year LED guarantee






White
2015236101


Montone 36 Ceiling Bathroom

Masterbox	Qty 3
Size	H: 10 cm, W: 36 cm, L: 36 cm, D: 10 cm, Shade Ø: 36 cm
Material	Metal/Plastic
IP Class	IP44, Class 1
Light source	Fixed LED, Incl. 24W LED, Lumen 2.000, Kelvin 3000, Life hours 30.000, RA 80, Beam angle 120°, Not dimmable

Features

PIR movement SENSOR INSIDE
Adjustable sensor: lux, time sec./min. & radius
Screwless Connection
5 year LED guarantee







White
2015430101



White
2015391001



Black
2015430103



Brushed Nickel
2015430155



Black
2015391003




Chrome
2015391033


Mahi 1-Kit Downlight Bathroom

Masterbox	Qty 3
Size	H: 4,5 cm, W: 8,5 cm, L: 8,5 cm
Material	Plastic/Metal
IP Class	IP65, Class 2
Light source	Fixed LED, Incl. 8,5W LED, Lumen 621, Kelvin 3000, Candela 310, Life hours 20.000, RA 80, Beam angle 100°, Not dimmable

Features

3-Step Moodmaker™ dim 100%-55%-35% 621/345/23lm
Inter Connectable
Screwless Connection
5 year LED guarantee
Memory + reset option






Moodmaker™ 3-step dimmable by wall swtich


Hester Wall Bathroom

Masterbox	Qty 3
Size	H: 25,5 cm, W: 9,25 cm, L: 20 cm
Material	Plastic/Glass
IP Class	IP44, Class 2
Light source	Fixed LED, Incl. 9,5W LED, Lumen 900, Kelvin 3000, Life hours 25.000, RA 90, Not dimmable

Features

3-Step Moodmaker™ by wall switch: 100%-50%-20%
Night Light 60lm memory
Tempered frosted cutted glass
5 year LED guarantee
Memory + reset option






Moodmaker™ 3-step dimmable by wall switch



White
47540101



White
47550101




Black
47540103



White/brushed steel
47540132



Black
47550103




White/brushed steel
47550132


Fallon Ceiling

Masterbox	Qty 3
Size	D: 6 cm, Ø: 10 cm
Material	Metal/Plastic
IP Class	IP20, Class 2
Light source	Fixed LED, Incl. 8,5W LED, Incl. 4-Step Moodmaker™, Lumen 500, Kelvin 2700, Life hours 20.000, RA 80, Beam angle 110°, Not dimmable

Features

4-Step Moodmaker dim both/inner100%-50%/outer ring
Parallel connection possible
Memory & reset function
Parallel connection possible
5 year LED guarantee






Moodmaker™ 4-step dimmable on wall switch

Fallon Long Ceiling

Masterbox	Qty 3
Size	D: 12 cm, Ø: 10 cm
Material	Metal/Plastic
IP Class	IP20, Class 2
Light source	Fixed LED, Incl. 8.5W LED, Incl. 4-Step Moodmaker™, Lumen 500, Kelvin 2700, Life hours 20.000, RA 80, Beam angle 110°, Not dimmable

Features

4-Step Moodmaker™ dim both/inner100%-50%/outer ring
Parallel connection possible
Memory & reset function
Parallel connection possible
5 year LED guarantee





Moodmaker™ 4-step dimmable on wall switch



White
25416001



Brushed steel
25416032

Spinner Ceiling

Masterbox	Qty 3
Size	D: 7 cm, Shade Ø: 28 cm
Material	Metal/Glass
IP Class	IP20, Class 1
Light source	E27, Max. 60W, Excl. light source,

Features
Ideally suited for combination with NORDLUX SMART





White
47560101

Leroy 2700K Ceiling

Masterbox	Qty 3
Size	D: 3,7 cm, Ø: 22 cm
Material	Plastic
IP Class	IP20, Class 2
Light source	Fixed LED, Incl. 15W LED, Lumen 1.260, Kelvin 2700, Life hours 30.000, RA 80, Beam angle 110°, Not dimmable

Features
Matt diffusor
5 year LED guarantee







White
47680101

Leroy 4000K Ceiling


Masterbox	Qty 3
Size	D: 3,7 cm, Ø: 22 cm
Material	Plastic
IP Class	IP20, Class 2
Light source	Fixed LED, Incl. 15W LED, Lumen 1.400, Kelvin 4000, Life hours 30.000, RA 80, Beam angle 110°, Not dimmable

Features
5 year LED guarantee

NEW
2021



Mat White
2110400101




Mat black
2110400103

Ethan 1 Build On


Masterbox	Qty 3
Size	H: 11,99 cm, W: 10,5 cm, L: 10,5 cm
Material	Aluminium/Metal
IP Class	IP20, Class 2
Cable	Cable: Blue and brown cm
Light source	GU10, Max. LED: 10W, Traditional: 50W, Excl. light source,

Features


Interconnectable
Fits all GU10 bulb sizes
White: 2 inside reflectors included, white and silver
Black: 2 inside reflectors included, black and brass



NEW
2021



Mat White
2110410101




Mat black
2110410103

Ethan 2 Build On

Masterbox	Qty 3
Size	H: 11,99 cm, W: 10,5 cm, L: 21,6 cm
Material	Aluminium/Metal
IP Class	IP20, Class 2
Cable	Cable: Blue and brown cm
Light source	GU10, Max. LED: 2x10W, Traditional: 2x50W, Excl. light source,

Features

Interconnectable on two sides
Fits all different GU10 bulb sizes
Fits the Scandinavian electro boxes
White: 4 inside reflectors included, white and silver
Black: 4 inside reflectors included, black and brass



NEW
2021



Mat White
2110430101



Mat black
2110430103



White
92746001

Parallel connection possible

Ethan 4 Build On

Masterbox	Qty 3
Size	H: 11,99 cm, W: 21,6 cm, L: 21,6 cm
Material	Aluminium/Metal
IP Class	IP20, Class 2
Cable	Cable: Blue and brown cm
Light source	GU10, Max. LED: 4x10W, Traditional: 4x50W, Excl. light source,

Features


Interconnectable on two sides
Fits all different GU10 bulb sizes
Fits the Scandinavian electro boxes
White: 8inside reflectors included, white and silver
Black: 8 inside reflectors included, black and brass


Petri 30 Ceiling


Masterbox	Qty 3
Size	D: 9 cm, Shade Ø: 30 cm
Material	Glass/Metal
IP Class	IP20, Class 1
Light source	E27, Max. 60W, Excl. light source,

Features

Ideally suited for combination with NORDLUX SMART
Parallel connection possible







White
47246001



White
47256001

Oja 24 Ceiling 2700K IP20


Masterbox	Qty 3
Size	D: 2,3 cm, Ø: 24,4 cm
Material	Plastic
IP Class	IP20, Class 2
Light source	Fixed LED, Incl. 15W LED, Lumen 1.250, Kelvin 2700, Life hours 25.000, RA 80, Beam angle 120°, Not dimmable


Features
Ultra flat design
Back light effect
Screwless connection / Easy Twist Installation
5 year LED guarantee


Oja 29 Ceiling 2700K IP20

Masterbox	Qty 3
Size	D: 2,3 cm, Ø: 29,4 cm
Material	Plastic
IP Class	IP20, Class 2
Light source	Fixed LED, Incl. 18W LED, Lumen 1.600, Kelvin 2700, Life hours 25.000, RA 80, Beam angle 120°, Not dimmable

Features
Ultra flat design
Back light effect
Screwless connection / Easy Twist Installation
5 year LED guarantee









White
50036101

Oja 29 Ceiling 2700K IP54

Masterbox	Qty 3
Size	D: 2,3 cm, Ø: 29,4 cm
Material	Plastic
IP Class	IP54, Class 2
Light source	Fixed LED, Incl. 18W LED, Lumen 1.600, Kelvin 2700, Life hours 25.000, RA 80, Beam angle 120°, Not dimmable

Features
Ultra flat design
Back light effect
Screwless connection / Easy Twist Installation
5 year LED guarantee







White
50046101

Oja 29 Ceiling 2700K IP54

Masterbox	Qty 3
Size	D: 2,3 cm, Ø: 29,4 cm
Material	Plastic
IP Class	IP54, Class 2
Light source	Fixed LED, Incl. 17W LED, Lumen 1.550, Kelvin 2700, Life hours 30.000, RA 80, Beam angle 120°, Dimmable

Features
Ultra flat design
Back light effect
Screwless connection / Easy Twist Installation
5 year LED guarantee






White
50216101

Oja 29 IP54 4000K Dim Ceiling

Masterbox	Qty 3
Size	H: 2,3 cm, W: 29,4 cm, L: 29,4 cm, Ø: 29,4 cm
Material	Plastic
IP Class	IP54, Class 2
Light source	Fixed LED, Incl. 17W LED, Lumen 1.700, Kelvin 4000, Life hours 30.000, RA 80, Beam angle 120°, Dimmable

Features
5 year LED guarantee







White
50226101

Oja 42 IP54 4000K Dim Ceiling

Masterbox	Qty 3
Size	H: 2,3 cm, W: 42,4 cm, L: 42,4 cm, Ø: 42,4 cm
Material	Plastic
IP Class	IP54, Class 2
Light source	Fixed LED, Incl. 24W LED, Lumen 2.400, Kelvin 4000, Life hours 30.000, RA 80, Beam angle 120°, Dimmable

Features
5 year LED guarantee





White
47266001



White
50056101

Oja 42 Ceiling 2700K IP20


Masterbox	Qty 3
Size	D: 2,3 cm, Ø: 42,4 cm
Material	Plastic
IP Class	IP20, Class 2
Light source	Fixed LED, Incl. 22W LED, Lumen 2.100, Kelvin 2700, Life hours 25.000, RA 80, Beam angle 120°, Not dimmable


Features
Ultra flat design
Back light effect
Screwless connection / Easy Twist Installation
5 year LED guarantee

Oja 42 Ceiling 2700K IP54

Masterbox	Qty 3
Size	D: 2,3 cm, Ø: 42,4 cm
Material	Plastic
IP Class	IP54, Class 2
Light source	Fixed LED, Incl. 24W LED, Lumen 2.150, Kelvin 2700, Life hours 30.000, RA 80, Beam angle 120°, Dimmable

Features
Ultra flat design
Back light effect
Screwless connection / Easy Twist Installation
5 year LED guarantee








White
47966001

Oja 42 Ceiling IP20 4000K

Masterbox	Qty 3
Size	D: 2,3 cm, Ø: 42,4 cm
Material	Plastic
IP Class	IP20, Class 2
Light source	Fixed LED, Incl. 22W LED, Lumen 2.100, Kelvin 4000, Life hours 25.000, RA 80, Beam angle 120°, Not dimmable

Features
5 year LED guarantee




White
47946001

Oja 24 Ceiling 4000K IP20

Masterbox	Qty 3
Size	D: 2,3 cm, Ø: 24,4 cm
Material	Plastic
IP Class	IP20, Class 2
Light source	Fixed LED, Incl. 15W LED, Lumen 1.250, Kelvin 4000, Life hours 25.000, RA 80, Beam angle 120°, Not dimmable

Features
5 year LED guarantee






White
47956001

Oja 29 Ceiling 4000K IP20

Masterbox	Qty 3
Size	D: 2,3 cm, Ø: 29,4 cm
Material	Plastic
IP Class	IP20, Class 2
Light source	Fixed LED, Incl. 18W LED, Lumen 1.600, Kelvin 4000, Life hours 25.000, RA 80, Beam angle 120°, Not dimmable

Features

5 year LED guarantee





Oja 29 Ceiling 2700 IP20

Masterbox	Qty 3
Size	D: 2,3 cm, Ø: 29,4 cm
Material	Plastic
IP Class	IP20, Class 2
Light source	Fixed LED, Incl. 18W LED, Lumen 1.600, Kelvin 2700, Life hours 25.000, RA 80, Beam angle 120°, Not dimmable

Features


3-Step Moodmaker™ dim 100-50-20% by wall switch
Back light effect / Night light 20%
Memory & reset function
Screwless connection / Easy Twist Installation
5 year LED guarantee

Oja 29 Ceiling 4000 IP20


Masterbox	Qty 3
Size	D: 2,3 cm, Shade Ø: 29,4 cm
Material	Plastic
IP Class	IP20, Class 2
Light source	Fixed LED, Incl. 18W LED, Incl. 3-Step 100%-50%-25%, Lumen 1.700, Kelvin 4000, Life hours 25.000, RA 80, Beam angle 120°, Not dimmable

Features


3-Step Moodmaker™ dim 100-50-20% by wall switch
Back light effect / Night light 20%
Memory & reset function
Screwless connection / Easy Twist Installation
5 year LED guarantee



Moodmaker™ 3-step dimmable on wall switch



Moodmaker™ 3-step dimmable on wall switch



White
47286001


Step dimming
by wall switch

Oja 42 Ceiling


Masterbox	Qty 3
Size	D: 2,3 cm, Ø: 42,4 cm
Material	Plastic
IP Class	IP20, Class 2
Light source	Fixed LED, Incl. 22W LED, Lumen 2.100, Kelvin 2700, Life hours 25.000, RA 80, Beam angle 120°, Not dimmable

Features

3-Step Moodmaker™ dim 100-50-20% by wall switch
Back light effect / Night light 20%
Memory & reset function
Screwless connection / Easy Twist Installation
5 year LED guarantee



Moodmaker™ 3-step dimmable on wall switch




White
50236101

Oja 60 Ceiling 4000K IP20

Masterbox	Qty 3
Size	D: 3,2 cm, Ø: 60 cm
Material	Plastic/Metal
IP Class	IP20, Class 1
Light source	Fixed LED, Incl. 38W LED, Incl. 3-Step MOODMAKER TM, Lumen 3.400, Kelvin 4000, Life hours 25.000, RA 80, Beam angle 120°, Dimmable

Features

3-Step Moodmaker™ dim 100-50-20% by wall switch
Back light effect / Night light 20%
Memory & reset function
Screwless connection / Easy Twist Installation
5 year LED guarantee



Moodmaker™ 3-step dimmable on wall switch



White
50066101

Step dimming
by wall switch



White
2015016101

Step dimming
by wall switch



Black
50066103



Brushed Nickel
2015016155

Oja 60 Ceiling

Masterbox	Qty 3
Size	D: 3,2 cm, Ø: 60 cm
Material	Plastic/Metal
IP Class	IP20, Class 1
Light source	Fixed LED, Incl. 38W LED, Incl. 3-Step Moodmaker™, Lumen 3.200, Kelvin 2700, Life hours 25.000, RA 80, Beam angle 120°, Dimmable

Features


3-Step Moodmaker™ dim 100-50-20% by wall switch
Back light effect / Night light 20%
Memory & reset function
Screwless connection / Easy Twist Installation
5 year LED guarantee

Oja 29 Ceiling


Masterbox	Qty 3
Size	H: 2,3 cm, W: 29,4 cm, L: 29,4 cm, D: 2,3 cm, Shade Ø: 29,4 cm
Material	Plastic/Plastic
IP Class	IP20, Class 2
Light source	Fixed LED, Incl. 14,5W LED, Lumen 1.600, Kelvin 3000-4000, Life hours 30.000, RA 80, Beam angle 120°, Not dimmable

Features

3-Step Moodmaker™ dim 100-50-20% by wall switch
Back light effect / Night light 20%
Memory & reset function
Screwless connection / Easy Twist Installation
5 year LED guarantee



Moodmaker™ 3-step dimmable on wall switch



Moodmaker™ 3-step dimmable on wall switch



White
2015106101

Step dimming
by wall switch



Brushed Nickel
2015106155



White
47166001

Oja 42 Ceiling

Masterbox	Qty 3
Size	H: 2,3 cm, W: 42,4 cm, L: 42,4 cm, D: 2,3 cm, Shade Ø: 42,4 cm
Material	Plastic/Plastic
IP Class	IP20, Class 2
Light source	Fixed LED, Incl. 19W LED, Lumen 2.100, Kelvin 3000-4000, Life hours 30.000, RA 80, Beam angle 120°, Not dimmable

Features


3-Step Moodmaker™ 3000K/4000K+night light by wall switch
Back light effect / Night light 20%
Memory & reset function
Screwless connection / Easy Twist Installation
5 year LED guarantee


Oja 42 Ceiling 4000K IP20

Masterbox	Qty 3
Size	D: 2,3 cm, Shade Ø: 42,4 cm
Material	Plastic
IP Class	IP20, Class 2
Light source	Fixed LED, Incl. 22W LED, Incl. 3-Step MOODMAKER TM, Lumen 2.200, Kelvin 4000, Life hours 25.000, RA 80, Beam angle 120°, Not dimmable

Features

5 year LED guarantee





Moodmaker™ 3-step dimmable on wall switch

NEW
2021



White
2110456101


PIR
Sensor

Oja 29 Ceiling 2700K IP54

Masterbox	Qty 3
Size	H: 3,8 cm, W: 29,4 cm, L: 29,4 cm
Material	Plastic/Plastic
IP Class	IP54, Class 2
Light source	Fixed LED, Lumen 1.600, Kelvin 2700, Life hours 25.000, RA 80, Beam angle 120°, Not dimmable

Features

Microwave sensor with on/off pre-programmed LUX
Adjustable time and range radius
Ultra thin design with back light effect
Screwless connection / Easy Twist Installation / side entry
5 year LED guarantee



NEW
2021



White
2110476101


PIR
Sensor

Oja 42 Ceiling 2700K IP54

Masterbox	Qty 3
Size	H: 3,8 cm, W: 42,4 cm, L: 42,4 cm
Material	Plastic/Plastic
IP Class	IP54, Class 2
Light source	Fixed LED, Lumen 2.100, Kelvin 2700, Life hours 25.000, RA 80, Beam angle 120°, Not dimmable

Features

Microwave sensor with on/off pre-programmed LUX
Adjustable time and range radius
Ultra thin design with back light effect
Screwless connection / Easy Twist Installation / side entry
5 year LED guarantee





White
2015056101



Step dimming
by wall switch



Brushed Nickel
2015056155

NEW
2021



White
2110496101



Parallel connection
possible



Step dimming
by wall switch

Harlow 29 Ceiling

Masterbox	Qty 3
Size	H: 2,3 cm, W: 29,4 cm, L: 29,4 cm, D: 2,3 cm
Material	Plastic/Plastic
IP Class	IP20, Class 2
Light source	Fixed LED, Incl. 14,5W LED, Lumen 1.600, Kelvin 3000/4000, Life hours 30.000, RA 80, Beam angle 120°, Not dimmable

Features


3-Step Moodmaker™ 3000K/4000K+night light by wall switch
Back light effect / Night light 20%
Memory & reset function
Screwless connection / Easy Twist Installation
5 year LED guarantee


Harlow 60 Ceiling


Masterbox	Qty 3
Size	H: 2,3 cm, W: 24,4 cm, L: 59,5 cm
Material	Plastic/Plastic
IP Class	IP54, Class 2
Light source	Fixed LED, Incl. 3-Step 100%-50%-25%, Lumen 2.400, Kelvin 2700, Life hours 25.000, RA 80, Not dimmable


Features

3-Step dim 100%-50%-20% by wall switch
Ultra thin design with back light effect
Parallel, screwless connection / side entry
Easy Twist Installation
5 year LED guarantee











White
25326001



White
47206001



Grey
47206010

Standard Ceiling


Masterbox	Qty 3
Size	D: 7,5 cm, Shade Ø: 25 cm
Material	Glass/Metal
IP Class	IP20, Class 1
Light source	E27, Max. 60W, Excl. light source,


Features
Ideally suited for combination with NORDLUX SMART

Altus 2700K Ceiling

Masterbox	Qty 3
Size	D: 9 cm, Ø: 29,8 cm
Material	Plastic/Metal
IP Class	IP20, Class 1
Light source	Fixed LED, Max. 4W, Incl. 13W LED, Lumen 850, Kelvin 2700, Life hours 20.000, RA 80, Beam angle 120°, Not dimmable

Features
5 year LED guarantee







White
47906001




Grey
47906010

Altus 4000K Ceiling

Masterbox	Qty 3
Size	D: 9 cm, Ø: 29,8 cm
Material	Plastic/Metal
IP Class	IP20, Class 1
Light source	Fixed LED, Incl. 13W LED, Lumen 900, Kelvin 4000, Life hours 20.000, RA 80, Beam angle 120°, Not dimmable

Features
5 year LED guarantee





45606001

Mani 25 Ceiling

Masterbox	Qty 6
Size	D: 9,5 cm, Shade Ø: 25,5 cm
Material	Metal/Plastic
IP Class	IP20, Class 1
Light source	Fixed LED, Incl. 12W LED, Lumen 700, Kelvin 3000, Candela 205, Life hours 30.000, RA 80, Beam angle 118°, Not dimmable

Features
Matt diffusor
5 year LED guarantee





45616001


Mani 32 Ceiling

Masterbox	Qty 6
Size	D: 10,5 cm, Shade Ø: 32,5 cm
Material	Metal/Plastic
IP Class	IP20, Class 1
Light source	Fixed LED, Incl. 18W LED, Lumen 1.000, Kelvin 3000, Candela 297, Life hours 30.000, RA 80, Beam angle 118°, Not dimmable

Features
Matt diffusor
5 year LED guarantee








White
45356001


IP44 bathroom zone 2

Ask 28 Ceiling

Masterbox	Qty 3
Size	D: 9,5 cm, Shade Ø: 28 cm
Material	Metal/Plastic
IP Class	IP44, Class 1
Light source	Fixed LED, Incl. 12W LED, Lumen 1.050, Kelvin 3000, Candela 192, Life hours 30.000, RA 80, Beam angle 120°, Not dimmable

Features
Ideally suited for bathroom zone 2
Matt diffusor
5 year LED guarantee






White
45376001


IP44 bathroom zone 2

Ask 36 Ceiling

Masterbox	Qty 3
Size	D: 10,5 cm, Shade Ø: 36 cm
Material	Metal/Plastic
IP Class	IP44, Class 1
Light source	Fixed LED, Incl. 18W LED, Lumen 1.450, Kelvin 3000, Candela 364, Life hours 30.000, RA 80, Beam angle 120°, Not dimmable

Features
Ideally suited for bathroom zone 2
Matt diffusor
5 year LED guarantee





White
45386501


IP44 bathroom zone 2


Ask 36 Sensor Ceiling

Masterbox	Qty 3
Size	D: 10,5 cm, Shade Ø: 36 cm
Material	Metal/Plastic
IP Class	IP44, Class 1
Light source	Fixed LED, Incl. 18W LED, Lumen 1.450, Kelvin 3000, Candela 364, Life hours 30.000, RA 80, Beam angle 120°, Not dimmable

Features

Microwave movement SENSOR INSIDE
Adjustable sensor: lux, time sec./min. & radius
Ideally suited for bathroom zone 2
5 year LED guarantee
Matt diffusor





White
45396001


IP44 bathroom zone 2


Ask 41 Ceiling

Masterbox	Qty 3
Size	D: 11,5 cm, Shade Ø: 41 cm
Material	Metal/Plastic
IP Class	IP44, Class 1
Light source	Fixed LED, Incl. 32W LED, Lumen 3.000, Kelvin 3000, Candela 669, Life hours 30.000, RA 80, Beam angle 120°, Not dimmable

Features


Ideally suited for bathroom zone 2
Matt diffusor
5 year LED guarantee





White
2015156101

IP44 bathroom zone 2



White
2015176101

IP44 bathroom zone 2

Montone 18 Ceiling


Masterbox	Qty 3
Size	H: 7,5 cm, W: 18 cm, L: 18 cm, D: 7,5 cm, Ø: 18 cm, Shade Ø: 18 cm
Material	Metal/Plastic
IP Class	IP44, Class 1
Light source	Fixed LED, Incl. 5W LED, Lumen 500, Kelvin 2700, Life hours 20.000, RA 80, Beam angle 120°, Not dimmable


Features
DOB: Driver-on-Board LED technology
Ideally suited for bathroom zone 2
5 year LED guarantee

Montone 25 Ceiling

Masterbox	Qty 3
Size	H: 8 cm, W: 25 cm, L: 25 cm, D: 8 cm, Ø: 25 cm, Shade Ø: 25 cm
Material	Metal/Plastic
IP Class	IP44, Class 1
Light source	Fixed LED, Incl. 8W LED, Lumen 800, Kelvin 2700, Life hours 20.000, RA 80, Beam angle 120°, Not dimmable

Features
DOB: Driver-on-Board LED technology
Ideally suited for bathroom zone 2
5 year LED guarantee







White
49936101



White
49976101

Montone 25 Ceiling


Masterbox	Qty 3
Size	H: 8 cm, W: 25 cm, L: 25 cm, D: 8 cm, Ø: 25 cm, Shade Ø: 25 cm
Material	Metal/Plastic
IP Class	IP20, Class 1
Light source	Fixed LED, Incl. 8W LED, Lumen 800, Kelvin 2700, Life hours 20.000, RA 80, Beam angle 120°, Not dimmable


Features
DOB: Driver-on-Board LED technology
5 year LED guarantee


Montone 28 Ceiling

Masterbox	Qty 3
Size	H: 9 cm, W: 28 cm, L: 28 cm, D: 9 cm
Material	Metal/Plastic
IP Class	IP20, Class 1
Light source	Fixed LED, Incl. 10W LED, Lumen 1.000, Kelvin 2700, Life hours 20.000, RA 80, Beam angle 120°, Not dimmable

Features
DOB: Driver-on-Board LED technology
5 year LED guarantee







White
2015196101


IP44 bathroom zone 2


Montone 30 Ceiling

Masterbox	Qty 3
Size	H: 9,5 cm, W: 30 cm, L: 30 cm, D: 9,5 cm, Shade Ø: 30 cm
Material	Metal/Plastic
IP Class	IP44, Class 1
Light source	Fixed LED, Incl. 10W LED, Lumen 1.000, Kelvin 2700, Life hours 20.000, RA 80, Beam angle 120°, Not dimmable

Features

DOB: Driver-on-Board LED technology
Ideally suited for bathroom zone 2
5 year LED guarantee





White
49956101


IP44 bathroom zone 2


Montone 30 Ceiling

Masterbox	Qty 3
Size	H: 9,5 cm, W: 30 cm, L: 30 cm, D: 9,5 cm, Shade Ø: 30 cm
Material	Metal/Plastic
IP Class	IP20, Class 1
Light source	Fixed LED, Incl. 10W LED, Lumen 1.000, Kelvin 2700, Life hours 20.000, RA 80, Beam angle 120°, Not dimmable

Features

DOB: Driver-on-Board LED technology
5 year LED guarantee





White
2015216101


IP44 bathroom zone 2


Montone 36 Ceiling

Masterbox	Qty 3
Size	H: 10 cm, W: 36 cm, L: 36 cm, D: 10 cm, Shade Ø: 36 cm
Material	Metal/Plastic
IP Class	IP44, Class 1
Light source	Fixed LED, Incl. 18W LED, Lumen 2.000, Kelvin 2700, Life hours 20.000, RA 80, Beam angle 120°, Not dimmable

Features

DOB: Driver-on-Board LED technology
Ideally suited for bathroom zone 2
5 year LED guarantee





White
2015206101


IP44 bathroom zone 2


Montone 36 Ceiling

Masterbox	Qty 3
Size	H: 10 cm, W: 36 cm, L: 36 cm, D: 10 cm, Ø: 36 cm, Shade Ø: 36 cm
Material	Metal/Plastic
IP Class	IP20, Class 1
Light source	Fixed LED, Incl. 18W LED, Lumen 2.000, Kelvin 2700, Life hours 20.000, RA 80, Beam angle 120°, Not dimmable

Features

DOB: Driver-on-Board LED technology
5 year LED guarantee





White
25576000

IP44 bathroom zone 2

Ufo Ceiling

Masterbox	Qty 3
Size	D: 10,5 cm, Shade Ø: 22,5 cm
Material	Glass/Metal
IP Class	IP44/43, Class 1
Light source	E27, Max. 40W, Excl. light source,

Features

Ideally suited for combination with NORDLUX SMART
Ideally suited for bathroom zone 2 IP44



White
25626001


IP44 bathroom zone 2


Ufo Maxi Ceiling


Masterbox	Qty 3
Size	D: 11 cm, Shade Ø: 29,5 cm
Material	Glass/Metal
IP Class	IP44/43, Class 1
Light source	E27, Max. 2X40W, Excl. light source,

Features

Ideally suited for combination with NORDLUX SMART
Ideally suited for bathroom zone 2 IP44







White
77656001



White
78866001

Melo 28 Ceiling


Masterbox	Qty 3
Size	D: 9 cm, Shade Ø: 28,5 cm
Material	Plastic/Metal
IP Class	IP20, Class 1
Light source	Fixed LED, Incl. 9W LED, Lumen 630, Kelvin 3000, Life hours 20.000, RA 80, Beam angle 130°, Not dimmable


Features
Upgraded generation
5 year LED guarantee

Melo 34 Sensor Ceiling

Masterbox	Qty 3
Size	D: 10 cm, Shade Ø: 34 cm
Material	Plastic/Metal
IP Class	IP20, Class 1
Light source	Fixed LED, Incl. 12W LED, Lumen 840, Kelvin 3000, Life hours 20.000, RA 80, Beam angle 130°, Not dimmable

Features
Microwave movement SENSOR INSIDE
Upgraded generation
Adjustable sensor: lux, time sec./min. & radius
5 year LED guarantee







White
63246001



White
25316101



Brushed steel
25316132

Melo 34 Ceiling


Masterbox	Qty 3
Size	D: 10 cm, Shade Ø: 34 cm
Material	Plastic/Metal
IP Class	IP20, Class 1
Light source	Fixed LED, Incl. 12W LED, Lumen 840, Kelvin 3000, Candela 800, Life hours 20.000, RA 80, Beam angle 130°, Not dimmable


Features
Upgraded generation
5 year LED guarantee

Ancona Maxi E27 Ceiling

Masterbox	Qty 3
Size	D: 8 cm, Shade Ø: 31,5 cm
Material	Metal/Glass
IP Class	IP44/43, Class 1
Light source	E27, Max. 2X40W, Excl. light source,

Features
Ideally suited for combination with NORDLUX SMART







White
62009811002



Nickel
62009811012



Chrome
62009811032

Apollo IP23 2700K 1-Kit Dim Tilt

Masterbox	Qty 10
Size	H: 5,4 cm, Ø: 8,5 cm, Mounting min. height: 5,4 cm
Material	Metal/Plastic
IP Class	IP23, Class 2
Light source	Fixed LED, Incl. 4,8W LED, Lumen 345, Kelvin 2700, Life hours 20.000, RA 80, Beam angle 36°, Dimmable

Features
Parallel connection possible
5 year LED guarantee



White
62009631006



Chrome
62009631016




Nickel
62009631036

Apollo IP65 2700K 3-Kit

Masterbox	Qty 10
Size	H: 5,4 cm, Ø: 8,5 cm, Mounting min. height: 5,4 cm
Material	Metal/Plastic
IP Class	IP65, Class 2
Light source	Fixed LED, Incl. 3X4,8W LED, Lumen 3X345, Kelvin 2700, Life hours 20.000, RA 80, Beam angle 36°, Not dimmable

Features
Parallel connection possible
5 year LED guarantee



White
62009731003



Nickel
62009733013



Nickel
62009731013



Chrome
62009731033

Apollo IP65 2700K 3-Kit

Masterbox	Qty 10
Size	H: 3,6 cm, Ø: 8,5 cm, Mounting min. height: 3,6 cm
Material	Metal/Plastic
IP Class	IP65, Class 2
Light source	Fixed LED, Incl. 3X4,8W LED, Lumen 3X345, Kelvin 2700, Life hours 20.000, RA 80, Beam angle 36°, Not dimmable

Features
Parallel connection possible
5 year LED guarantee

Apollo IP65 4000K 3-Kit

Masterbox	Qty 10
Size	H: 3,6 cm, Ø: 8,5 cm, Mounting min. height: 3,6 cm
Material	Metal/Plastic
IP Class	IP65, Class 2
Light source	Fixed LED, Incl. 3X4,8W LED, Lumen 3X345, Kelvin 2700, Life hours 20.000, RA 80, Beam angle 36°, Not dimmable

Features
Parallel connection possible
5 year LED guarantee



White
62009031003



Nickel
62009031013



Chrome
62009031033

Apollo IP23 2700K 3-Kit

Masterbox	Qty 10
Size	H: 3,6 cm, Ø: 8,5 cm, Mounting min. height: 4,6 cm
Material	Metal/Plastic
IP Class	IP23, Class 2
Light source	Fixed LED, Incl. 3X4,8W LED, Lumen 3X345, Kelvin 2700, Life hours 20.000, RA 80, Beam angle 36°, Not dimmable

Features
Parallel connection possible
5 year LED guarantee



White
62009051009



Nickel
62009051019

Apollo IP23 2700K 5-Kit Tilt

Masterbox	Qty 10
Size	H: 5,4 cm, Ø: 8,5 cm, Mounting min. height: 5,4 cm
Material	Metal/Plastic
IP Class	IP23, Class 2
Light source	Fixed LED, Incl. 5x4,8W LED, Lumen 345, Kelvin 2700, Life hours 20.000, RA 80, Beam angle 36°, Not dimmable

Features
Parallel connection possible
5 year LED guarantee



White
62009033003



Nickel
62009033013

Apollo IP23 4000K 3-Kit Tilt

Masterbox	Qty 10
Size	H: 5,4 cm, Ø: 8,5 cm, Mounting min. height: 5,4 cm
Material	Metal/Plastic
IP Class	IP23, Class 2
Light source	Fixed LED, Incl. 3X4,8W LED, Lumen 3X380, Kelvin 4000, Life hours 20.000, RA 80, Beam angle 36°, Not dimmable

Features
Parallel connection possible
5 year LED guarantee



White
62009053009



Nickel
62009053019

Apollo IP23 4000K 5-Kit Tilt

Masterbox	Qty 10
Size	H: 5,4 cm, Ø: 8,5 cm, Mounting min. height: 5,4 cm
Material	Metal/Plastic
IP Class	IP23, Class 2
Light source	Fixed LED, Incl. 5x4,8W LED, Lumen 380, Kelvin 4000, Life hours 20.000, RA 80, Beam angle 36°, Not dimmable

Features
Parallel connection possible
5 year LED guarantee



White
62010811002



Nickel
62010811012

Apollo IP23 2700K 1-Kit Dim Tilt

Masterbox	Qty 10
Size	H: 5,4 cm, Ø: 8,5 cm, Mounting min. height: 5,4 cm
Material	Metal/Plastic
IP Class	IP23, Class 2
Light source	Fixed LED, Incl. 4,8W LED, Lumen 345, Kelvin 2700, Life hours 20.000, RA 80, Beam angle 36°, Dimmable

Features
Parallel connection possible
5 year LED guarantee



White
62010031003



Nickel
62010031013

Apollo IP23 2700K 3-Kit Tilt

Masterbox	Qty 10
Size	H: 5,4 cm, Ø: 8,5 cm, Mounting min. height: 5,4 cm
Material	Metal/Plastic
IP Class	IP23, Class 2
Light source	Fixed LED, Incl. 3X4,8W LED, Lumen 3X345, Kelvin 2700, Life hours 20.000, RA 80, Beam angle 36°, Not dimmable

Features
Parallel connection possible
5 year LED guarantee



White
62010033003




Nickel
62010033013

Apollo IP23 4000K 3-Kit Tilt

Masterbox	Qty 10
Size	H: 5,4 cm, Ø: 8,5 cm, Mounting min. height: 5,4 cm
Material	Metal/Plastic
IP Class	IP23, Class 2
Light source	Fixed LED, Incl. 3X4,8W LED, Lumen 3X380, Kelvin 4000, Life hours 20.000, RA 80, Beam angle 36°, Not dimmable

Features
Parallel connection possible
5 year LED guarantee



White
62010731003



Nickel
62010731013

Apollo IP65 2700K 3-Kit

Masterbox	Qty 10
Size	H: 3,6 cm, Ø: 8,5 cm, Mounting min. height: 3,6 cm
Material	Metal/Plastic
IP Class	IP65, Class 2
Light source	Fixed LED, Incl. 3X4,8W LED, Lumen 3X345, Kelvin 2700, Life hours 20.000, RA 80, Beam angle 36°, Not dimmable

Features
Parallel connection possible
5 year LED guarantee



49750101



White
49300101



49750155



Nickel
49300155

Canis 2700K 5-Kit Tilt DownLight

Masterbox	Qty 3
Size	H: 5,5 cm, Ø: 8,5 cm, Mounting min. height: 11,5 cm Cut-out Ø: 6,5 cm, Tilt angle: 30°
IP Class	IP20, Class 2
Light source	GU10, Max. 50W, Incl. 5x4,8W LED, Kelvin 2700, Life hours 15.000, RA 80, Beam angle 36°, Not dimmable Light source energy class A+

Canis 2700K 3-Kit Tilt DownLight

Masterbox	Qty 3
Size	H: 11 cm, Ø: 8,5 cm, Mounting min. height: 11,5 cm Cut-out Ø: 6,5 cm, Tilt angle: 30°
Material	Metal
IP Class	IP20, Class 2
Light source	GU10, Max. 50W, Incl. 3x3,7W LED, Lumen 230, Kelvin 2700, Life hours 15.000, RA 80, Beam angle 36°, Not dimmable Light source energy class A+



White
49310101



Nickel
49310155

Canis 2700K 5-Kit Tilt DownLight

Masterbox	Qty 3
Size	H: 11 cm, Ø: 8,5 cm, Mounting min. height: 11,5 cm Cut-out Ø: 6,5 cm, Tilt angle: 30°
Material	Metal
IP Class	IP20, Class 2
Light source	GU10, Max. 50W, Incl. 5x3,7W LED, Lumen 230, Kelvin 2700, Life hours 15.000, RA 80, Beam angle 36°, Not dimmable Light source energy class A+



White
49320101



Nickel
49320155

Canis 2700K 1-Kit Tilt DownLight

Masterbox	Qty 3
Size	H: 11 cm, Ø: 8,5 cm, Mounting min. height: 11,5 cm Cut-out Ø: 6,5 cm, Tilt angle: 30°
Material	Metal
IP Class	IP20, Class 2
Light source	GU10, Max. 50W, Incl. 4,9W LED, Lumen 345, Kelvin 2700, Life hours 15.000, RA 80, Beam angle 36°, Dimmable Light source energy class A+

Features
Stepless dimmable 0-100% by wall dimmer excl.



Nickel
49330155



White
49360101



White
49330101



Nickel
49360155

Canis 2700K 3-Kit Tilt DownLight

Masterbox	Qty 3
Size	H: 11 cm, Ø: 8,5 cm, Mounting min. height: 11,5 cm Cut-out Ø: 6,5 cm, Tilt angle: 30°
Material	Metal
IP Class	IP20, Class 2
Light source	GU10, Max. 50W, Incl. 3x4,9W LED, Lumen 345, Kelvin 2700, Life hours 15.000, RA 80, Beam angle 36°, Dimmable Light source energy class A+

Canis 4000K 1-Kit Tilt DownLight

Masterbox	Qty 3
Size	H: 11 cm, Ø: 8,5 cm, Mounting min. height: 11,5 cm Cut-out Ø: 6,5 cm, Tilt angle: 30°
Material	Metal
IP Class	IP20, Class 2
Light source	GU10, Max. 50W, Incl. 4,9W LED, Lumen 360, Kelvin 4000, Life hours 15.000, RA 80, Beam angle 36°, Dimmable Light source energy class A+



White
49370101



White
49760101



Nickel
49370155



Nickel
49760155

Canis 4000K 3-Kit Tilt DownLight

Masterbox	Qty 3
Size	H: 11 cm, Ø: 8,5 cm, Mounting min. height: 11,5 cm Cut-out Ø: 6,5 cm, Tilt angle: 30°
Material	Metal
IP Class	IP20, Class 2
Light source	GU10, Max. 50W, Incl. 3x4,9W LED, Lumen 360, Kelvin 4000, Life hours 15.000, RA 80, Beam angle 36°, Dimmable Light source energy class A+

Canis 6500K 5-Kit Tilt DownLight

Masterbox	Qty 3
Size	H: 5,5 cm, Ø: 8,5 cm, Mounting min. height: 11,5 cm Cut-out Ø: 6,5 cm, Tilt angle: 12°
Material	Metal/Plastic
IP Class	IP20, Class 2
Light source	GU10, Max. 50W, Incl. 5x4,8W LED, Kelvin 6500, Life hours 15.000, RA 80, Beam angle 36°, Not dimmable Light source energy class A++



White
49380101



Nickel
49380155

Canis 6500K 1-Kit Tilt DownLight

Masterbox	Qty 3
Size	H: 11 cm, Ø: 8,5 cm, Mounting min. height: 11,5 cm Cut-out Ø: 6,5 cm, Tilt angle: 30°
Material	Metal
IP Class	IP20, Class 2
Light source	GU10, Max. 50W, Incl. 4,9W LED, Lumen 360, Kelvin 6500, Life hours 15.000, RA 80, Beam angle 36°, Dimmable Light source energy class A+



White
49390101



Nickel
49390155

Canis 6500K 3-Kit Tilt DownLight

Masterbox	Qty 3
Size	H: 11 cm, Ø: 8,5 cm, Mounting min. height: 11,5 cm Cut-out Ø: 6,5 cm, Tilt angle: 30°
Material	Metal
IP Class	IP20, Class 2
Light source	GU10, Max. 50W, Incl. 3x4,9W LED, Lumen 360, Kelvin 6500, Life hours 15.000, RA 80, Beam angle 36°, Dimmable Light source energy class A+



2015660101




2015660103




Brushed steel
2015660155

Carina Smart Light 1-Kit DownLight

Masterbox	Qty 6
Size	H: 5,5 cm, Ø: 5 cm
Material	Metal/Plastic
Light source	GU10, Lumen 380, Kelvin 2200-6500, Life hours 15.000, RA 80, Beam angle 36°, Not dimmable






Clyde 8 Downlight

Masterbox	Qty 3
Size	H: 3,5 cm, Ø: 8,2 cm, Mounting min. height: 5 cm Cut-out Ø: 6,5 cm
Material	Plastic/Plastic
IP Class	IP20, Class 2
Light source	Fixed LED, Incl. 5W LED, Incl. 3-Step Moodmaker™, Lumen 800, Kelvin 2700, Life hours 25.000, RA 80, Beam angle 120°, Not dimmable

Features

3-Step Moodmaker™ dimmer both/inner/outer rings
Screwless Connection
Parallel connection possible
Memory & reset function
5 year LED guarantee




Moodmaker™ 3-step dimmable with memory function

Clyde 15 Downlight


Masterbox	Qty 3
Size	H: 3,3 cm, Ø: 14,5 cm, Mounting min. height: 5 cm Cut-out Ø: 13 cm
Material	Plastic/Plastic
IP Class	IP20, Class 2
Light source	Fixed LED, Incl. 12W LED, Incl. 3-Step Moodmaker™, Lumen 800, Kelvin 2700, Life hours 25.000, RA 80, Beam angle 120°, Not dimmable

Features

3-Step Moodmaker™ dimmer both/inner/outer rings
Screwless Connection
Parallel connection possible
Memory & reset function
5 year LED guarantee



Moodmaker™ 3-step dimmable with memory function



White
47650101




White
47660101

Clyde 8 4000K DownLight

Masterbox	Qty 3
Size	H: 3,5 cm, Ø: 8,2 cm, Mounting min. height: 5 cm Cut-out Ø: 6,5 cm
Material	Plastic/Plastic
IP Class	IP20, Class 2
Light source	Fixed LED, Incl. 5,5W LED, Incl. 3-Step MOODMAKER TM, Lumen 400, Kelvin 4000, Life hours 25.000, RA 80, Beam angle 120°, Not dimmable


Features
Parallel connection possible
5 year LED guarantee



Clyde 15 4000K DownLight

Masterbox	Qty 3
Size	H: 3,3 cm, Ø: 14,5 cm, Mounting min. height: 5 cm Cut-out Ø: 13 cm
Material	Plastic/Plastic
IP Class	IP20, Class 2
Light source	Fixed LED, Incl. 12W LED, Incl. 3-Step MOODMAKER TM, Lumen 900, Kelvin 4000, Life hours 25.000, RA 80, Beam angle 120°, Not dimmable

Features
Parallel connection possible
5 year LED guarantee








Elkton 8 Downlight

Masterbox	Qty 3
Size	H: 4,2 cm, Ø: 8,2 cm, Mounting min. height: 5 cm Cut-out Ø: 6,5 cm
Material	Plastic/Plastic
IP Class	IP20, Class 2
Light source	Fixed LED, Incl. 5,5W LED, Incl. 3-Step Moodmaker™, Lumen 350, Kelvin 2700, Life hours 25.000, RA 80, Beam angle 120°, Not dimmable

Features

3-Step Moodmaker™ dimmer both/inner/outer rings
Screwless Connection
Parallel connection possible
Memory & reset function
5 year LED guarantee




Moodmaker™ 3-step dimmable with memory function

Elkton 14 Downlight

Masterbox	Qty 3
Size	H: 3,8 cm, Ø: 14,5 cm, Mounting min. height: 5 cm Cut-out Ø: 13 cm
Material	Plastic/Plastic
IP Class	IP20, Class 2
Light source	Fixed LED, Incl. 12W LED, Incl. 3-Step Moodmaker™, Lumen 800, Kelvin 2700, Life hours 25.000, RA 80, Beam angle 120°, Not dimmable

Features

3-Step Moodmaker™ dimmer both/inner/outer rings
Screwless Connection
Parallel connection possible
Memory & reset function
5 year LED guarantee



Moodmaker™ 3-step dimmable with memory function

NEW
2021



Parallel connection possible

Step dimming by wall switch

White
2110350101




Black
2110350103


Alec Downlight

Masterbox	Qty 3
Size	H: 5,8 cm, D: 5,8 cm, Ø: 9,5 cm, Mounting min. height: 7,8 cm Cut-out Ø: 7,3 cm
Material	Plastic/Plastic
IP Class	IP20/44, Class 2
Light source	Fixed LED, Incl. 6,1W LED, Incl. 3-Step Moodmaker™, Lumen 480, Kelvin 3000, Candela 750, Life hours 20.000, RA 80, Beam angle 36°, Not dimmable

Features

3-Step Moodmaker™ dimmer 100%-50% + outer ring
Flexible cut-out size from 73 mm to 83 mm
Screwless connections
Parallel connection up to 15 pcs.
Memory and reset function
5 year LED Guarantee








Moodmaker™ 3-step dimmable with memory function

NEW
2021



Parallel connection possible

White
2110360101




Black
2110360103


Starke Downlight

Masterbox	Qty 3
Size	H: 5,3 cm, Ø: 8,8 cm, Mounting min. height: 5,2 cm Cut-out Ø: 7,2 cm
Material	Plastic/Metal
IP Class	IP20, Class 2
Light source	Fixed LED, Incl. 6,1W LED, Lumen 450, Kelvin 2700, Candela 900, Life hours 20.000, RA 80, Beam angle 36°, Dimmable

Features

Anti-glare, eye friendly design
External connector block/driver included
Stepless dimmable by wall dimmer
Screwless connections
Parallel connection possible up to 15 pcs.
5 year LED guarantee





NEW
2021



White
2110370101

Parallel connection possible





Nickel
2110370155

Siege Downlight

Masterbox	Qty 3
Size	H: 4,5 cm, Ø: 8,5 cm, Mounting min. height: 4 cm Cut-out Ø: 7,2 cm
Material	Plastic/Metal
IP Class	IP65, Class 2
Light source	Fixed LED, Incl. 4,7W LED, Lumen 345, Kelvin 3000, Candela 150, Life hours 20.000, RA 80, Beam angle 100°, Not dimmable

Features
Downlighter for mounting directly into insulation
External connector block/driver included
Screwless connections
Parallel connection possible up to 15 pcs.
5 year LED guarantee






Nickel
49430155

Dorado 1-Kit Downlight

Masterbox	Qty 3
Size	H: 3,6 cm, Ø: 8,5 cm, Mounting min. height: 4,6 cm Cut-out Ø: 7,2 cm
Material	Plastic/Metal
IP Class	IP65, Class 2
Light source	Fixed LED, Incl. 5,5W LED, Lumen 345, Kelvin 2700, Life hours 20.000, RA 80, Beam angle 100°, Dimmable

Features
Stepless dimmable 0-100% by wall dimmer
Ideally suited for bathroom zone 1-2 IP65
Screwless connections
Parallel connection up to 15 pcs.
5 year LED Guarantee





White
49410101



Parallel connection possible



White
49400101



Parallel connection possible



Nickel
49410155




Nickel
49400155

Dorado 2700K 3-Kit Downlight

Masterbox	Qty 3
Size	H: 3,6 cm, Ø: 8,5 cm, Mounting min. height: 4,6 cm Cut-out Ø: 7,2 cm
Material	Plastic/Metal
IP Class	IP65, Class 2
Light source	Fixed LED, Incl. 3X5,5W LED, Lumen 3X345, Kelvin 2700, Life hours 20.000, RA 80, Beam angle 100°, Dimmable

Features

Ideally suited for bathroom zone 1-2 IP65
Stepless dimmable 0-100% by wall dimmer excl.
Parallel connection possible
5 year LED guarantee
Connector block included




Dorado 3-Kit Downlight

Masterbox	Qty 3
Size	H: 5,4 cm, Ø: 8,5 cm, Mounting min. height: 6,8 cm Cut-out Ø: 7,2 cm, Tilt angle: 12°
Material	Plastic/Metal
IP Class	IP20, Class 2
Light source	Fixed LED, Incl. 3X5,5W LED, Lumen 3X345, Kelvin 2700, Life hours 20.000, RA 80, Beam angle 36°, Dimmable

Features

Stepless dimmable 0-100% by wall dimmer
Screwless connections
Parallel connection up to 15 pcs.
5 year LED Guarantee





White
49470101



Chrome
49470133



Nickel
49470155

Dorado 4000K 1-Kit DownLight

Masterbox	Qty 3
Size	H: 3,6 cm, Ø: 8,5 cm, Mounting min. height: 4,6 cm Cut-out Ø: 7,2 cm
Material	Plastic/Metal
IP Class	IP65, Class 2
Light source	Fixed LED, Incl. 5,5W LED, Lumen 345, Kelvin 4000, Life hours 20.000, RA 80, Beam angle 100°, Dimmable

Features
Parallel connection possible
5 year LED guarantee



White
49450101



Chrome
49450133



Nickel
49450155

Dorado 4000K 3-Kit DownLight

Masterbox	Qty 3
Size	H: 3,6 cm, Ø: 8,5 cm, Mounting min. height: 4,6 cm Cut-out Ø: 7,2 cm
Material	Plastic/Metal
IP Class	IP65, Class 2
Light source	Fixed LED, Incl. 3X5,5W LED, Lumen 3X345, Kelvin 4000, Life hours 20.000, RA 80, Beam angle 100°, Dimmable

Features
Parallel connection possible
5 year LED guarantee



White
49440101



Black
49440103



Nickel
49440155

Dorado 4000K 3-Kit Tilt DownLight

Masterbox	Qty 3
Size	H: 5,4 cm, Ø: 8,5 cm, Mounting min. height: 6,8 cm Cut-out Ø: 7,2 cm, Tilt angle: 12°
Material	Plastic/Metal
IP Class	IP20, Class 2
Light source	Fixed LED, Incl. 3X5,5W LED, Lumen 3X345, Kelvin 4000, Life hours 20.000, RA 80, Beam angle 36°, Dimmable

Features
Parallel connection possible
5 year LED guarantee



Chrome
61014111032

Eagle 1 Spot G9 3,4W Ceiling

Masterbox	Qty 20
Size	L: 10 cm, D: 17 cm, Base mount: 10 cm
Material	Metal
IP Class	IP20, Class 1
Light source	G9, Max. 28W, Lumen 350, Kelvin 3000, Life hours 15.000, RA 80, Beam angle 280°, Not dimmable



Chrome
61014221032



Chrome
61014031032



Chrome
61014241032



Chrome
61014041032



Chrome
61014061032

Eagle 2 Spot G9 3,4W Ceiling

Masterbox	Qty 18
Size	L: 26 cm, D: 17 cm, Shade Ø: 10 cm
Material	Metal
IP Class	IP20, Class 1
Light source	G9, Max. 28W, Lumen 350, Kelvin 3000, Life hours 15.000, RA 80, Beam angle 280°, Not dimmable

Eagle 3 Spot G9 3,4W Ceiling

Masterbox	Qty 6
Size	H: 30 cm, L: 40 cm, Shade Ø: 10 cm
Material	Metal
IP Class	IP20, Class 1
Light source	G9, Max. 28W, Lumen 350, Kelvin 3000, Life hours 15.000, RA 80, Beam angle 280°, Not dimmable



Chrome
61014431032

Eagle 2 Spiral G9 3,4W Ceiling

Masterbox	Qty 8
Size	L: 40 cm, D: 17 cm
Material	Metal
IP Class	IP20, Class 1
Light source	G9, Max. 28W, Lumen 350, Kelvin 3000, Life hours 15.000, RA 80, Beam angle 280°, Not dimmable



Chrome
64008711032

Eagle 30 E27 7,4W Pendant

Masterbox	Qty 4
Size	H: 120 cm, Ø: 30 cm
Material	Metal
IP Class	IP20, Class 1
Light source	E27, Max. 60W, Incl. 7,4W LED, Lumen 806, Kelvin 2700, Life hours 15.000, RA 80, Beam angle 360°, Not dimmable Light source energy class A+



Chrome
64008811032



Chrome
64008891032

Eagle 400 E27 7,4W Pendant

Masterbox	Qty 2
Size	L: 120 cm, Ø: 40 cm
Material	Metal
IP Class	IP20, Class 1
Light source	E27, Max. 60W, Incl. 7,4W LED, Lumen 806, Kelvin 2700, Life hours 15.000, RA 80, Beam angle 360°, Not dimmable Light source energy class A+



White
61024111002



Nickel
61024111012

Foggia 1 Spot GU10 4,3W SpotLight

Masterbox	Qty 12
Size	D: 12 cm, Ø: 8 cm
Material	Metal
IP Class	IP20, Class 1
Light source	GU10, Max. 42W, Incl. 4,3W LED, Lumen 345, Kelvin 2700, Life hours 15.000, RA 80, Beam angle 36°, Not dimmable Light source energy class A+



White
61024221002



Nickel
61024221012

Foggia 2 Spot GU10 4,3W SpotLight

Masterbox	Qty 12
Size	L: 32 cm, D: 16 cm
Material	Metal
IP Class	IP20, Class 1
Light source	GU10, Max. 42W, Incl. 4,3W LED, Lumen 345, Kelvin 2700, Life hours 15.000, RA 80, Beam angle 36°, Not dimmable Light source energy class A+




White
61024331002



Nickel
61024331012

Foggia 3 Spot GU10 4,3W SpotLight

Masterbox	Qty 8
Size	D: 13 cm, Ø: 19 cm
Material	Metal
IP Class	IP20, Class 1
Light source	GU10, Max. 42W, Incl. 4,3W LED, Lumen 345, Kelvin 2700, Life hours 15.000, RA 80, Beam angle 36°, Not dimmable Light source energy class A+



White
61024421002



Nickel
61024421012

Foggia 4 Spot GU10 4,3W SpotLight

Masterbox	Qty 6
Size	L: 80 cm, D: 15 cm
Material	Metal
IP Class	IP20, Class 1
Light source	GU10, Max. 42W, Incl. 4,3W LED, Lumen 345, Kelvin 2700, Life hours 15.000, RA 80, Beam angle 36°, Not dimmable Light source energy class A+



Nickel
61009221012

Venezia 2 Spot GU10 5W SpotLight

Masterbox	Qty 8
Size	L: 32,2 cm, D: 15,4 cm, Ø: 9 cm
Material	Metal
IP Class	IP20, Class 1
Light source	GU10, Max. 42W, Incl. 5W LED, Lumen 345, Kelvin 2700, Life hours 15.000, RA 80, Beam angle 36°, Dimmable Light source energy class A+



Nickel
61009241012

Venezia 4 Spot GU10 5W SpotLight

Masterbox	Qty 6
Size	L: 79,2 cm, D: 15,4 cm, Ø: 9 cm
Material	Metal
IP Class	IP20, Class 1
Light source	GU10, Max. 42W, Incl. 5W LED, Lumen 345, Kelvin 2700, Life hours 15.000, RA 80, Beam angle 36°, Dimmable Light source energy class A+




Nickel
61009331012

Venezia 3 Spot GU10 5W SpotLight

Masterbox	Qty 8
Size	D: 12,7 cm, Ø: 19 cm, Shade Ø: 9 cm
Material	Metal
IP Class	IP20, Class 1
Light source	GU10, Max. 42W, Incl. 5W LED, Lumen 345, Kelvin 2700, Life hours 15.000, RA 80, Beam angle 36°, Dimmable Light source energy class A+



Chrome
49160133



White
49200101



Nickel
49200155

Leonis 2700K IP65 3-Kit DownLight

Masterbox	Qty 3
Size	H: 3,6 cm, Ø: 8,5 cm, Mounting min. height: 4,6 cm Cut-out Ø: 6,8 cm
Material	Plastic
IP Class	IP65, Class 2
Light source	Fixed LED, Incl. 3x4,5W LED, Lumen 345, Kelvin 2700, Life hours 20.000, RA 80, Beam angle 110°, Not dimmable

Features
Parallel connection possible
Ideally suited for bathroom zone 1-2 IP65
Integrated connector block
Parallel connection possible
5 year LED guarantee5 year LED guarantee

Leonis 4000K IP65 3-Kit DownLight

Masterbox	Qty 3
Size	H: 3,6 cm, Ø: 8,5 cm, Mounting min. height: 4,6 cm Cut-out Ø: 6,8 cm
Material	Plastic
IP Class	IP65, Class 2
Light source	Fixed LED, Incl. 3x4,5W LED, Lumen 400, Kelvin 4000, Life hours 20.000, RA 80, Beam angle 110°, Not dimmable

Features
Parallel connection possible
5 year LED guarantee



White
49270101



Nickel
49270155

Octans 4000K 3-Kit DownLight

Masterbox	Qty 3
Size	H: 9 cm, Ø: 8,5 cm, Mounting min. height: 10,5 cm Cut-out Ø: 6,8 cm, Tilt angle: 27°
Material	Plastic
IP Class	IP20, Class 2
Light source	GU10, Max. 7,5W LED, Incl. 3X4,8W LED, Lumen 3X380, Kelvin 4000, Life hours 15.000, RA 80, Beam angle 36°, Not dimmable Light source energy class A+



White
49280101



Nickel
49280155

Octans 4000K 5-Kit DownLight

Masterbox	Qty 3
Size	H: 9 cm, Ø: 8,5 cm, Mounting min. height: 10,5 cm Cut-out Ø: 6,8 cm, Tilt angle: 27°
Material	Plastic
IP Class	IP20, Class 2
Light source	GU10, Max. 7,5W LED, Incl. 5x4,8W LED, Lumen 380, Kelvin 4000, Life hours 15.000, RA 80, Beam angle 36°, Not dimmable Light source energy class A+

NEW
2021



No. 2110100103

TIAKI 2700/4000K BLACK

Masterbox	Qty 3
EAN	5704924006555
Light source	TIAKI SQUARE 2700/4000K SORT



White
49570101

Parallel connection possible


IP65 bathroom zone 1

Step dimming by wall switch



White
47580101

Parallel connection possible



Nickel
49570155



Black
47580103




Brushed steel
47580132


Tiaki 1-kit Downlight

Masterbox	Qty 3
Size	H: 4,5 cm, Ø: 8,5 cm, Mounting min. height: 5,5 cm
Material	Plastic/Metal
IP Class	IP65, Class 2
Light source	Fixed LED, Incl. 5,7-8,6W, Lumen 345, Kelvin 2700/4000, Candela 150, Life hours 20.000, RA 80, Beam angle 100°, Dimmable

Features

2-Step Moodmaker™ 2700K345lm/4000K600lm-switch
Ideally suited for bathroom zone 1-2 IP65
Memeory & Reset Function
Screwless connections
Parallel connection up to 15 pcs.
5 year LED Guarantee








Moodmaker™ 2-step dimmable on wall switch


Fremont 3-Kit Downlight

Masterbox	Qty 3
Size	H: 5,4 cm, Ø: 8,5 cm, Mounting min. height: 6,8 cm Cut-out Ø: 7,2 cm, Tilt angle: 12°
Material	Plastic/Metal
IP Class	IP23, Class 2
Light source	Fixed LED, Incl. 3X5,5W LED, Lumen 3X345, Kelvin 2700, Life hours 20.000, RA 80, Beam angle 36°, Dimmable

Features

Stepless dimmable 0-100% by wall dimmer
Screwless connections
Parallel connection up to 15 pcs.
5 year LED Guarantee







White
47590101

Parallel connection possible



White
49520101



Brushed steel
47590132




Nickel
49520155

Clarkson 3-Kit Downlight

Masterbox	Qty 3
Size	H: 5,4 cm, Ø: 8,5 cm, Mounting min. height: 6,8 cm Cut-out Ø: 7,2 cm
Material	Plastic/Metal
IP Class	IP65, Class 2
Light source	Fixed LED, Incl. 3X4,8W LED, Lumen 3X345, Kelvin 2700, Life hours 20.000, RA 80, Beam angle 100°, Not dimmable

Features

Stepless dimmable 0-100% by wall dimmer
Ideally suited for bathroom zone 1-2 IP65
Screwless connections
Parallel connection up to 15 pcs.
5 year LED Guarantee




Carina 1-Kit Downlight

Masterbox	Qty 3
Size	H: 10,3 cm, Ø: 8,5 cm, Mounting min. height: 11,3 cm Cut-out Ø: 7,2 cm, Tilt angle: 12°
Material	Metal
IP Class	IP20, Class 2
Light source	GU10, Max. 50W, Incl. 5W LED, Lumen 345, Kelvin 2700, Life hours 15.000, RA 80, Beam angle 36°, Dimmable, Light source energy class A+

Features

Stepless dimmable 0-100% by wall dimmer excl.





White
49490101




White
84650001

Parallel connection possible



Nickel
49490155




Brushed steel
84650032


Carina 3-Kit Downlight

Masterbox	Qty 3
Size	H: 10,3 cm, Ø: 8,5 cm, Mounting min. height: 11,3 cm Cut-out Ø: 7,2 cm, Tilt angle: 12°
Material	Metal
IP Class	IP20, Class 2
Light source	GU10, Max. 50W, Incl. 3X5W LED, Lumen 3X345, Kelvin 2700, Life hours 15.000, RA 80, Beam angle 36°, Dimmable, Light source energy class A+

Features

Stepless dimmable 0-100% by wall dimmer excl.







Recess 3-Kit LED Downlight

Masterbox	Qty 3
Size	H: 7,95 cm, Ø: 8,15 cm, Mounting min. height: 15 cm Cut-out Ø: 7,5 cm, 5.4 Ltr. Tilt angle: 25°
Material	Metal
IP Class	IP23, Class 2
Cable	Cable: Black 200 cm replaceable
Light source	GU10, Max. 3X35W, Incl. 3X3W COB, Lumen 3X175, Kelvin 3000, Candela 350, Life hours 25.000, RA 80, Beam angle 38°, Not dimmable, Light source energy class A+

Features

Parallel connection possible
Cable 2,0m included







White
49590101



White
84950001

Parallel connection possible

Ankaa 1-kit Downlight

Masterbox	Qty 3
Size	H: 10,3 cm, Ø: 8,5 cm, Mounting min. height: 11,3 cm Cut-out Ø: 7,2 cm, Tilt angle: 12°
Material	Metal
IP Class	IP20, Class 2
Light source	GU10, Max. 50W, Incl. 6,7W LED, Lumen 540, Kelvin 2700, Life hours 15.000, RA 80, Beam angle 36°, Dimmable,

Features


Stepless dimmable 0-100% by wall dimmer excl.
Retrofit high lumen


Birla 1-kit Downlight

Masterbox	Qty 6
Size	H: 5,75 cm, Ø: 9,5 cm, Mounting min. height: 6 cm Cut-out Ø: 7 cm
Material	Plastic
IP Class	IP44, Class 2
Cable	Cable: White 20 cm replaceable
Light source	Fixed LED, Incl. 6W LED, Lumen 600, Kelvin 3000, Candela 258, Life hours 30.000, RA 80, Beam angle 90°, Dimmable

Features

Can be mounted directly into insulation
Parallel connection possible
IP44 - In and outdoor use
5 year LED guarantee







White
84960001

Parallel connection possible



Galvanized
20299931


Parallel connection possible

Roar 1-kit Downlight

Masterbox	Qty 6
Size	H: 4,4 cm, Ø: 8,5 cm, Mounting min. height: 7 cm Cut-out Ø: 6,8 cm, Tilt angle: 30°
Material	Plastic
IP Class	IP23, Class 2
Cable	Cable: White 20 cm replaceable
Light source	Fixed LED, Incl. 6W LED, Lumen 550, Kelvin 3000, Candela 797, Life hours 30.000, RA 80, Beam angle 40°, Dimmable

Features

Can be mounted directly into insulation
Parallel connection possible
5 year LED guarantee




Tip 1-kit Downlight

Masterbox	Qty 3
Size	H: 8,5 cm, Ø: 8 cm, Mounting min. height: 15 cm Cut-out Ø: 7,2 cm, 5.4 Ltr. Tilt angle: 35°
Material	Metal
IP Class	IP23, Class 2
Light source	GU10, Max. 35W, Excl. light source,

Features


Parallel connection possible
IP23 - In and outdoor use
15 year anti corrosion guarantee on Metal





White
71810101

Parallel connection possible



Brushed steel
71810132



Brushed steel
71820132

Parallel connection possible

Mixit Pro 1-kit Downlight

Masterbox	Qty 3
Size	H: 7,2 cm, Ø: 8,5 cm, Mounting min. height: 6,5 cm Cut-out Ø: 7,6 cm, Tilt angle: 30°
Material	Plastic/Metal
IP Class	IP23, Class 2
Light source	GU10, Max. 8W LED, Excl. light source,

Features


Ideally suited for combination with NORDLUX SMART
Can be mounted directly into insulation
Parallel connection possible
Connector block included
IP23 - In and outdoor use


Mixit 1-kit Downlight

Masterbox	Qty 3
Size	H: 13,5 cm, Ø: 8,5 cm, Mounting min. height: 14 cm Cut-out Ø: 7,6 cm, Tilt angle: 25°
Material	Plastic/Metal
IP Class	IP23, Class 2
Light source	GU10, Max. 8W LED, Excl. light source,

Features

Ideally suited for combination with NORDLUX SMART
Can be mounted directly into insulation
Parallel connection possible
Connector block included
IP23 - In and outdoor use








White
54540101

Parallel connection possible




Brushed steel
54540132

Triton 3-kit Downlight

Masterbox	Qty 6
Size	H: 8,7 cm, Ø: 9 cm, Mounting min. height: 15 cm Cut-out Ø: 7,5 cm, 5.4 Ltr. Tilt angle: 25°
Material	Metal
IP Class	IP23, Class 2
Light source	GU10, Max. 3X35W, Excl. light source,

Features
Parallel connection possible





White
2015450101



Step dimming
by wall switch



Black
2015450103




Brushed Nickel
2015450155


Kitchenio 1-kit Build-In/On

Masterbox	Qty 3
Size	H: 2,1 cm, W: 6,4 cm, L: 6,4 cm, D: 2,1 cm, Ø: 6,4 cm
Material	Plastic/Plastic
IP Class	IP20, Class 2
Light source	Fixed LED, Incl. 2W LED, Lumen 170, Kelvin 3000-4000, Life hours 25.000, RA 80, Beam angle 110°, Not dimmable


Features

2-Step Moodmaker™ 3000K/4000K by switch
Parallel connection possible / memory+reset option
Recessed or surface mounting screws/tape incl.
2 wire connector block included
1x 60cm cable included
5 year LED guarantee





Moodmaker™ 2-step dimmable on wall switch



White
2015460101

Step dimming
by wall switch



Black
2015460103




Brushed Nickel
2015460155


Kitchenio 3-kit Build-In/On

Masterbox	Qty 3
Size	H: 2,1 cm, W: 6,4 cm, L: 6,4 cm, Ø: 6,4 cm
Material	Plastic/Plastic
IP Class	IP20, Class 2
Light source	Fixed LED, Incl. 3X2W LED, Lumen 3X170, Kelvin 3000/4000, Life hours 25.000, RA 80, Beam angle 110°, Not dimmable

Features

2-Step Moodmaker™ 3000K/4000K by switch
Parallel connection possible / memory+reset option
Recessed or surface mounting screws/tape incl.
2 wire connector block included
1x 60cm cable included
5 year LED guarantee





Moodmaker™ 2-step dimmable on wall switch



Aluminium
79440029




Chrome
76730001

Cambio 3-Kit Build-In/On

Masterbox	Qty 3
Size	H: 1,1 cm, D: 1,1 cm, Ø: 6,5 cm, H: 1,1 cm, Ø: 6,5 cm, Mounting min. height: 1,1 cm Cut-out Ø: 6,2 cm
Material	Plastic/Metal
IP Class	IP20/23, Class 3
Cable	Cable: White 200 cm Switch on cable
Light source	Fixed LED, Incl. 3X2W LED, Lumen 3X150, Kelvin 3000, Candela 149, Life hours 30.000, RA 80, Beam angle 90°, Not dimmable


Features
Ideally suited for under cabinet lighting
Can be mounted directly into insulation
Connector block included
5 year LED guarantee
Recessed and surface mounting



Lismore 4-kit Build-In/On

Masterbox	Qty 3
Size	H: 0,8 cm, Ø: 6 cm
Material	Plastic
IP Class	IP20, Class 3
Cable	Cable: White 150 cm Switch on cable
Light source	Fixed LED, Incl. 4X0.7W LED, Lumen 4X75, Kelvin 3000, Candela 16, Life hours 30.000, RA 80, Beam angle 120°, Not dimmable

Features
Ideally suited for under cabinet lighting
Cable 1,5m included
Inline on/off switch
5 year LED guarantee



NEW
2021



White
2110561001

Step dimming
by wall switch



Black/White
2110561003

Mona Wall

Masterbox	Qty 3
Size	H: 16 cm, W: 8 cm, L: 14,2 cm
Material	Aluminium/Glass
IP Class	IP20, Class 2
Cable	Cable: White 150 cm non replaceable Switch on cable
Light source	Fixed LED, Incl. 9W LED, Incl. 3-Step, Kelvin 2700, Life hours 20.000, RA 80, Dimmable

Features

3-Step Moodmaker™ dim 100%-50%-20% by wall switch
With memory and reset function
Including external wire/plug
5 year LED guarantee
RA90 natural light and high lumen output
Frosted glass



Moodmaker™ 3-step dimmable on wall switch

NEW
2021



White
2110551001

Step dimming
by wall switch



Black
2110551003

Curtiz Wall

Masterbox	Qty 3
Size	H: 18 cm, W: 7,8 cm, L: 8,4 cm
Material	Aluminium/Metal
IP Class	IP20, Class 2
Cable	Cable: White/Black 150 cm non replaceable
Light source	Fixed LED, Incl. 2x4,5W LED, Incl. 3-Step, Kelvin 2700, Life hours 20.000, RA 80, Dimmable

Features

3-Step Moodmaker™ dim 100%-50%-20% by wall switch
With memory and reset function
Including external wire/plug
5 year LED guarantee
RA90 natural light and high lumen output
Aluminium decoration partBrass decoration part



Moodmaker™ 3-step dimmable on wall switch



White
2015486101

PIR
Sensor




Silver
2015486154

Bity 40 LED Batten

Masterbox	Qty 6
Size	H: 2,3 cm, W: 5,8 cm, L: 40 cm, D: 2,3 cm
Material	Plastic/Plastic
IP Class	IP20, Class 2
Light source	Fixed LED, Incl. 6W LED, Lumen 540, Kelvin 4000, Life hours 25.000, RA 80, Beam angle 120°, Not dimmable

Features

On/Off by PIR hand movement motion sensor
Installation brackets included
Rear cable entry
5 year LED guarantee





White
2110016101


PIR
Sensor


Bity 40 LED Batten

Masterbox	Qty 6
Size	H: 2,3 cm, L: 40 cm, D: 5,8 cm
Material	Plastic/Plastic
IP Class	IP20, Class 2
Light source	Fixed LED, Incl. 6W LED, Lumen 530, Kelvin 3000, Life hours 25.000, RA 80, Beam angle 110°, Not dimmable

Features

On/Off by PIR hand movement motion sensor
Installation brackets included
Rear cable entry
5 year LED guarantee





White
2015496101

PIR
Sensor




Silver
2015496154

Bity 55 LED Batten

Masterbox	Qty 4
Size	H: 2,3 cm, W: 5,8 cm, L: 55 cm, D: 2,3 cm
Material	Plastic/Plastic
IP Class	IP20, Class 2
Light source	Fixed LED, Incl. 9W LED, Lumen 800, Kelvin 4000, Life hours 25.000, RA 80, Beam angle 120°, Not dimmable

Features

On/Off by PIR hand movement motion sensor
Installation brackets included
Rear cable entry
5 year LED guarantee





White
2110026101


PIR
Sensor


Bity 55 LED Batten

Masterbox	Qty 4
Size	H: 2,3 cm, L: 55 cm, D: 5,8 cm
Material	Plastic/Plastic
IP Class	IP20, Class 2
Light source	Fixed LED, Incl. 8,2W LED, Lumen 780, Kelvin 3000, Life hours 25.000, RA 80, Beam angle 110°, Not dimmable

Features

On/Off by PIR hand movement motion sensor
Installation brackets included
Rear cable entry
5 year LED guarantee





White
47416101


Parallel connection possible


Latona 31 LED Batten

Masterbox	Qty 6
Size	W: 2,4 cm, L: 31,2 cm, D: 3,4 cm
Material	Plastic
IP Class	IP20, Class 2
Light source	Fixed LED, Incl. 5W LED, Incl. 2-Step Moodmaker™, Lumen 420, Kelvin 3000/4000, Life hours 25.000, RA 80, Beam angle 130°, Not dimmable

Features

T5 Batten - Switch on body
2-Step Moodmaker™ 3000K/4000K
Ideally suited for under cabinet lighting
Parallel connection possible
Connection cable included
5 year LED guarantee





White
47426101


Parallel connection possible


Latona 56 LED Batten

Masterbox	Qty 6
Size	W: 2,4 cm, L: 56,2 cm, D: 3,4 cm
Material	Plastic
IP Class	IP20, Class 2
Light source	Fixed LED, Incl. 9W LED, Incl. 2-Step Moodmaker™, Lumen 730, Kelvin 3000/4000, Life hours 25.000, RA 80, Beam angle 130°, Not dimmable

Features

T5 Batten - Switch on body
2-Step Moodmaker™ 3000K/4000K
Ideally suited for under cabinet lighting
Parallel connection possible
Connection cable included
5 year LED guarantee





White
47436101


Parallel connection possible

Latona 91 LED Batten

Masterbox	Qty 6
Size	W: 2,4 cm, L: 91,2 cm, D: 3,4 cm
Material	Plastic
IP Class	IP20, Class 2
Light source	Fixed LED, Incl. 12W LED, Incl. 2-Step Moodmaker TM, Lumen 1.050, Kelvin 3000/4000, Life hours 25.000, RA 80, Beam angle 130°, Not dimmable

Features

T5 Batten - Switch on body
2-Step Moodmaker 3000K/4000K
Ideally suited for under cabinet lighting
Parallel connection possible
Connection cable included
5 year LED guarantee



White
47856101


Parallel connection possible


Trenton LED Batten

Masterbox	Qty 3
Size	W: 16 cm, L: 60 cm, D: 5 cm
Material	Plastic/Metal
IP Class	IP20, Class 1
Light source	Fixed LED, Incl. 23W LED, Lumen 1.900, Kelvin 4000, Life hours 25.000, RA 80, Beam angle 120°, Not dimmable

Features

Ultra flat design
5 year LED guarantee








White
47476101

Parallel connection possible

Trenton 48W Batten

Masterbox	Qty 3
Size	W: 16 cm, L: 90 cm, D: 5 cm
Material	Plastic/Metal
IP Class	IP20, Class 1
Light source	Fixed LED, Incl. 48W LED, Lumen 3.800, Kelvin 4000, Life hours 25.000, RA 80, Beam angle 120°, Not dimmable

Features
Ultra flat design
5 year LED guarantee






White
47486101


Parallel connection possible

Trenton 56W Batten

Masterbox	Qty 3
Size	W: 16 cm, L: 117 cm, D: 5 cm
Material	Plastic/Metal
IP Class	IP20, Class 1
Light source	Fixed LED, Incl. 56W LED, Lumen 4.700, Kelvin 4000, Life hours 25.000, RA 80, Beam angle 120°, Not dimmable

Features
Ultra flat design
5 year LED guarantee





White
47776101


Parallel connection possible


Renton 30 LED Batten

Masterbox	Qty 6
Size	W: 2,4 cm, L: 31,2 cm, D: 3,4 cm
Material	Plastic
IP Class	IP20, Class 2
Light source	Fixed LED, Incl. 5W LED, Lumen 350, Kelvin 2700, Life hours 25.000, RA 80, Beam angle 130°, Not dimmable

Features

T5 Batten - Switch on body
Ideally suited for under cabinet lighting
Connection cable included
Parallel connection possible
5 year LED guarantee





White
47786101


Parallel connection possible


Renton 55 LED Batten

Masterbox	Qty 6
Size	W: 2,4 cm, L: 56,2 cm, D: 3,4 cm
Material	Plastic
IP Class	IP20, Class 2
Light source	Fixed LED, Incl. 9W LED, Lumen 650, Kelvin 2700, Life hours 25.000, RA 80, Beam angle 130°, Not dimmable

Features

T5 Batten - Switch on body
Ideally suited for under cabinet lighting
Connection cable included
Parallel connection possible
5 year LED guarantee





White
47796101


Parallel connection possible


Renton 90 LED Batten

Masterbox	Qty 6
Size	W: 2,4 cm, L: 91,2 cm, D: 3,4 cm
Material	Plastic
IP Class	IP20, Class 2
Light source	Fixed LED, Incl. 12W LED, Lumen 900, Kelvin 2700, Life hours 25.000, RA 80, Beam angle 130°, Not dimmable

Features

T5 Batten - Switch on body
Ideally suited for under cabinet lighting
Connection cable included
Parallel connection possible
5 year LED guarantee





White
47806101

Parallel connection possible


Renton 110 LED Batten

Masterbox	Qty 6
Size	W: 2,4 cm, L: 111,2 cm, D: 3,4 cm
Material	Plastic
IP Class	IP20, Class 2
Light source	Fixed LED, Incl. 15W LED, Lumen 1.100, Kelvin 2700, Life hours 25.000, RA 80, Beam angle 130°, Not dimmable

Features

T5 Batten - Switch on body
Ideally suited for under cabinet lighting
Connection cable included
Parallel connection possible
5 year LED guarantee





White
47816101


Parallel connection possible


Renton 150 LED Batten

Masterbox	Qty 6
Size	W: 2,4 cm, L: 151,2 cm, D: 3,4 cm
Material	Plastic
IP Class	IP20, Class 2
Light source	Fixed LED, Incl. 20W LED, Lumen 1.500, Kelvin 2700, Life hours 25.000, RA 80, Beam angle 130°, Not dimmable

Features


T5 Batten - Switch on body
Ideally suited for under cabinet lighting
Connection cable included
Parallel connection possible
5 year LED guarantee






RENTON 55 4000K WHITE

Masterbox	Qty 6
EAN	5704924008467
Light source	RENTON 55 4000K WHITE



RENTON 90 4000K WHITE


Masterbox	Qty 6
EAN	5704924008474
Light source	RENTON 90 4000K WHITE



No. 2111046101

RENTON 110 4000K WHITE

Masterbox	Qty 6
EAN	5704924008481
Light source	RENTON 110 4000K WHITE



No. 2111056101

RENTON 150 4000K WHITE

Masterbox	Qty 6
EAN	5704924008498
Light source	RENTON 150 4000K WHITE



White
47826101




White
47836101

Arlington 60 LED Batten

Masterbox	Qty 6
Size	W: 3,2 cm, L: 61 cm, D: 4,5 cm
Material	Plastic
IP Class	IP20, Class 2
Light source	Fixed LED, Incl. 12W LED, Lumen 1.000, Kelvin 4000, Life hours 25.000, RA 80, Beam angle 150°, Not dimmable


Features
Ideally suited for under cabinet lighting
5 year LED guarantee



Arlington 120 LED Batten

Masterbox	Qty 6
Size	W: 3,2 cm, L: 121 cm, D: 4,5 cm
Material	Plastic
IP Class	IP20, Class 2
Light source	Fixed LED, Incl. 21W LED, Lumen 1.900, Kelvin 4000, Life hours 25.000, RA 80, Beam angle 150°, Not dimmable

Features
T8 Batten
5 year LED guarantee





White
27496101


Parallel connection possible


Boxline Batten

Masterbox	Qty 3
Size	W: 7 cm, L: 55 cm, D: 2 cm
Material	Plastic
IP Class	IP21, Class 2
Cable	Cable: White 180 cm Switch on fixture
Light source	G5, Max. 13W, Incl. 13W T5, Lumen 800, Kelvin 4000, Life hours 8.000, RA 80, Beam angle 120°, Not dimmable, Light source energy class A

Features

Parallel connection possible
Cable included
Switch on body





White
47716101

Parallel connection possible


IP65 bathroom zone 1


Oakland 60 LED Batten

Masterbox	Qty 6
Size	H: 6,3 cm, W: 6,3 cm, L: 63,2 cm, D: 6,3 cm
Material	Plastic/Plastic
IP Class	IP65, Class 2
Light source	Fixed LED, Incl. 12W LED, Lumen 1.250, Kelvin 4000, Life hours 25.000, RA 80, Beam angle 125°, Not dimmable

Features

Upgraded generation - lumen uplift
Twist lock - Screwless connection
Parallel connection possible up to 9 pcs.
Centered wiring - new higher brackets cable lead
5 year LED guarantee





White
47726101

Parallel connection possible


IP65 bathroom zone 1

Oakland 60 LED Batten

Masterbox	Qty 6
Size	H: 6,5 cm, W: 8,3 cm, L: 63,2 cm, D: 6,5 cm
Material	Plastic
IP Class	IP65, Class 2
Light source	Fixed LED, Incl. 23W LED, Lumen 2.400, Kelvin 4000, Life hours 25.000, RA 80, Beam angle 125°, Not dimmable

Features

Upgraded generation - lumen uplift
Twist lock - Screwless connection
Parallel connection possible up to 9 pcs.
Centered wiring - new higher brackets cable lead
5 year LED guarantee







Oakland 120 LED Batten

Masterbox	Qty 6
Size	H: 6,3 cm, W: 6,3 cm, L: 123,2 cm, D: 6,3 cm
Material	Plastic/Plastic
IP Class	IP65, Class 2
Light source	Fixed LED, Incl. 23W LED, Lumen 2.400, Kelvin 4000, Life hours 25.000, RA 80, Beam angle 125°, Not dimmable

Features


Upgraded generation - lumen uplift
Twist lock - Screwless connection
Parallel connection possible up to 9 pcs.
Centered wiring - new higher brackets cable lead
5 year LED guarantee


Oakland 120 LED Batten

Masterbox	Qty 6
Size	H: 6,5 cm, W: 8,3 cm, L: 123,2 cm, D: 6,5 cm
Material	Plastic/Plastic
IP Class	IP65, Class 2
Light source	Fixed LED, Incl. 43W LED, Lumen 4.400, Kelvin 4000, Life hours 25.000, RA 80, Beam angle 125°, Not dimmable

Features

Upgraded generation - lumen uplift
Twist lock - Screwless connection
Parallel connection possible up to 9 pcs.
Centered wiring - new higher brackets cable lead
5 year LED guarantee









Oakland 150 LED Batten

Masterbox	Qty 6
Size	H: 6,3 cm, W: 6,3 cm, L: 153,2 cm, D: 6,3 cm
Material	Plastic/Plastic
IP Class	IP65, Class 2
Light source	Fixed LED, Incl. 29W LED, Lumen 3.150, Kelvin 4000, Life hours 25.000, RA 80, Beam angle 125°, Not dimmable

Features


Upgraded generation - lumen uplift
Twist lock - Screwless connection
Parallel connection possible up to 9 pcs.
Centered wiring - new higher brackets cable lead
5 year LED guarantee


Oakland 150 LED Batten

Masterbox	Qty 6
Size	H: 6,5 cm, W: 8,3 cm, L: 153,2 cm, D: 6,5 cm
Material	Plastic/Plastic
IP Class	IP65, Class 2
Light source	Fixed LED, Incl. 61W LED, Lumen 6.300, Kelvin 4000, Life hours 25.000, RA 80, Beam angle 125°, Not dimmable

Features

Upgraded generation - lumen uplift
Twist lock - Screwless connection
Parallel connection possible up to 9 pcs.
Centered wiring - new higher brackets cable lead
5 year LED guarantee








47970000

Led Strip 3M DIM

Masterbox	Qty 6
Size	H: 0,7 cm, W: 1 cm, L: 300 cm
Material	Silicone/Plastic
IP Class	IP23, Class 3
Cable	Cable: White 120 cm
Light source	Fixed LED, Kelvin RGB, Life hours 30.000, Beam angle 120°, Dimmable

Features

Stepless dimmable 0-100% by remote control incl.
RGB by remote control incl.
Cable 1,2m included
5 year LED guarantee






47980000

Led Strip 5M

Masterbox	Qty 6
Size	H: 0,2 cm, W: 0,8 cm, L: 500 cm
Material	Silicone/Plastic
IP Class	IP23, Class 3
Cable	Cable: White 120 cm
Light source	Fixed LED, Lumen 900, Kelvin 2700, Life hours 30.000, Beam angle 120°, Not dimmable

Features

Cable 1,2m included
IP23 - In and outdoor use
5 year LED guarantee





Grey
49646110

IP65 bathroom zone 1


Westport 60 LED Batten


Masterbox	Qty 6
Size	W: 5,4 cm, L: 55,8 cm, D: 5,4 cm
Material	Plastic
IP Class	IP65, Class 2
Light source	Fixed LED, Incl. 11W LED, Lumen 1.050, Kelvin 4000, Life hours 25.000, RA 80, Beam angle 125°, Not dimmable

Features

IP65 - In and outdoor use

5 year LED guarantee





Grey
49656110

IP65 bathroom zone 1


Westport 60 LED Batten

Masterbox	Qty 6
Size	W: 5,4 cm, L: 55,8 cm, D: 5,4 cm
Material	Plastic
IP Class	IP65, Class 2
Light source	Fixed LED, Incl. 23W LED, Lumen 2.100, Kelvin 4000, Life hours 25.000, RA 80, Beam angle 125°, Not dimmable

Features

IP65 - In and outdoor use

5 year LED guarantee





Grey
49666110

IP65 bathroom zone 1

Westport 120 LED Batten

Masterbox	Qty 6
Size	W: 5,4 cm, L: 115,8 cm, D: 5,4 cm
Material	Plastic
IP Class	IP65, Class 2
Light source	Fixed LED, Incl. 23W LED, Lumen 2.160, Kelvin 4000, Life hours 25.000, RA 80, Beam angle 125°, Not dimmable

Features

IP65 - In and outdoor use

5 year LED guarantee



Grey
49676110

IP65 bathroom zone 1


Westport 120 LED Batten


Masterbox	Qty 6
Size	W: 5,4 cm, L: 115,8 cm, D: 5,4 cm
Material	Plastic
IP Class	IP65, Class 2
Light source	Fixed LED, Incl. 43W LED, Lumen 4.400, Kelvin 4000, Life hours 25.000, RA 80, Beam angle 125°, Not dimmable


Features

IP65 - In and outdoor use

5 year LED guarantee







Grey
27386101

Parallel connection possible


IP65 bathroom zone 1

Works 1X9W LED Batten

Masterbox	Qty 6
Size	H: 9 cm, W: 8,5 cm, L: 66 cm
Material	Plastic/Metal
IP Class	IP65, Class 1
Light source	G13, Max. 9.9W, Incl. 9W T8 LED, Lumen 800, Kelvin 4000, Candela 335, Life hours 15.000, RA 80, Beam angle 110°, Not dimmable, Light source energy class A

Features

Parallel connection possible
IP65 - In and outdoor use
Easy Connect
5 year LED guarantee





Grey
27586101

Parallel connection possible


IP65 bathroom zone 1

Works 2x9W LED Batten

Masterbox	Qty 6
Size	H: 9 cm, W: 11,8 cm, L: 66 cm
Material	Plastic
IP Class	IP65, Class 1
Light source	G13, Max. 2X9W, Incl. 9W T8 LED, Lumen 800, Kelvin 4000, Life hours 25.000, RA 80, Beam angle 200°, Not dimmable, Light source energy class A+

Features

Parallel connection possible
IP65 - In and outdoor use
Easy Connect
5 year LED guarantee








Works 1X18W LED Batten

Masterbox	Qty 6
Size	H: 9 cm, W: 8,5 cm, L: 126,6 cm
Material	Plastic/Metal
IP Class	IP65, Class 1
Light source	G13, Max. 19.8W, Incl. 18W T8 LED, Lumen 1.500, Kelvin 4000, Candela 414, Life hours 15.000, RA 80, Beam angle 110°, Not dimmable, Light source energy class A


Features
Parallel connection possible
IP65 - In and outdoor use
Easy Connect
5 year LED guarantee



Works 2x18W LED Batten

Masterbox	Qty 6
Size	H: 9 cm, W: 11,8 cm, L: 127 cm
Material	Plastic
IP Class	IP65, Class 1
Light source	G13, Max. 2X18W, Incl. 18W T8 LED, Lumen 1.700, Kelvin 4000, Life hours 25.000, RA 80, Beam angle 200°, Not dimmable, Light source energy class A+

Features
Parallel connection possible
IP65 - In and outdoor use
Easy Connect
5 year LED guarantee






Works IP65 2x18W Batten

Masterbox	Qty 3
Size	H: 7,05 cm, W: 11,8 cm, L: 65,7 cm, D: 8,8 cm
Material	Plastic/Plastic
IP Class	IP65, Class 1
Light source	G13, Max. 2X18W, Incl. 2X18W T8, Lumen 2X1.200, Kelvin 4000, Life hours 12.000, RA 80, Beam angle 180°, Not dimmable

Features
Parallel connection possible
IP65 - In and outdoor use
Easy Connect






Works IP65 1x36W Batten

Masterbox	Qty 6
Size	W: 8,5 cm, L: 126,8 cm, D: 8,8 cm
Material	Plastic
IP Class	IP65, Class 1
Light source	G13, Max. 36W, Incl. 36W T8, Lumen 2.500, Kelvin 4000, Life hours 16.000, RA 80, Beam angle 360°, Not dimmable

Features
Parallel connection possible
IP65 - In and outdoor use
Easy Connect






Works IP65 2x36W Batten

Masterbox	Qty 3
Size	W: 11,5 cm, L: 127,4 cm, D: 8,2 cm
Material	Plastic
IP Class	IP65, Class 1
Light source	G13, Max. 2X36W, Incl. 2X36W T8, Lumen 2X2.250, Kelvin 4000, Life hours 16.000, RA 80, Beam angle 360°, Not dimmable

Features

Parallel connection possible
IP65 - In and outdoor use
Easy Connect





WORKS IP65 1X24W LED Batten

Masterbox	Qty 6
EAN	5704924008504
Light source	WORKS IP65 ARM. 1X24W LED RØR





Smart Collection 2021-2022

For the 2021 Smart collection we are significantly expanding the range of products that can be controlled by smartphone, tablet or our Smart Remote Control.

This year, we are also introducing Smart bulbs with colours – making it possible to choose between millions of colours and several new settings in the Smart app.

Explore the perfect light for a colourful life with endless customising possibilities. We now offer a wide selection of both Smart bulbs, luminaires and accessories that will cover any need for customisable and convenient lighting.


All of our Smart bulbs can be used in any retrofit luminaire and we even present Smart light solutions that are well-suited for the outdoors. We claim that there's a perfect light for every need - and fulfilling that need has never been easier than now.

We proudly present our 2021 collection.

There's a perfect light for everyone



User friendly Bluetooth Mesh connections



Nordlux's smart makes use of the newest Bluetooth Mesh technology.

This enables it to work both indoor and outdoor with a stable communication between the devices.

Bluetooth has a very low power consumption allowing us to save energy, but also introduce battery powered accessories, such as a daylight and motion sensor.

Bluetooth also allows our users complete anonymity and strong privacy protection – because we allow access to all the basic functions without signing up with any account or email.





WiFi Bridge connects to a world of advanced functions

Voice control with Google Home & Amazon Alexa

Share settings with other susers

Schedules & programs

Vacation mode

Remote control

The Smart Light Bridge enhances the features and functionalities of the Nordlux Smart Bulbs.


In addition to instantly controlling the bulbs via Bluetooth, the Smart Light Bridge makes it possible to set schedules and programs, control the lights from anywhere and activate a presence simulation, when the family is on vacation.

As Nordlux Smart Light is compatible to the smart home assistants Amazon Alexa and Google Home, it is also possible to control the lights by voice.


The bridge must be purchased separately.



There's a perfect light for every need








There’s a perfect light for everyone with Nordlux Smart





Nordlux Smart is a comfortable and flexible solution to easily set your lights according to your needs and situations. Nordlux Smart bubs enables you to set the right light for every occasion, from a cozy, relaxing atmosphere to a functional, activating illumination.

As shown on the picture, the Nordlux Smart products are controlled with the Nordlux Smart app via Bluetooth Mesh without the need of an internet connection.

By adding the Nordlux Smart Bridge you can expand the features and functionalities of the smart system, including for example voice control (Amazon Alexa or Google Home) and control of the light from anywhere.

Smart bulbs




Decorative Smart bulbs in amber colour and with a shaped light source. The warm white light creates a cosy atmosphere. Reduce or increase the brightness with your smartphone or tablet, or add a Smart Remote Control to control your lights without your smartphone.

Learn more about Smart Bulbs on page 460



Smart Bulbs A60, ST64, G200 & G95
2170102747, 2170112747, 2170132747 & 2170122747



Don Smart
2110900103

Don Smart

Don is a series of Smart Downlights that can be adjusted by the Nordlux app on your smartphone, tablet or by the Nordlux Smart remote.

Dim the light, set the colour temperature from cold to warm white or chose between millions of colours to set just the right ambience.

The high IP rating (IP65) makes it suitable for bathrooms or other humid areas. Parallel connection possible (up to 15 Downlights).

Learn more about Don Smart on page 452



Remote Smart



With the Nordlux Smart Remote Control you are no longer dependent on having your smartphone or tablet nearby. The Remote Control allows you to group multiple smart bulbs together (for example by rooms) and control these groups by a simple click. You can also add your favourite moods to the remote control for easy access, dim the grouped lights and control the colour tone.

The Remote Control can act as both a wall switch, with options to attach a magnetic base to the wall, and as a remote control, which is easily attached to the magnetic base.

Learn more about Remote Smart on page 462



Ava Smart
2019016003

Ava Smart



Ava Smart
2019016003

Ava is a multifunctional lamp that can be placed both in the ceiling and on the wall. The lamp has integrated LED as well as two lighting functions, which consist of indicator light when it is dark, and automatic activation of light when movement is detected (Nordlux Smart Sensor needed).

Ava has Bluetooth connection and is part of the Nordlux Smart Light range, which makes it possible to control the light from your phone, with voice control or via the Nordlux Smart Sensor. Furthermore, an optional cover cap is included which makes it possible to determine the design and light output yourself.

Learn more about Ava Smart on page 455

Grip Smart
2118201001

Grip Smart



Designed by Danish designer Maria Berntsen

With a beautifully curved design, the Grip wall light by Danish designer Maria Berntsen adds a modern, yet timeless feel to your outdoor space.

Grip lights up the dark with a stylish elegance that fits any exterior design. The built-in Nordlux Smart LED creates a soft, diffused light that you can dim, adjust and turn on and off through the Nordlux Smart system.


Learn more about Grip on page 454

MARIA BERNTSEN
INDUSTRIEL DESIGN




Grip Smart
2118201003

Smart Ceiling




484

Smart Downlight




486

Smart Outdoor




488


Smart Bulbs



490



Nordlux Smart 2021-2022




White
2110806101


Harlow Smart 60 Ceiling

Masterbox	Qty 3
Size	H: 2,3 cm, W: 30 cm, L: 60 cm, D: 2,3 cm
Material	Plastic/Plastic
IP Class	IP54, Class 2
Light source	Lumen 2.100, Kelvin 2700-6500, Life hours 25.000, RA 80, Beam angle 120°, Only dimmable via Nordlux smart app or remote

Features

SMART use for dim, white or colour
IP54 protected against dust and water splashing
Ultra thin design with back light effect
Parallel, easy push-in connection and side entry
5 year LED guarantee






2015036101

Oja 30 Smart Ceiling

Masterbox	Qty 3
Size	W: 29,4 cm, L: 29,4 cm, D: 2,3 cm, Ø: 29,4 cm
Material	Plastic
IP Class	IP20, Class 2
Light source	Fixed LED, Incl. 15W LED, Lumen 1.600, Kelvin 2700-6500, Life hours 25.000, RA 80, Beam angle 120°, Only dimmable via Nordlux smart app or remote


Features

Ultra-slim ceiling panel light
Bluetooth connection to Nordlux Smart Light
Adjustable kelvin and lumen output
5 year LED guarantee





White
2015136101



White
2015146101

Oja 43 Smart Ceiling

Masterbox	Qty 3
Size	W: 42,4 cm, L: 42,4 cm, D: 2,3 cm, Ø: 42,4 cm
Material	Plastic/Metal
IP Class	IP20, Class 2
Light source	Fixed LED, Incl. 20W LED, Lumen 2.300, Kelvin 2700-6500, Life hours 25.000, RA 80, Beam angle 120°, Only dimmable via Nordlux smart app or remote

Features


Ultra-slim ceiling panel light
Bluetooth connection to Nordlux Smart Light
Adjustable kelvin and lumen output
5 year LED guarantee


Oja 60 Smart Ceiling

Masterbox	Qty 3
Size	H: 2,3 cm, W: 60 cm, D: 2,3 cm, Ø: 60 cm
Material	Plastic/Metal
IP Class	IP20, Class 1
Light source	Fixed LED, Incl. 30W LED, Lumen 3.500, Kelvin 2700-6500, Life hours 25.000, RA 80, Beam angle 120°, Only dimmable via Nordlux smart app or remote

Features

Ultra-slim ceiling panel light
Bluetooth connection to Nordlux Smart Light
Adjustable kelvin and lumen output
5 year LED guarantee





NEW 2021

Cold to warm

Color ambience



White
2110900101

Dimmable lightsource

Nordlux Smart compatible



Black
2110900103




Brushed Nickel
2110900155


Don Smart Downlight

Masterbox	Qty 3
Size	H: 5,4 cm, D: 5,4 cm, Ø: 8,5 cm, Ø: 8,5 cm, Mounting min. height: 8,8 cm Cut-out Ø: 7,2 cm
Material	Plastic/Metal
IP Class	IP65, Class 2
Light source	Fixed LED, Incl. 4,7W LED, Lumen 420, Kelvin 2200-6500, Life hours 20.000, RA 80, Beam angle 60°, Only dimmable via Nordlux smart app or remote

Features

SMART use for dim, white or colour
IP65 water resistant (water jets from any angle)
Parallel connection up to 15 pcs.
5 year LED guarantee
External driver connector, memory/reset function
Easy screwless push-in connections (no tooling)






Cold to warm



White
2015650101

Dimmable lightsource

Nordlux Smart compatible



Black
2015650103




Brushed Nickel
2015650155


Dorado Smart Downlight

Masterbox	Qty 6
Size	H: 5,4 cm, Ø: 8,5 cm, Mounting min. height: 6,8 cm Cut-out Ø: 7,2 cm
Material	Plastic/Metal
IP Class	IP65, Class 2
Light source	Fixed LED, Incl. 4,7W LED, Lumen 360, Kelvin 2200-6500, Life hours 20.000, RA 80, Beam angle 36°, Only dimmable via Nordlux smart app or remote

Features

IP 65 protection for both outdoor and bathroom use
Bluetooth connection to Nordlux Smart Light
Adjustable kelvin and lumen output
5 year LED guarantee








Dimmable lightsource

Nordlux Smart compatible

2015670101




White
2015680101




White
2015670103



Brushed Nickel
2015670155



Black
2015680103



Brushed Nickel
2015680155

Carina Smart 3-kit Downlight

Masterbox	Qty 3
Material	Metal/Plastic
Light source	GU10, Lumen 380, Kelvin 2200-6500, Life hours 15.000, RA 80, Beam angle 36°, Only dimmable via Nordlux smart app or remote

Features


Twist-lock for easy mounting of smart bulbs
Bluetooth connection to Nordlux Smart Light
Retrofit smart GU10 bulb included


Carina Smart 3-Kit Downlight

Masterbox	Qty 3
Size	H: 5,5 cm, Ø: 5 cm
Material	Metal/Plastic
IP Class	IP20, Class 2
Light source	GU10, Lumen 380, Kelvin 2200-6500, Life hours 15.000, RA 80, Beam angle 36°, Only dimmable via Nordlux smart app or remote

Features

Twist-lock for easy mounting of smart bulbs
Bluetooth connection to Nordlux Smart Light
Retrofit smart GU10 bulb included





NEW 2021

Cold to warm



White
2118201001

Dimmable lightsource

Nordlux Smart compatible




Black
2118201003

Grip Smart Wall by Maria Berntsen

Masterbox	Qty 3
Size	H: 18 cm, W: 15 cm, D: 9,7 cm
Material	Aluminium/Plastic
IP Class	IP54, Class 1
Light source	Fixed LED, Incl. 9W LED, Lumen 830, Kelvin 2200/6500, Life hours 30.000, RA 80, Beam angle 120°, Only dimmable via Nordlux smart app or remote

Features

Like a piece of jewellery for your house
Build-in Nordlux Smart LED
Cool to warm white light (2200-6500 kelvin)
Parallel connection possible
5 year LED guarantee
Dimmable through app
Parallel connection possible



Cold to warm



Black
2019001003

Dimmable lightsource

Nordlux Smart compatible




Grey
2019001010

Arcus Smart Wall

Masterbox	Qty 3
Size	H: 10 cm, W: 20 cm, D: 10 cm
Material	Aluminium/Plastic
IP Class	IP54, Class 1
Light source	Fixed LED, Incl. 9,5W LED, Lumen 440, Kelvin 2700, Life hours 30.000, RA 80, Beam angle 147.60°, Only dimmable via Nordlux smart app or remote

Features

Dual light LED
Bluetooth connection to Nordlux Smart Light
Can be controlled by wireless Nordlux Smart Sensor
5 year LED guarantee
Build-in parallel connection
Indication light 200 lumen. Main light 800 lumen





Black
2019016003




Grey
2019016010

Ava Smart Ceiling

Masterbox	Qty 3
Size	H: 20 cm, W: 20 cm, D: 6,7 cm
Material	Aluminium/Plastic
IP Class	IP54, Class 1
Light source	Fixed LED, Incl. 9,5W LED, Lumen 600, Kelvin 2700, Life hours 30.000, RA 80, Beam angle 159.20°, Only dimmable via Nordlux smart app or remote

Features

Dual light LED
Bluetooth connection to Nordlux Smart Light
Can be controlled by wireless Nordlux Smart Sensor
5 year LED guarantee
Optional cover cap for wall use included
Indication light 200 lumen. Main light 800 lumen
Designed for both ceiling and wall mounting





E27 A60 Smart Bulb 900lm

Masterbox Qty 6
Size H: 10,9 cm, Ø: 6 cm
Light source E27, Lumen 900, Kelvin 2200-6500, Life hours 25.000, RA 80, Beam angle 240°, Only dimmable via Nordlux smart app or remote

Features
Wide 240° beam angle



E27 A60 Smart Bulb 550lm

Masterbox Qty 6
Size H: 10,4 cm, Ø: 6 cm
Light source E27, Lumen 550, Kelvin 2200-6500, Life hours 15.000, RA 80, Beam angle 360°, Only dimmable via Nordlux smart app or remote


Features
Milky surface that covers electronics
Wide 360° beam angle



E27 A60 Smart Bulb 650lm

Masterbox Qty 6
Size H: 10,4 cm, Ø: 6 cm
Light source E27, Lumen 650, Kelvin 2200-6500, Life hours 15.000, RA 80, Beam angle 360°, Only dimmable via Nordlux smart app or remote

Features
Wide 360° beam angle



E27 G95 Smart Bulb 650lm

Masterbox Qty 6
Size H: 13,7 cm, Ø: 9,5 cm
Light source E27, Lumen 650, Kelvin 2200-6500, Life hours 15.000, RA 80, Beam angle 360°, Only dimmable via Nordlux smart app or remote

Features
Wide 360° beam angle



Milky
2170062701

E27 G45 Smart Bulb 560lm

Masterbox Qty 6
Light source E27, Lumen 560, Kelvin 2200-6500, Life hours 15.000, RA 80, Beam angle 360°, Only dimmable via Nordlux smart app or remote

Features
Compact size - 45 mm filament globe
Cool to warm white light



Clear
2170052700

E27 G45 Smart Bulb 345lm

Masterbox Qty 6
Size H: 8,5 cm, Ø: 4,5 cm
Light source E27, Incl. 4,7W LED, Lumen 345, Kelvin 2200-6500, Life hours 15.000, RA 80, Beam angle 360°, Only dimmable via Nordlux smart app or remote,

Features
Compact size - 45 mm globe
Cool to warm white light



Milky
2070021401

E14 C35 Smart Bulb 430lm

Masterbox Qty 6
Size H: 10,7 cm, Ø: 3,5 cm
Light source E14, Lumen 430, Kelvin 2200-6500, Life hours 15.000, RA 80, Beam angle 300°, Only dimmable via Nordlux smart app or remote

Features
Wide 300° beam angle
Adjustable kelvin and lumen output



Milky
2070011401

E14 G45 Smart Bulb 430lm

Masterbox Qty 6
Size H: 8,7 cm, Ø: 4,5 cm
Light source E14, Lumen 430, Kelvin 2200-6500, Life hours 15.000, RA 80, Beam angle 200°, Only dimmable via Nordlux smart app or remote

Features
Wide 200° beam angle
Adjustable kelvin and lumen output

NEW 2021

Cold to warm



Grey
2170031000

Dimmable lightsource

Nordlux Smart compatible

GU10 Smart Bulb Outdoor 345lm

Masterbox Qty 6
Size H: 5,4 cm, Ø: 5 cm
Light source GU10, Incl. 4,2W LED, Lumen 345, Kelvin 2200-6500, Life hours 15.000, RA 80, Beam angle 360°, Only dimmable via Nordlux smart app or remote,

Features
Extra long lifetime
Higher heat resistance

Cold to warm



White
2070041000 2-pack

Dimmable lightsource

Nordlux Smart compatible

Cold to warm



Clear
2070031000

Dimmable lightsource

Nordlux Smart compatible

GU10 Smart Bulb 380lm

Masterbox Qty 6
Size H: 5,5 cm, Ø: 5 cm
Light source GU10, Lumen 380, Kelvin 2200-6500, Life hours 15.000, RA 80, Beam angle 36°, Only dimmable via Nordlux smart app or remote

Features
55 mm compact height
Exclusive glass finish

GU10 Smart Bulb 450lm

Masterbox Qty 6
Size H: 5,5 cm, Ø: 5 cm
Light source GU10, Lumen 450, Kelvin 2200-6500, Life hours 15.000, RA 80, Beam angle 36°, Only dimmable via Nordlux smart app or remote

Features
55 mm compact height
Dual pack



White
2170072701

E27 A60 Smart Bulb Color 806lm

Masterbox Qty 6
Size H: 11 cm, Ø: 6 cm
Light source E27, Incl. 7W LED, Lumen 806, Kelvin 2200-6500, Life hours 15.000, RA 80, Beam angle 240°, Only dimmable via Nordlux smart app or remote

Features
More than 16 million colors
Personalised and pre-set moods



White
2170092701

E27 G95 Smart Bulb Color 1055lm

Masterbox Qty 3
Size H: 12,9 cm, Ø: 9,5 cm
Light source E27, Incl. 8,5W LED, Lumen 1.055, Kelvin 2200-6500, Life hours 15.000, RA 80, Beam angle 240°, Only dimmable via Nordlux smart app or remote

Features
More than 16 million colors
Personalised and pre-set moods



White
2170081000

GU10 Smart Bulb Color 380lm

Masterbox Qty 6
Size H: 5,4 cm, Ø: 5 cm
Light source GU10, Incl. 4,7W LED, Lumen 380, Kelvin 6500, Life hours 15.000, RA 80, Beam angle 100°, Only dimmable via Nordlux smart app or remote,

Features
More than 16 million colors
Personalised and pre-set moods



E27 A60 Smart Bulb 360lm

Masterbox Qty 6
Size H: 10,5 cm, Ø: 6 cm
Light source E27, Incl. 4,7W LED, Lumen 360, Kelvin 2200, Life hours 15.000, RA 80, Beam angle 360°, Only dimmable via Nordlux smart app or remote

Features
Decorative croissant-shaped LED
Warm white light (2200 kelvin)



E27 ST64 Smart Bulb 380lm

Masterbox Qty 6
Size H: 14 cm, Ø: 6,4 cm
Light source E27, Incl. 4,7W LED, Lumen 380, Kelvin 2200, Life hours 15.000, RA 80, Beam angle 360°, Only dimmable via Nordlux smart app or remote,

Features
Decorative croissant-shaped LED
Warm white light (2200 kelvin)



E27 G95 Smart Bulb 380lm

Masterbox Qty 3
Size H: 13,7 cm, Ø: 9,5 cm
Light source E27, Incl. 4,7W LED, Lumen 380, Kelvin 2200, Life hours 15.000, RA 80, Beam angle 360°, Only dimmable via Nordlux smart app or remote,

Features
Decorative croissant-shaped LED
Warm white light (2200 kelvin)



E27 G200 Smart Bulb 380lm

Masterbox Qty 3
Size H: 26 cm, Ø: 20 cm
Light source E27, Incl. 4,7W LED, Lumen 380, Kelvin 2200, Life hours 15.000, RA 80, Beam angle 360°, Only dimmable via Nordlux smart app or remote,

Features
Decorative croissant-shaped LED
Warm white light (2200 kelvin)



White
2070062701

Start pack 2XE27 SMD 900lm EU

Masterbox	Qty 6
Size	H: 10,9 cm, Ø: 6 cm
Light source	E27, Lumen 900, Kelvin 2200-6500, Life hours 25.000, RA 80, Beam angle 240°, Only dimmable via Nordlux smart app or remote



White
2070072701

Start pack 2XE27 SMD 900lm UK

Masterbox	Qty 6
Size	H: 10,9 cm, Ø: 6 cm
Light source	E27, Lumen 900, Kelvin 2200-6500, Life hours 25.000, RA 80, Beam angle 240°, Only dimmable via Nordlux smart app or remote



White
2015700001


Nordlux Smart compatible

Remote Smart

Masterbox	Qty 6
Size	H: 6,7 cm, W: 1,46 cm, L: 12 cm
Material	Plastic
IP Class	IP20, Class 3

Features

Twist-lock for easy mounting of smart bulbs
Bluetooth connection to Nordlux Smart Light



White
1507070

Connects Bluetooth Mesh to Wifi

Nordlux Smart compatible

Bridge Smart

Masterbox	Qty 6
Size	H: 1,8 cm, W: 6,6 cm, L: 6,6 cm
IP Class	IP20, Class 1
Cable	Cable: White 120 cm

Features

Connects Bluetooth Mesh to Wifi
Opens up for advanced functionalities
Compact size



White
49091001

Nordlux Smart compatible



Black
49091003

Masterbox	Qty 6
Size	W: 7,6 cm, L: 7,6 cm, D: 4,5 cm
Material	Plastic
IP Class	IP54, Class 3

Features

Easy installation without the use of cables
Daylight and movement sensor in one unit
IP safe for both outdoor and bathroom use
Bracket included for tilted or corner positioning
Battery lifetime +400 days
Can control up to 50 lights via Bluetooth

NEW
2021



White
2170010001

Plug Smart EU

Masterbox	Qty 3
Size	H: 7,2 cm, W: 5,2 cm, L: 10 cm, D: 8,2 cm
Material	Plastic/Plastic
IP Class	IP20, Class 2
Light source	Max. 2300W,

Features
Connects electronics to Nordlux Smart set-up
Remote on/off and dimming
Tracking of power consumption

NEW
2021



White
2170210001

Plug Smart FR

Masterbox	Qty 3
Size	H: 7,2 cm, W: 5,2 cm, L: 10 cm, D: 8,2 cm
Material	Plastic/Plastic
IP Class	IP20, Class 2
Light source	Max. 2300W,

Features
Connects electronics to Nordlux Smart set-up
Remote on/off and dimming
Tracking of power consumption





Bulb Collection 2021-2022

For the 2021-2022 bulb collection, our sustained development has resulted in the largest bulb assortment ever. All of our bulbs meet our high quality demands – they are equipped with world leading LED technology, have a high energy efficiency and a long lifetime.

Furthermore, they are carried out with high-quality coating, great colour rendering and an elegant design.

The range covers low to high wattages and lumen, both in warm and cool white. Our functional Energetic branded bulbs come in full glass, both clear and milky as well as a basic plastic range with value packs. Our added value bulbs, such as our new deco range and popular Magician range, come into the Nordlux brand.

Lastly, we are proud to announce that all the packaging material used for our new bulb range has changed to a sustainable solution.

No more plastic, only recycled materials.

We proudly present our 2021-2022 collection.

NEW
2021



No. 5183016621 , White

C35 B22 470Lm WW Milky

Masterbox	Qty 6
EAN	6923933819850
Light source	B22 FILAMEN C36 4W 470LM 2700K WHITE

NEW
2021



No. 5181021821 , White

A60 B22 1521Lm WW Milky

Masterbox	Qty 6
EAN	6923933819966
Light source	B22 FILAMENT A60 11W 1521LM 2700K WHITE

NEW
2021



No. 5191002121 , White

A60 B22 806Lm CW Milky

Masterbox	Qty 6
EAN	6923933819959
Light source	B22 FILAMENT A60 6,8W 806LM 4000K WHITE

NEW
2021



No. 5191002321 , White

A60 B22 1521Lm CW Milky

Masterbox	Qty 6
EAN	6923933819973
Light source	B22 FILAMENT A60 11W 1521LM 4000K WHITE

NEW 2021




No. 5181001021 , Clear

A60 B22 470Lm WW Clear

Masterbox	Qty 6
EAN	6923933819867
Light source	B22 FILAMENT A60 4W 470LM 2700K CLEAR

NEW 2021




No. 5181001823 , Clear

A60 B22 1521Lm WW Clear 3P

Masterbox	Qty 5
EAN	6923933819928
Light source	B22 FILAMENT A60 11W 1521LM 2700K CLEAR

NEW 2021




No. 5181000423 , Clear

A60 B22 806Lm WW Clear 3P

Masterbox	Qty 5
EAN	6923933819881
Light source	B22 FILAMENT A60 6,8W 806LM 2700K CLEAR

NEW 2021




No. 5191003723 , Clear

A60 B22 1521Lm CW Clear 3P

Masterbox	Qty 5
EAN	6923933819942
Light source	B22 FILAMENT A60 11W 1521LM 4000K CLEAR

NEW
2021



No. 5181010721 , Clear

A60 B22 806Lm CW Clear

Masterbox	Qty 6
EAN	6923933819898
Light source	B22 FILAMENT A60 6,8W 806LM 4000K CLEAR

NEW
2021



No. 5183000421 , Clear

C35 B22 250Lm WW Clear

Masterbox	Qty 6
EAN	6923933819836
Light source	B22 FILAMENT C35 2,1W 250LM 2700K CLEAR

NEW
2021



No. 5183001821 , Clear

C35 B22 470Lm WW Clear

Masterbox	Qty 6
EAN	6923933819843
Light source	B22 FILAMENT C35 4W 470LM 2700K CLEAR

NEW
2021



No. 5182000421 , Clear

G45 B22 250Lm WW Clear

Masterbox	Qty 6
EAN	6923933819812
Light source	B22 FILAMENT G45 2,1W 250LM 2700K CLEAR

NEW
2021



No. 5182001221 , Clear

G45 B22 470Lm WW Clear


Masterbox	Qty 6
EAN	6923933819829
Light source	B22 FILAMENT G45 4W 470LM 2700K CLEAR



No. 2080152758 , Gold color

E27 4,8W G45


Masterbox	Qty 6
EAN	5704924000195
Light source	-DEKO E27 G45 MINI GLOBE 4,8W DIM GOLD



No. 2080052758 , Gold color


E27 5,4W ST64

Masterbox	Qty 6
EAN	5704924000089
Light source	-DEKO E27 ST64 KLASSISK EDISON 5,4W DIM GOLD




E27 A60 filament clear 250lm

Masterbox	Qty 6
EAN	6923933813599
Size	H: 104 mm, Ø: 60 mm
Material	Full Glass
Light source	E27, 2,1W = Eq. 25W, Lumen 250, Kelvin 2700, Life hours 15.000, RA≥80, Beam angle 360°, Not dimmable, Voltage 220-240



E27 A60 filament clear 470lm

Masterbox	Qty 6
EAN	6923933818198
Size	H: 104 mm, Ø: 60 mm
Material	Full Glass
Light source	E27, 4W = Eq. 40W, Lumen 470, Kelvin 2700, Life hours 15.000, RA≥80, Beam angle 360°, Not dimmable, Voltage 220-240




E27 A60 filament clear 806lm

Masterbox	Qty 6
EAN	6923933818204
Size	H: 104 mm, Ø: 60 mm
Material	Full Glass
Light source	E27, 6,8W = Eq. 60W, Lumen 806, Kelvin 2700, Life hours 15.000, RA≥80, Beam angle 360°, Not dimmable, Voltage 220-240




E27 A60 filament clear 1055lm

Masterbox	Qty 6
EAN	6923933814107
Size	H: 104 mm, Ø: 60 mm
Material	Full Glass
Light source	E27, 7,8W = Eq. 75W, Lumen 1055, Kelvin 2700, Life hours 15.000, RA≥80, Beam angle 360°, Not dimmable, Voltage 220-240




E27 A60 filament clear 470lm

Masterbox	Qty 5
EAN	6923933819676
Size	H: 104 mm, Ø: 60 mm
Material	Full Glass
Light source	E27, 4W = Eq. 40W, Lumen 470, Kelvin 2700, Life hours 15.000, RA≥80, Beam angle 360°, Not dimmable, Voltage 220-240



E27 A60 filament clear 806lm

Masterbox	Qty 5
EAN	6923933819706
Size	H: 104 mm, Ø: 60 mm
Material	Full Glass
Light source	E27, 6,8W = Eq. 60W, Lumen 806, Kelvin 2700, Life hours 15.000, RA≥80, Beam angle 360°, Not dimmable, Voltage 220-240




E27 A60 filament clear 1055lm

Masterbox	Qty 5
EAN	6923933819720
Size	Ø: 60 mm
Material	Full Glass
Light source	E27, Eq. 75W, Lumen 1055, Kelvin 2700, Life hours 15.000, RA≥80, Beam angle 360°, Not dimmable, Voltage 220-240




E27 A60 filament clear 806lm

Masterbox	Qty 6
EAN	6923933818259
Size	Ø: 60 mm
Material	Full Glass
Light source	E27, Eq. 60W, Lumen 806, Kelvin 2700, Life hours 15.000, RA≥80, Beam angle 360°, Dimmable, Voltage 220-240




E27 A60 filament clear 1055lm

Masterbox	Qty 6
EAN	6923933814138
Size	H: 104 mm, Ø: 60 mm
Material	Full Glass
Light source	E27, 7,8W = Eq. 75W, Lumen 1055, Kelvin 2700, Life hours 15.000, RA≥80, Beam angle 360°, Dimmable, Voltage 220-240



E27 A60 filament clear 806lm

Masterbox	Qty 6
EAN	6923933818211
Size	H: 104 mm, Ø: 60 mm
Material	Full Glass
Light source	E27, 6,8W = Eq. 60W, Lumen 806, Kelvin 4000, Life hours 15.000, RA≥80, Beam angle 360°, Not dimmable, Voltage 220-240




E27 A60 filament clear 1521lm

Masterbox	Qty 6
EAN	6923933820559
Size	Ø: 60 mm
Material	Full Glass
Light source	E27, Eq. 100W, Lumen 1521, Kelvin 2700, Life hours 15.000, RA≥80, Beam angle 360°, Dimmable, Voltage 220-240




E27 A60 filament clear 470lm

Masterbox	Qty 6
EAN	6923933819683
Size	Ø: 60 mm
Material	Full Glass
Light source	E27, Eq. 40W, Lumen 470, Kelvin 4000, Life hours 15.000, RA≥80, Beam angle 360°, Not dimmable, Voltage 220-240




E27 A60 filament clear 1055lm

Masterbox	Qty 6
EAN	6923933816965
Size	H: 104 mm, Ø: 60 mm
Material	Full Glass
Light source	E27, 7,8W = Eq. 75W, Lumen 1055, Kelvin 4000, Life hours 15.000, RA≥80, Beam angle 360°, Not dimmable, Voltage 220-240




E27 A60 filament clear 470lm

Masterbox	Qty 5
EAN	6923933819690
Size	H: 104 mm, Ø: 60 mm
Material	Full Glass
Light source	E27, 4W = Eq. 40W, Lumen 470, Kelvin 4000, Life hours 15.000, RA≥80, Beam angle 360°, Not dimmable, Voltage 220-240



E27 A60 filament clear 806lm

Masterbox	Qty 5
EAN	6923933819713
Size	Ø: 60 mm
Material	Full Glass
Light source	E27, Eq. 63W, Lumen 806, Kelvin 4000, Life hours 15.000, RA≥80, Beam angle 360°, Not dimmable, Voltage 220-240




E27 A60 filament clear 1055lm

Masterbox	Qty 5
EAN	6923933819737
Size	Ø: 60 mm
Material	Full Glass
Light source	E27, Eq. 80W, Lumen 1055, Kelvin 4000, Life hours 15.000, RA≥80, Beam angle 360°, Not dimmable, Voltage 220-240



E27 A60 filament clear 1055lm

Masterbox	Qty 6
EAN	6923933819744
Size	Ø: 60 mm
Material	Full Glass
Light source	E27, Eq. 75W, Lumen 1150, Kelvin 4000, Life hours 15.000, RA≥80, Beam angle 360°, Dimmable, Voltage 220-240



E27 A60 filament clear 1620lm

Masterbox	Qty 6
EAN	6923933820337
Size	Ø: 60 mm
Material	Full Glass
Light source	E27, Eq. 100W, Lumen 1620, Kelvin 4000, Life hours 15.000, RA≥80, Beam angle 360°, Dimmable, Voltage 220-240



B22 A60 filament clear 470lm

Masterbox	Qty 6
EAN	6923933819867
Size	Ø: 60 mm
Material	Full Glass
Light source	B22, Eq. 40W, Lumen 470, Kelvin 2700, Life hours 15.000, RA≥80, Beam angle 360°, Not dimmable, Voltage 220-240




B22 A60 filament clear 806lm

Masterbox	Qty 6
EAN	6923933819874
Size	Ø: 60 mm
Material	Full Glass
Light source	B22, Eq. 60W, Lumen 806, Kelvin 2700, Life hours 15.000, RA≥80, Beam angle 360°, Not dimmable, Voltage 220-240




B22 A60 filament clear 1521lm

Masterbox	Qty 6
EAN	6923933820498
Size	Ø: 60 mm
Material	Full Glass
Light source	B22, Eq. 100W, Lumen 1521, Kelvin 2700, Life hours 15.000, RA≥80, Beam angle 360°, Not dimmable, Voltage 220-240



B22 A60 filament clear 806lm

Masterbox	Qty 5
EAN	6923933819881
Size	Ø: 60 mm
Material	Full Glass
Light source	B22, Eq. 60W, Lumen 806, Kelvin 2700, Life hours 15.000, RA≥80, Beam angle 360°, Not dimmable, Voltage 220-240




B22 A60 filament clear 1521lm

Masterbox	Qty 5
EAN	6923933820504
Size	Ø: 60 mm
Material	Full Glass
Light source	B22, Eq. 100W, Lumen 1521, Kelvin 2700, Life hours 15.000, RA≥80, Beam angle 360°, Not dimmable, Voltage 220-240




B22 A60 filament clear 806lm

Masterbox	Qty 6
EAN	6923933819898
Size	Ø: 60 mm
Material	Full Glass
Light source	B22, Eq. 63W, Lumen 806, Kelvin 4000, Life hours 15.000, RA≥80, Beam angle 360°, Not dimmable, Voltage 220-240




B22 A60 filament clear 1521lm

Masterbox	Qty 6
EAN	6923933820511
Size	Ø: 60 mm
Material	Full Glass
Light source	B22, Eq. 100W, Lumen 1620, Kelvin 4000, Life hours 15.000, RA≥80, Beam angle 360°, Not dimmable, Voltage 220-240



B22 A60 filament clear 806lm

Masterbox	Qty 5
EAN	6923933819904
Size	Ø: 60 mm
Material	Full Glass
Light source	B22, Eq. 63W, Lumen 806, Kelvin 4000, Life hours 15.000, RA≥80, Beam angle 360°, Not dimmable, Voltage 220-240



B22 A60 filament clear 1620lm

Masterbox	Qty 5
EAN	6923933820528
Size	Ø: 60 mm
Material	Full Glass
Light source	B22, Eq. 100W, Lumen 1620, Kelvin 4000, Life hours 15.000, RA≥80, Beam angle 360°, Not dimmable, Voltage 220-240



E27 A60 filament milky 250lm

Masterbox	Qty 6
EAN	6923933818297
Size	H: 104 mm, Ø: 60 mm
Material	Full Glass
Light source	E27, 2,1W = Eq. 25W, Lumen 250, Kelvin 2700, Life hours 15.000, RA≥80, Beam angle 360°, Not dimmable, Voltage 220-240



E27 A60 filament milky 470lm

Masterbox	Qty 6
EAN	6923933818303
Size	H: 104 mm, Ø: 60 mm
Material	Full Glass
Light source	E27, 4W = Eq. 40W, Lumen 470, Kelvin 2700, Life hours 15.000, RA≥80, Beam angle 360°, Not dimmable, Voltage 220-240



E27 A60 filament milky 806lm

Masterbox	Qty 6
EAN	6923933818310
Size	H: 104 mm, Ø: 60 mm
Material	Full Glass
Light source	E27, 6,8W = Eq. 60W, Lumen 806, Kelvin 2700, Life hours 15.000, RA≥80, Beam angle 360°, Not dimmable, Voltage 220-240



E27 A60 filament milky 1055lm

Masterbox	Qty 6
EAN	6923933818341
Size	H: 104 mm, Ø: 60 mm
Material	Full Glass
Light source	E27, 8,5W = Eq. 75W, Lumen 1055, Kelvin 2700, Life hours 15.000, RA≥80, Beam angle 360°, Not dimmable, Voltage 220-240



E27 A60 filament milky 806lm

Masterbox	Qty 5
EAN	6923933819768
Size	H: 104 mm, Ø: 60 mm
Material	Full Glass
Light source	E27, 6,8W = Eq. 60W, Lumen 806, Kelvin 2700, Life hours 15.000, RA≥80, Beam angle 360°, Not dimmable, Voltage 220-240



E27 A60 filament milky 806lm

Masterbox	Qty 6
EAN	6923933818389
Size	H: 104 mm, Ø: 60 mm
Material	Full Glass
Light source	E27, 7,2W = Eq. 60W, Lumen 806, Kelvin 2700, Life hours 15.000, RA≥80, Beam angle 360°, Dimmable, Voltage 220-240




E27 A60 filament milky 1055lm

Masterbox	Qty 6
EAN	6923933818372
Size	H: 104 mm, Ø: 60 mm
Material	Full Glass
Light source	E27, 8,5W = Eq. 75W, Lumen 1055, Kelvin 2700, Life hours 15.000, RA≥80, Beam angle 360°, Dimmable, Voltage 220-240



E27 A60 filament milky 1521lm

Masterbox	Qty 6
EAN	6923933820283
Size	Ø: 60 mm
Material	Full Glass
Light source	E27, Eq. 100W, Lumen 1521, Kelvin 2700, Life hours 15.000, RA≥80, Beam angle 360°, Dimmable, Voltage 220-240




E27 A60 filament milky 470lm

Masterbox	Qty 6
EAN	6923933819751
Size	Ø: 60 mm
Material	Full Glass
Light source	E27, Eq. 40W, Lumen 470, Kelvin 4000, Life hours 15.000, RA≥80, Beam angle 360°, Not dimmable, Voltage 220-240




E27 A60 filament milky 1055lm

Masterbox	Qty 5
EAN	6923933819782
Size	Ø: 60 mm
Material	Full Glass
Light source	E27, Eq. 75W, Lumen 1055, Kelvin 2700, Life hours 15.000, RA≥80, Beam angle 360°, Not dimmable, Voltage 220-240



E27 A60 filament milky 806lm

Masterbox	Qty 6
EAN	6923933817085
Size	H: 104 mm, Ø: 60 mm
Material	Full Glass
Light source	E27, 6,8W = Eq. 60W, Lumen 806, Kelvin 4000, Life hours 15.000, RA≥80, Beam angle 360°, Not dimmable, Voltage 220-240




E27 A60 filament milky 1055lm

Masterbox	Qty 6
EAN	6923933817092
Size	H: 104 mm, Ø: 60 mm
Material	Full Glass
Light source	E27, 8,5W = Eq. 75W, Lumen 1055, Kelvin 4000, Life hours 15.000, RA≥80, Beam angle 360°, Not dimmable, Voltage 220-240



E27 A60 filament milky 806lm

Masterbox	Qty 5
EAN	6923933819775
Size	Ø: 60 mm
Material	Full Glass
Light source	E27, Eq. 60W, Lumen 806, Kelvin 4000, Life hours 15.000, RA≥80, Beam angle 360°, Not dimmable, Voltage 220-240



E27 A60 filament milky 1055lm

Masterbox	Qty 5
EAN	6923933819799
Size	Ø: 60 mm
Material	Full Glass
Light source	E27, Eq. 75W, Lumen 1055, Kelvin 4000, Life hours 15.000, RA≥80, Beam angle 360°, Not dimmable, Voltage 220-240



E27 A60 filament milky 1055lm

Masterbox	Qty 6
EAN	6923933819805
Size	Ø: 60 mm
Material	Full Glass
Light source	E27, Eq. 75W, Lumen 1055, Kelvin 4000, Life hours 15.000, RA≥80, Beam angle 360°, Dimmable, Voltage 220-240



E27 A60 filament milky 1521lm

Masterbox	Qty 6
EAN	6923933820290
Size	Ø: 60 mm
Material	Full Glass
Light source	E27, Eq. 100W, Lumen 1521, Kelvin 4000, Life hours 15.000, RA≥80, Beam angle 360°, Dimmable, Voltage 220-240



B22 A60 filament milky 806lm

Masterbox	Qty 6
EAN	6923933818334
Size	Ø: 60 mm
Material	Full Glass
Light source	B22, Eq. 60W, Lumen 806, Kelvin 2700, Life hours 15.000, RA≥80, Beam angle 360°, Not dimmable, Voltage 220-240



B22 A60 filament milky 1055lm

Masterbox	Qty 6
EAN	6923933818365
Size	Ø: 60 mm
Material	Full Glass
Light source	B22, Eq. 75W, Lumen 1055, Kelvin 2700, Life hours 15.000, RA≥80, Beam angle 360°, Not dimmable, Voltage 220-240



B22 A60 filament milky 1521lm

Masterbox	Qty 6
EAN	6923933820535
Size	Ø: 60 mm
Material	Full Glass
Light source	B22, Eq. 100W, Lumen 1521, Kelvin 2700, Life hours 15.000, RA≥80, Beam angle 360°, Not dimmable, Voltage 220-240




B22 A60 filament milky 806lm

Masterbox	Qty 6
EAN	6923933819959
Size	Ø: 60 mm
Material	Full Glass
Light source	B22, Eq. 60W, Lumen 806, Kelvin 4000, Life hours 15.000, RA≥80, Beam angle 360°, Not dimmable, Voltage 220-240



B22 A60 filament milky 1521lm

Masterbox	Qty 6
EAN	6923933820542
Size	Ø: 60 mm
Material	Full Glass
Light source	B22, Eq. 100W, Lumen 1521, Kelvin 4000, Life hours 15.000, RA≥80, Beam angle 360°, Not dimmable, Voltage 220-240



E27 A70 filament clear 1521lm

Masterbox	Qty 6
EAN	6923933814145
Size	H: 128 mm, Ø: 70 mm
Material	Full Glass
Light source	E27, 11W = Eq. 100W, Lumen 1521, Kelvin 2700, Life hours 15.000, RA≥80, Beam angle 360°, Dimmable, Voltage 220-240



E14 G45 filament clear 140lm

Masterbox	Qty 6
EAN	6923933815357
Size	H: 79 mm, Ø: 45 mm
Material	Full Glass
Light source	E14, 1,2W = Eq. 15W, Lumen 140, Kelvin 2700, Life hours 15.000, RA≥80, Beam angle 360°, Not dimmable, Voltage 220-240




E14 G45 filament clear 250lm

Masterbox	Qty 6
EAN	6923933814039
Size	H: 79 mm, Ø: 45 mm
Material	Full Glass
Light source	E14, 2,1W = Eq. 25W, Lumen 250, Kelvin 2700, Life hours 15.000, RA≥80, Beam angle 360°, Not dimmable, Voltage 220-240




E14 G45 filament clear 470lm

Masterbox	Qty 6
EAN	6923933813568
Size	H: 79 mm, Ø: 45 mm
Material	Full Glass
Light source	E14, 4W = Eq. 40W, Lumen 470, Kelvin 2700, Life hours 15.000, RA≥80, Beam angle 360°, Not dimmable, Voltage 220-240




E14 G45 filament clear 470lm

Masterbox	Qty 6
EAN	6923933817337
Size	H: 79 mm, Ø: 45 mm
Material	Full Glass
Light source	E14, 4W = Eq. 40W, Lumen 470, Kelvin 4000, Life hours 15.000, RA≥80, Beam angle 360°, Not dimmable, Voltage 220-240



E27 G45 filament clear 140lm

Masterbox	Qty 6
EAN	6923933815364
Size	H: 79 mm, Ø: 45 mm
Material	Full Glass
Light source	E27, 1,2W = Eq. 15W, Lumen 140, Kelvin 2700, Life hours 15.000, RA≥80, Beam angle 360°, Not dimmable, Voltage 220-240



E27 G45 filament clear 250lm

Masterbox	Qty 6
EAN	6923933814046
Size	H: 79 mm, Ø: 45 mm
Material	Full Glass
Light source	E27, 2,1W = Eq. 25W, Lumen 250, Kelvin 2700, Life hours 15.000, RA≥80, Beam angle 360°, Not dimmable, Voltage 220-240




E27 G45 filament clear 470lm

Masterbox	Qty 6
EAN	6923933813575
Size	H: 79 mm, Ø: 45 mm
Material	Full Glass
Light source	E27, 4W = Eq. 40W, Lumen 470, Kelvin 2700, Life hours 15.000, RA≥80, Beam angle 360°, Not dimmable, Voltage 220-240



E27 A70 filament clear 1521lm

Masterbox	Qty 6
EAN	6923933814114
Size	Ø: 70 mm
Material	Full Glass
Light source	E27, Eq. 100W, Lumen 1521, Kelvin 2700, Life hours 15.000, RA≥80, Beam angle 360°, Not dimmable, Voltage 220-240



E27 A70 filament clear 1620lm

Masterbox	Qty 6
EAN	6923933817245
Size	Ø: 70 mm
Material	Full Glass
Light source	E27, Eq. 100W, Lumen 1620, Kelvin 4000, Life hours 15.000, RA≥80, Beam angle 360°, Not dimmable, Voltage 220-240




B22 A70 filament clear 1521lm

Masterbox	Qty 6
EAN	6923933819911
Size	Ø: 70 mm
Material	Full Glass
Light source	B22, Eq. 100W, Lumen 1521, Kelvin 2700, Life hours 15.000, RA≥80, Beam angle 360°, Not dimmable, Voltage 220-240




B22 A70 filament clear 1521lm

Masterbox	Qty 5
EAN	6923933819928
Size	Ø: 70 mm
Material	Full Glass
Light source	B22, Eq. 100W, Lumen 1521, Kelvin 2700, Life hours 15.000, RA≥80, Beam angle 360°, Not dimmable, Voltage 220-240



B22 A70 filament clear 1521lm

Masterbox	Qty 6
EAN	6923933819935
Size	Ø: 70 mm
Material	Full Glass
Light source	B22, Eq. 100W, Lumen 1620, Kelvin 4000, Life hours 15.000, RA≥80, Beam angle 360°, Not dimmable, Voltage 220-240



B22 A70 filament clear 1521lm

Masterbox	Qty 5
EAN	6923933819942
Size	Ø: 70 mm
Material	Full Glass
Light source	B22, Eq. 100W, Lumen 1620, Kelvin 4000, Life hours 15.000, RA≥80, Beam angle 360°, Not dimmable, Voltage 220-240



E27 A60 filament milky 1521lm

Masterbox	Qty 6
EAN	6923933818396
Size	Ø: 70 mm
Material	Full Glass
Light source	E27, Eq. 100W, Lumen 1521, Kelvin 2700, Life hours 15.000, RA≥80, Beam angle 360°, Not dimmable, Voltage 220-240



E27 A60 filament milky 1521lm

Masterbox	Qty 6
EAN	6923933817108
Size	Ø: 70 mm
Material	Full Glass
Light source	E27, Eq. 100W, Lumen 1521, Kelvin 4000, Life hours 15.000, RA≥80, Beam angle 360°, Not dimmable, Voltage 220-240



B22 A60 filament milky 1521lm

Masterbox	Qty 6
EAN	6923933819966
Size	Ø: 70 mm
Material	Full Glass
Light source	B22, Eq. 100W, Lumen 1521, Kelvin 2700, Life hours 15.000, RA≥80, Beam angle 360°, Not dimmable, Voltage 220-240




B22 A60 filament milky 1521lm

Masterbox	Qty 6
EAN	6923933819973
Size	Ø: 70 mm
Material	Full Glass
Light source	B22, Eq. 100W, Lumen 1521, Kelvin 4000, Life hours 15.000, RA≥80, Beam angle 360°, Not dimmable, Voltage 220-240




E27 G45 filament clear 806lm

Masterbox	Qty 6
EAN	6923933818648
Size	H: 79 mm, Ø: 45 mm
Material	Full Glass
Light source	E27, 5,9W = Eq. 60W, Lumen 806, Kelvin 2700, Life hours 15.000, RA≥80, Beam angle 360°, Not dimmable, Voltage 220-240




E27 G45 filament clear 470lm

Masterbox	Qty 6
EAN	6923933813483
Size	H: 79 mm, Ø: 45 mm
Material	Full Glass
Light source	E27, 4,2W = Eq. 40W, Lumen 470, Kelvin 2700, Life hours 15.000, RA≥80, Beam angle 360°, Dimmable, Voltage 220-240



E27 G45 filament clear 470lm

Masterbox	Qty 6
EAN	6923933817146
Size	H: 79 mm, Ø: 45 mm
Material	Full Glass
Light source	E27, 4W = Eq. 40W, Lumen 470, Kelvin 4000, Life hours 15.000, RA≥80, Beam angle 360°, Not dimmable, Voltage 220-240



E27 G45 filament clear 806lm

Masterbox	Qty 6
EAN	6923933818655
Size	H: 79 mm, Ø: 45 mm
Material	Full Glass
Light source	E27, 5,9W = Eq. 60W, Lumen 806, Kelvin 4000, Life hours 15.000, RA≥80, Beam angle 360°, Not dimmable, Voltage 220-240




E14 G45 filament clear 470lm

Masterbox	Qty 5
EAN	6923933820009
Size	Ø: 45 mm
Material	Full Glass
Light source	E14, Eq. 40W, Lumen 470, Kelvin 2700, Life hours 15.000, RA≥80, Beam angle 360°, Not dimmable, Voltage 220-240



E14 G45 filament clear 470lm

Masterbox	Qty 5
EAN	6923933820016
Size	Ø: 45 mm
Material	Full Glass
Light source	E14, Eq. 40W, Lumen 470, Kelvin 4000, Life hours 15.000, RA≥80, Beam angle 360°, Not dimmable, Voltage 220-240



E27 G45 filament clear 250lm

Masterbox	Qty 6
EAN	6923933819621
Size	Ø: 45 mm
Material	Full Glass
Light source	E27, Eq. 25W, Lumen 250, Kelvin 4000, Life hours 15.000, RA≥80, Beam angle 360°, Not dimmable, Voltage 220-240



B22 G45 filament clear 250lm

Masterbox	Qty 6
EAN	6923933819812
Size	Ø: 45 mm
Material	Full Glass
Light source	B22, Eq. 25W, Lumen 250, Kelvin 2700, Life hours 15.000, RA≥80, Beam angle 360°, Not dimmable, Voltage 220-240



B22 G45 filament clear 470lm

Masterbox	Qty 6
EAN	6923933819829
Size	Ø: 45 mm
Material	Full Glass
Light source	B22, Eq. 40W, Lumen 470, Kelvin 2700, Life hours 15.000, RA≥80, Beam angle 360°, Not dimmable, Voltage 220-240



E14 G45 filament milky 140lm

Masterbox	Qty 6
EAN	6923933814237
Size	H: 79 mm, Ø: 45 mm
Material	Full glass
Light source	E14, 1,2W = Eq. 15W, Lumen 140, Kelvin 2700, Life hours 15.000, RA≥80, Beam angle 360°, Not dimmable, Voltage 220-240




E14 G45 filament milky 250lm

Masterbox	Qty 6
EAN	6923933818686
Size	H: 79 mm, Ø: 45 mm
Material	Full Glass
Light source	E14, 2,1W = Eq. 25W, Lumen 250, Kelvin 2700, Life hours 15.000, RA≥80, Beam angle 360°, Not dimmable, Voltage 220-240



E14 G45 filament milky 470lm

Masterbox	Qty 6
EAN	6923933818709
Size	H: 79 mm, Ø: 45 mm
Material	Full Glass
Light source	E14, 4W = Eq. 40W, Lumen 470, Kelvin 2700, Life hours 15.000, RA≥80, Beam angle 360°, Not dimmable, Voltage 220-240



E14 G45 filament milky 470lm

Masterbox	Qty 6
EAN	6923933818716
Size	H: 79 mm, Ø: 45 mm
Material	Full Glass
Light source	E14, 4W = Eq. 40W, Lumen 470, Kelvin 4000, Life hours 15.000, RA≥80, Beam angle 360°, Not dimmable, Voltage 220-240




E27 G45 filament milky 140lm

Masterbox	Qty 6
EAN	6923933814398
Size	H: 79 mm, Ø: 45 mm
Material	Full glass
Light source	E27, 1,2W = Eq. 15W, Lumen 140, Kelvin 2700, Life hours 15.000, RA≥80, Beam angle 360°, Not dimmable, Voltage 220-240



E27 G45 filament milky 250lm

Masterbox	Qty 6
EAN	6923933818693
Size	H: 79 mm, Ø: 45 mm
Material	Full Glass
Light source	E27, 2,1W = Eq. 25W, Lumen 250, Kelvin 2700, Life hours 15.000, RA≥80, Beam angle 360°, Not dimmable, Voltage 220-240



E27 G45 filament milky 470lm

Masterbox	Qty 6
EAN	6923933818723
Size	H: 79 mm, Ø: 45 mm
Material	Full Glass
Light source	E27, 4W = Eq. 40W, Lumen 470, Kelvin 2700, Life hours 15.000, RA≥80, Beam angle 360°, Not dimmable, Voltage 220-240



E27 G45 filament milky 806lm

Masterbox	Qty 6
EAN	6923933818754
Size	H: 79 mm, Ø: 45 mm
Material	Full Glass
Light source	E27, 6,8W = Eq. 60W, Lumen 806, Kelvin 2700, Life hours 15.000, RA≥80, Beam angle 360°, Not dimmable, Voltage 220-240



E27 G45 filament milky 470lm

Masterbox	Qty 6
EAN	6923933818730
Size	H: 79 mm, Ø: 45 mm
Material	Full Glass
Light source	E27, 4,2W = Eq. 40W, Lumen 470, Kelvin 2700, Life hours 15.000, RA≥80, Beam angle 360°, Dimmable, Voltage 220-240



E27 G45 filament milky 470lm

Masterbox	Qty 6
EAN	6923933818747
Size	H: 79 mm, Ø: 45 mm
Material	Full Glass
Light source	E27, 4W = Eq. 40W, Lumen 470, Kelvin 4000, Life hours 15.000, RA≥80, Beam angle 360°, Not dimmable, Voltage 220-240



E27 G45 filament milky 806lm

Masterbox	Qty 6
EAN	6923933818761
Size	H: 79 mm, Ø: 45 mm
Material	Full Glass
Light source	E27, 6,8W = Eq. 60W, Lumen 806, Kelvin 4000, Life hours 15.000, RA≥80, Beam angle 360°, Not dimmable, Voltage 220-240



E14 G45 filament milky 806lm

Masterbox	Qty 6
EAN	6923933820047
Size	Ø: 45 mm
Material	Full Glass
Light source	E14, Eq. 60W, Lumen 806, Kelvin 2700, Life hours 15.000, RA≥80, Beam angle 360°, Not dimmable, Voltage 220-240



E14 G45 filament milky 470lm

Masterbox	Qty 5
EAN	6923933820023
Size	Ø: 45 mm
Material	Full Glass
Light source	E14, Eq. 40W, Lumen 470, Kelvin 2700, Life hours 15.000, RA≥80, Beam angle 360°, Not dimmable, Voltage 220-240




E14 G45 filament milky 806lm

Masterbox	Qty 6
EAN	6923933820054
Size	Ø: 45 mm
Material	0
Light source	E14, Eq. 60W, Lumen 806, Kelvin 4000, Life hours 15.000, RA≥80, Beam angle 360°, Not dimmable, Voltage 220-240




E14 G45 filament milky 470lm

Masterbox	Qty 5
EAN	6923933820030
Size	Ø: 45 mm
Material	Full Glass
Light source	E14, Eq. 40W, Lumen 470, Kelvin 4000, Life hours 15.000, RA≥80, Beam angle 360°, Not dimmable, Voltage 220-240




E14 C35 filament clear 470lm

Masterbox	Qty 5
EAN	6923933820092
Size	Ø: 35 mm
Material	Full Glass
Light source	E14, Eq. 40W, Lumen 470, Kelvin 2700, Life hours 15.000, RA≥80, Beam angle 360°, Not dimmable, Voltage 220-240




E14 C35 filament clear 250lm

Masterbox	Qty 6
EAN	6923933820085
Size	Ø: 35 mm
Material	0
Light source	E14, Eq. 25W, Lumen 250, Kelvin 4000, Life hours 15.000, RA≥80, Beam angle 360°, Not dimmable, Voltage 220-240




E27 C35 filament clear 250lm

Masterbox	Qty 6
EAN	6923933819638
Size	Ø: 35 mm
Material	Full Glass
Light source	E27, Eq. 25W, Lumen 250, Kelvin 2700, Life hours 15.000, RA≥80, Beam angle 360°, Not dimmable, Voltage 220-240




E27 C35 filament clear 470lm

Masterbox	Qty 6
EAN	6923933819645
Size	Ø: 35 mm
Material	Full Glass
Light source	E27, Eq. 40W, Lumen 470, Kelvin 2700, Life hours 15.000, RA≥80, Beam angle 360°, Not dimmable, Voltage 220-240




E14 C35 filament clear 140lm

Masterbox	Qty 6
EAN	6923933815319
Size	H: 97 mm, Ø: 35 mm
Material	Full Glass
Light source	E14, 1,2W = Eq. 15W, Lumen 140, Kelvin 2700, Life hours 15.000, RA≥80, Beam angle 360°, Not dimmable, Voltage 220-240




E14 C35 filament clear 250lm

Masterbox	Qty 6
EAN	6923933813124
Size	H: 97 mm, Ø: 35 mm
Material	Full Glass
Light source	E14, 2,1W = Eq. 25W, Lumen 250, Kelvin 2700, Life hours 15.000, RA≥80, Beam angle 360°, Not dimmable, Voltage 220-240




E14 C35 filament clear 470lm

Masterbox	Qty 6
EAN	6923933814077
Size	H: 97 mm, Ø: 35 mm
Material	Full Glass
Light source	E14, 4W = Eq. 40W, Lumen 470, Kelvin 2700, Life hours 15.000, RA≥80, Beam angle 360°, Not dimmable, Voltage 220-240




E14 C35 filament clear 806lm

Masterbox	Qty 6
EAN	6923933818464
Size	H: 97 mm, Ø: 35 mm
Material	Full Glass
Light source	E14, 5,9W = Eq. 60W, Lumen 806, Kelvin 2700, Life hours 15.000, RA≥80, Beam angle 360°, Not dimmable, Voltage 220-240




E14 C35 filament clear 470lm

Masterbox	Qty 6
EAN	6923933813117
Size	H: 97 mm, Ø: 35 mm
Material	Full Glass
Light source	E14, 4,2W = Eq. 40W, Lumen 470, Kelvin 2700, Life hours 15.000, RA≥80, Beam angle 360°, Dimmable, Voltage 220-240




E14 C35 filament clear 806lm

Masterbox	Qty 6
EAN	6923933818471
Size	H: 97 mm, Ø: 35 mm
Material	#N/A
Light source	E14, 5,9W = Eq. 60W, Lumen 806, Kelvin 4000, Life hours 15.000, RA≥80, Beam angle 360°, Not dimmable, Voltage 220-240




E14 C35 filament clear 470lm

Masterbox	Qty 6
EAN	6923933817115
Size	H: 97 mm, Ø: 35 mm
Material	Full Glass
Light source	E14, 4W = Eq. 40W, Lumen 470, Kelvin 4000, Life hours 15.000, RA≥80, Beam angle 360°, Not dimmable, Voltage 220-240



B22 C35 filament clear 250lm

Masterbox	Qty 6
EAN	6923933819836
Size	Ø: 35 mm
Material	Full Glass
Light source	B22, Eq. 25W, Lumen 250, Kelvin 2700, Life hours 15.000, RA≥80, Beam angle 360°, Not dimmable, Voltage 220-240



B22 C35 filament clear 470lm

Masterbox	Qty 6
EAN	6923933819843
Size	Ø: 35 mm
Material	Full Glass
Light source	B22, Eq. 40W, Lumen 470, Kelvin 2700, Life hours 15.000, RA≥80, Beam angle 360°, Not dimmable, Voltage 220-240



E14 C35 filament milky 470lm

Masterbox	Qty 5
EAN	6923933820115
Size	Ø: 35 mm
Material	Full Glass
Light source	E14, Eq. 40W, Lumen 470, Kelvin 2700, Life hours 15.000, RA≥80, Beam angle 360°, Not dimmable, Voltage 220-240



E14 C35 filament milky 250lm

Masterbox	Qty 6
EAN	6923933820108
Size	Ø: 35 mm
Material	Full Glass
Light source	E14, Eq. 25W, Lumen 250, Kelvin 4000, Life hours 15.000, RA≥80, Beam angle 360°, Not dimmable, Voltage 220-240



E14 C35 filament milky 140lm

Masterbox	Qty 6
EAN	6923933814329
Size	H: 97 mm, Ø: 35 mm
Material	Full glass
Light source	E14, 1,2W = Eq. 15W, Lumen 140, Kelvin 2700, Life hours 15.000, RA≥80, Beam angle 360°, Not dimmable, Voltage 220-240



E14 C35 filament milky 250lm

Masterbox	Qty 6
EAN	6923933818495
Size	H: 97 mm, Ø: 35 mm
Material	Full Glass
Light source	E14, 2,1W = Eq. 25W, Lumen 250, Kelvin 2700, Life hours 15.000, RA≥80, Beam angle 360°, Not dimmable, Voltage 220-240



E14 C35 filament milky 470lm

Masterbox	Qty 6
EAN	6923933818501
Size	H: 97 mm, Ø: 35 mm
Material	Full Glass
Light source	E14, 4W = Eq. 40W, Lumen 470, Kelvin 2700, Life hours 15.000, RA≥80, Beam angle 360°, Not dimmable, Voltage 220-240




E14 C35 filament milky 806lm

Masterbox	Qty 6
EAN	6923933818532
Size	H: 97 mm, Ø: 35 mm
Material	Full Glass
Light source	E14, 6,8W = Eq. 60W, Lumen 806, Kelvin 2700, Life hours 15.000, RA≥80, Beam angle 360°, Not dimmable, Voltage 220-240




E14 C35 filament milky 470lm

Masterbox	Qty 6
EAN	6923933818518
Size	H: 97 mm, Ø: 35 mm
Material	Full Glass
Light source	E14, 4,2W = Eq. 40W, Lumen 470, Kelvin 2700, Life hours 15.000, RA≥80, Beam angle 360°, Dimmable, Voltage 220-240



E14 C35 filament milky 470lm

Masterbox	Qty 6
EAN	6923933818525
Size	H: 97 mm, Ø: 35 mm
Material	Full Glass
Light source	E14, 4W = Eq. 40W, Lumen 470, Kelvin 4000, Life hours 15.000, RA≥80, Beam angle 360°, Not dimmable, Voltage 220-240



E14 C35 filament milky 806lm

Masterbox	Qty 6
EAN	6923933818549
Size	H: 97 mm, Ø: 35 mm
Material	Full Glass
Light source	E14, 6,8W = Eq. 60W, Lumen 806, Kelvin 4000, Life hours 15.000, RA≥80, Beam angle 360°, Not dimmable, Voltage 220-240



E27 C35 filament milky 250lm

Masterbox	Qty 6
EAN	6923933819652
Size	Ø: 35 mm
Material	Full Glass
Light source	E27, Eq. 25W, Lumen 250, Kelvin 2700, Life hours 15.000, RA≥80, Beam angle 360°, Not dimmable, Voltage 220-240




E27 C35 filament milky 470lm

Masterbox	Qty 6
EAN	6923933819669
Size	Ø: 35 mm
Material	Full Glass
Light source	E27, Eq. 40W, Lumen 470, Kelvin 2700, Life hours 15.000, RA≥80, Beam angle 360°, Not dimmable, Voltage 220-240




B22 C35 filament milky 470lm

Masterbox	Qty 6
EAN	6923933819850
Size	Ø: 35 mm
Material	Full Glass
Light source	B22, Eq. 40W, Lumen 470, Kelvin 2700, Life hours 15.000, RA≥80, Beam angle 360°, Not dimmable, Voltage 220-240



E27 G95 filament clear 806lm

Masterbox	Qty 3
EAN	6923933815227
Size	
Material	Full Glass
Light source	E27, Eq. 60W, Lumen 806, Kelvin 2700, Life hours , , Beam angle 360°, Not dimmable,




E27 G95 filament clear 1521lm


Masterbox	Qty 3
EAN	6923933820306
Size	
Material	Full Glass
Light source	E27, Eq. 100W, Lumen 1521, Kelvin 2700, Life hours , , Beam angle 360°, Dimmable,



E27 G95 filament milky 1521lm

Masterbox	Qty 3
EAN	6923933820313
Size	
Material	Full Glass
Light source	E27, Eq. 100W, Lumen 1521, Kelvin 2700, Life hours , , Beam angle 360°, Dimmable,





E27 G120 filament clear 1055lm

Masterbox	Qty 3
EAN	6923933815234
Size	Ø: 120 mm
Material	Full Glass
Light source	E27, Eq. 75W, Lumen 1055, Kelvin 2700, Life hours 15.000, RA≥80, Beam angle 360°, Not dimmable, Voltage 220-240

E27 G120 filament milky 1521lm

Masterbox	Qty 3
EAN	6923933817207
Size	H: 172 mm, Ø: 120 mm
Material	Full Glass
Light source	E27, 11W = Eq. 100W, Lumen 1521, Kelvin 2700, Life hours 15.000, RA≥80, Beam angle 360°, Not dimmable, Voltage 220-240

2200K



Lightsource
Ø: 25 mm

Beam angle
360°

Lifetime
15.000

On/off
50.000

Clear
5167003521

E14 T25 filament clear 100lm

Masterbox	Qty 8
EAN	6923933812578
Size	H: 57 mm, Ø: 25 mm
Material	Full Glass
Light source	E14, Eq. 10W, Lumen 100, Kelvin 2200, Life hours 15.000, RA≥80, Beam angle 360°, Not dimmable, Voltage 220-240

2700K



Lightsource
Ø: 25 mm

Beam angle
360°

Lifetime
15.000

On/off
50.000

Clear
5187000121 1-pack

E14 T25 filament clear 250lm

Masterbox	Qty 8
EAN	6923933813544
Size	Ø: 25 mm
Material	Full Glass
Light source	E14, Eq. 25W, Lumen 250, Kelvin 2700, Life hours 15.000, RA≥80, Beam angle 360°, Not dimmable, Voltage 220-240

2700K



Lightsource
Ø: 25 mm

Beam angle
360°

Lifetime
15.000

On/off
50.000

Clear
5187000321

E14 T25 filament clear 470lm

Masterbox	Qty 6
EAN	6923933814008
Size	H: 85 mm, Ø: 25 mm
Material	Full Glass
Light source	E14, 4W = Eq. 40W, Lumen 470, Kelvin 2700, Life hours 15.000, RA≥80, Beam angle 360°, Not dimmable, Voltage 220-240



E27 A60 SMD 470lm

Masterbox	Qty 6
EAN	6923933817702
Size	H: 109 mm, Ø: 60 mm
Material	Full Plastic
Light source	E27, 4,8W = Eq. 40W, Lumen 470, Kelvin 2700, Life hours 15.000, RA≥80, Beam angle 240°, Not dimmable, Voltage 220-240



E27 A60 SMD 806lm

Masterbox	Qty 6
EAN	6923933817856
Size	H: 109 mm, Ø: 60 mm
Material	Plastic+Aluminum
Light source	E27, 8,6W = Eq. 60W, Lumen 806, Kelvin 2700, Life hours 15.000, RA≥80, Beam angle 240°, Not dimmable, Voltage 220-240



E27 A60 SMD 1055lm

Masterbox	Qty 6
EAN	6923933817719
Size	H: 109 mm, Ø: 60 mm
Material	Plastic+Aluminum
Light source	E27, 9,6W = Eq. 75W, Lumen 1055, Kelvin 2700, Life hours 15.000, RA≥80, Beam angle 240°, Not dimmable, Voltage 220-240



E27 A60 SMD 1521lm

Masterbox	Qty 6
EAN	6923933817894
Size	H: 114 mm, Ø: 60 mm
Material	Plastic+Aluminum
Light source	E27, 13,3W = Eq. 100W, Lumen 1521, Kelvin 2700, Life hours 15.000, RA≥80, Beam angle 200°, Not dimmable, Voltage 220-240



E27 A60 SMD 470lm

Masterbox	Qty 5
EAN	6923933817818
Size	H: 109 mm, Ø: 60 mm
Material	Full Plastic
Light source	E27, 4,8W = Eq. 40W, Lumen 470, Kelvin 2700, Life hours 15.000, RA≥80, Beam angle 240°, Not dimmable, Voltage 220-240



E27 A60 SMD 806lm

Masterbox	Qty 5
EAN	6923933817832
Size	H: 109 mm, Ø: 60 mm
Material	Plastic+Aluminum
Light source	E27, 8,6W = Eq. 60W, Lumen 806, Kelvin 2700, Life hours 15.000, RA≥80, Beam angle 240°, Not dimmable, Voltage 220-240



E27 A60 SMD 1055lm

Masterbox	Qty 5
EAN	6923933817863
Size	H: 109 mm, Ø: 60 mm
Material	Plastic+Aluminum
Light source	E27, 9,6W = Eq. 75W, Lumen 1055, Kelvin 2700, Life hours 15.000, RA≥80, Beam angle 240°, Not dimmable, Voltage 220-240



E27 A60 SMD 1521lm

Masterbox	Qty 5
EAN	6923933817887
Size	H: 114 mm, Ø: 60 mm
Material	Plastic+Aluminum
Light source	E27, 13,3W = Eq. 100W, Lumen 1521, Kelvin 2700, Life hours 15.000, RA≥80, Beam angle 200°, Not dimmable, Voltage 220-240



E27 A60 SMD 470lm

Masterbox	Qty 5
EAN	6923933817801
Size	H: 109 mm, Ø: 60 mm
Material	Full Plastic
Light source	E27, 4,8W = Eq. 40W, Lumen 470, Kelvin 4000, Life hours 15.000, RA≥80, Beam angle 240°, Not dimmable, Voltage 220-240



E27 A60 SMD 806lm

Masterbox	Qty 5
EAN	6923933817849
Size	H: 109 mm, Ø: 60 mm
Material	Plastic+Aluminum
Light source	E27, 8,6W = Eq. 60W, Lumen 806, Kelvin 4000, Life hours 15.000, RA≥80, Beam angle 240°, Not dimmable, Voltage 220-240



E14 G45 SMD 250lm

Masterbox	Qty 6
EAN	6923933817917
Size	H: 87 mm, Ø: 45 mm
Material	Full Plastic
Light source	E14, 2,9W = Eq. 25W, Lumen 250, Kelvin 2700, Life hours 15.000, RA≥80, Beam angle 225°, Not dimmable, Voltage 220-240



E14 G45 SMD 470lm

Masterbox	Qty 6
EAN	6923933817962
Size	H: 87 mm, Ø: 45 mm
Material	Plastic+Aluminum
Light source	E14, 4,9W = Eq. 40W, Lumen 470, Kelvin 2700, Life hours 15.000, RA≥80, Beam angle 225°, Not dimmable, Voltage 220-240



E14 G45 SMD 250lm

Masterbox	Qty 5
EAN	6923933817900
Size	H: 87 mm, Ø: 45 mm
Material	Full Plastic
Light source	E14, 2,9W = Eq. 25W, Lumen 250, Kelvin 2700, Life hours 15.000, RA≥80, Beam angle 225°, Not dimmable, Voltage 220-240



E27 G45 SMD 250lm

Masterbox	Qty 6
EAN	6923933817931
Size	H: 84 mm, Ø: 45 mm
Material	Full Plastic
Light source	E27, 2,9W = Eq. 25W, Lumen 250, Kelvin 2700, Life hours 15.000, RA≥80, Beam angle 225°, Not dimmable, Voltage 220-240



E27 G45 SMD 470lm

Masterbox	Qty 6
EAN	6923933813551
Size	H: 84 mm, Ø: 45 mm
Material	Plastic+Aluminum
Light source	E27, 4,9W = Eq. 40W, Lumen 470, Kelvin 2700, Life hours 15.000, RA≥80, Beam angle 225°, Not dimmable, Voltage 220-240



E27 G45 SMD 250lm

Masterbox	Qty 5
EAN	6923933817924
Size	H: 84 mm, Ø: 45 mm
Material	Full Plastic
Light source	E27, 2,9W = Eq. 25W, Lumen 250, Kelvin 2700, Life hours 15.000, RA≥80, Beam angle 225°, Not dimmable, Voltage 220-240




E27 G45 SMD 470lm

Masterbox	Qty 5
EAN	6923933817955
Size	H: 84 mm, Ø: 45 mm
Material	Plastic+Aluminum
Light source	E27, 4,9W = Eq. 40W, Lumen 470, Kelvin 2700, Life hours 15.000, RA≥80, Beam angle 225°, Not dimmable, Voltage 220-240



E27 G45 SMD 806lm

Masterbox	Qty 6
EAN	6923933814770
Size	H: 84 mm, Ø: 45 mm
Material	Full Plastic
Light source	E27, Eq. 60W, Lumen 806, Kelvin 2700, Life hours 15.000, RA≥80, Beam angle 200°, Not dimmable, Voltage 220-240




E27 G45 SMD 806lm

Masterbox	Qty 5
EAN	6923933817979
Size	H: 84 mm, Ø: 45 mm
Material	Full Plastic
Light source	E27, Eq. 60W, Lumen 806, Kelvin 2700, Life hours 15.000, RA≥80, Beam angle 200°, Not dimmable, Voltage 220-240



E14 G45 SMD 470lm

Masterbox	Qty 5
EAN	6923933817948
Size	Ø: 45 mm
Material	Plastic+Aluminum
Light source	E14, Eq. 40W, Lumen 470, Kelvin 2700, Life hours 15.000, RA≥80, Beam angle 225°, Not dimmable, Voltage 220-240




E14 C35 SMD 250lm

Masterbox	Qty 6
EAN	6923933818112
Size	H: 107 mm, Ø: 35 mm
Material	Full Plastic
Light source	E14, 2,9W = Eq. 25W, Lumen 250, Kelvin 2700, Life hours 15.000, RA≥80, Beam angle 300°, Not dimmable, Voltage 220-240




E14 C35 SMD 470lm

Masterbox	Qty 6
EAN	6923933817726
Size	H: 107 mm, Ø: 35 mm
Material	Plastic+Aluminum
Light source	E14, 4,9W = Eq. 40W, Lumen 470, Kelvin 2700, Life hours 15.000, RA≥80, Beam angle 300°, Not dimmable, Voltage 220-240




E14 C35 SMD 250lm

Masterbox	Qty 5
EAN	6923933818129
Size	H: 107 mm, Ø: 35 mm
Material	Full Plastic
Light source	E14, 2,9W = Eq. 25W, Lumen 250, Kelvin 2700, Life hours 15.000, RA≥80, Beam angle 300°, Not dimmable, Voltage 220-240




E14 C35 SMD 470lm

Masterbox	Qty 5
EAN	6923933818143
Size	H: 107 mm, Ø: 35 mm
Material	Plastic+Aluminum
Light source	E14, 4,9W = Eq. 40W, Lumen 470, Kelvin 2700, Life hours 15.000, RA≥80, Beam angle 300°, Not dimmable, Voltage 220-240




E27 A60 SMD flame 396lm

Masterbox	Qty 6
EAN	6923933817771
Size	H: 109 mm, Ø: 60 mm
Material	Full Plastic
Light source	E27, 4,8W = Eq. 35W, Lumen 396, Kelvin 2400, Life hours 15.000, RA≥80, Beam angle 240°, Not dimmable, Voltage 220-240



E14 G45 SMD flame 215lm

Masterbox	Qty 6
EAN	6923933813896
Size	H: 87 mm, Ø: 45 mm
Material	Full Plastic
Light source	E14, 2,9W = Eq. 22W, Lumen 215, Kelvin 2400, Life hours 15.000, RA≥80, Beam angle 225°, Not dimmable, Voltage 220-240



E27 G45 SMD flame 215lm

Masterbox	Qty 6
EAN	6923933814213
Size	H: 84 mm, Ø: 45 mm
Material	Full Plastic
Light source	E27, 2,9W = Eq. 22W, Lumen 215, Kelvin 2400, Life hours 15.000, RA≥80, Beam angle 225°, Not dimmable, Voltage 220-240



E27 A60 SMD light sensor 806lm

Masterbox	Qty 6
EAN	6923933809639
Size	H: 109 mm, Ø: 60 mm
Material	Plastic
Light source	E27, 8WW = Eq. 60W, Lumen 806, Kelvin 2700, Life hours 15.000, RA≥80, Beam angle 240°, LIGHT SENSOR, Voltage 220-240



Lightsource
Ø: 80 mm

Beam angle

Lifetime
15.000

On/off
20.000

RGB
2020051801EL 1-pack

E27 Disco G80 RGB

Masterbox	Qty 6
EAN	5400848000883
Size	Ø: 80 mm
Material	Plastic
Light source	E27, Eq. N/AW, Lumen N/A, Kelvin N/A, Life hours 15.000, , Beam angle , Not dimmable, Voltage 220-240

3000K



Lightsource
Ø: 18 mm

Beam angle
280°

Lifetime
15.000

On/off
50.000

Frosted
5195000321

G9 SMD 370lm

Masterbox	Qty 6
EAN	6923933818167
Size	H: 57 mm, Ø: 18 mm
Material	Plastic+Ceramic
Light source	G9, Eq. 33W, Lumen 370, Kelvin 3000, Life hours 15.000, RA≥80, Beam angle 280°, Not dimmable, Voltage 220-240

3000K



Lightsource

Beam angle
280°

Lifetime
15.000

Dimmable
lightsource

On/off
50.000

Clear
5185000321 1-pack

G9 G9 SMD clear 350lm

Masterbox	Qty 6
EAN	6923933820320
Size	
Material	Plastic+Ceramic
Light source	G9, Eq. 32W, Lumen 350, Kelvin 3000, Life hours 15.000, , Beam angle 280°, Dimmable,

3000K



Lightsource
Ø: 18 mm

Beam angle
280°

Lifetime
15.000

On/off
50.000

Clear
5195000221

G9 SMD clear 400lm

Masterbox	Qty 6
EAN	6923933817733
Size	H: 57 mm, Ø: 18 mm
Material	Plastic+Ceramic
Light source	G9, Eq. 35W, Lumen 400, Kelvin 3000, Life hours 15.000, RA≥80, Beam angle 280°, Not dimmable, Voltage 220-240

2700K



Lightsource
Ø: 10 mm

Beam angle
300°

Lifetime
15.000

On/off
50.000

Clear
5195000621

G4 SMD 180lm

Masterbox	Qty 6
EAN	6923933818150
Size	H: 37 mm, Ø: 10 mm
Material	sillicon
Light source	G4, Eq. 18W, Lumen 180, Kelvin 2700, Life hours 15.000, RA≥80, Beam angle 300°, Not dimmable, Voltage 12

3000K



Lightsource
Ø: 10 mm

Beam angle
300°

Lifetime
15.000

On/off
50.000

Clear
5155101521 1-pack

G4 G4 SMD 136lm

Masterbox	Qty 6
EAN	6923933820207
Size	Ø: 10 mm
Material	Plastic+Ceramic
Light source	G4, Eq. 15W, Lumen 136, Kelvin 3000, Life hours 15.000, RA≥80, Beam angle 300°, Not dimmable, Voltage 12

3000K



Lightsource
Ø: 10 mm

Beam angle
300°

Lifetime
15.000

On/off
50.000

Clear
5155101523 3-pack

G4 G4 SMD 136lm

Masterbox	Qty 16
EAN	6923933820214
Size	Ø: 10 mm
Material	Plastic+Ceramic
Light source	G4, Eq. 15W, Lumen 136, Kelvin 3000, Life hours 15.000, RA≥80, Beam angle 300°, Not dimmable, Voltage 12



GU10 spot 230lm

Masterbox	Qty 6
EAN	6923933817993
Size	H: 55 mm, Ø: 50 mm
Material	Glass+Plastic
Light source	GU10, 3,1W = Eq. 35W, Lumen 230, Kelvin 2700, Life hours 15.000, RA≥80, Beam angle 36°, Not dimmable, Voltage 220-240




GU10 spot 345lm

Masterbox	Qty 6
EAN	6923933818006
Size	H: 55 mm, Ø: 50 mm
Material	Glass+Plastic
Light source	GU10, 4,7W = Eq. 50W, Lumen 345, Kelvin 2700, Life hours 15.000, RA≥80, Beam angle 36°, Not dimmable, Voltage 220-240




GU10 spot 345lm

Masterbox	Qty 5
EAN	6923933820122
Size	H: 55 mm, Ø: 50 mm
Material	Glass+Plastic
Light source	GU10, 4,7W = Eq. 50W, Lumen 345, Kelvin 2700, Life hours 15.000, RA≥80, Beam angle 36°, Not dimmable, Voltage 220-240




GU10 spot 345lm

Masterbox	Qty 6
EAN	6923933812462
Size	H: 55 mm, Ø: 50 mm
Material	Glass+Plastic
Light source	GU10, 4,7W = Eq. 50W, Lumen 345, Kelvin 2700, Life hours 15.000, RA≥80, Beam angle 36°, Dimmable, Voltage 220-240




GU10 spot 450lm

Masterbox	Qty 6
EAN	6923933817276
Size	H: 55 mm, Ø: 50 mm
Material	Glass+Plastic
Light source	GU10, 6,2W = Eq. 64W, Lumen 450, Kelvin 2700, Life hours 15.000, RA≥80, Beam angle 36°, Dimmable, Voltage 220-240



GU10 spot 450lm

Masterbox	Qty 6
EAN	6923933817269
Size	H: 55 mm, Ø: 50 mm
Material	Glass+Plastic
Light source	GU10, 4,9W = Eq. 64W, Lumen 450, Kelvin 4000, Life hours 15.000, RA≥80, Beam angle 36°, Not dimmable, Voltage 220-240




GU10 spot 345lm

Masterbox	Qty 6
EAN	6923933818013
Size	H: 55 mm, Ø: 50 mm
Material	Glass+Plastic
Light source	GU10, 4,7W = Eq. 50W, Lumen 345, Kelvin 4000, Life hours 15.000, RA≥80, Beam angle 36°, Not dimmable, Voltage 220-240




GU10 GU10 spot 450lm

Masterbox	Qty 6
EAN	6923933814749
Size	Ø: 50 mm
Material	Glass+Plastic
Light source	GU10, Eq. 64W, Lumen 450, Kelvin 2700, Life hours 15.000, RA≥80, Beam angle 36°, Not dimmable, Voltage 220-240



GU10 spot 230lm

Masterbox	Qty 5
EAN	6923933818051
Size	H: 55 mm, Ø: 50 mm
Material	Full Plastic
Light source	GU10, 3,1W = Eq. 35W, Lumen 230, Kelvin 2700, Life hours 15.000, RA≥80, Beam angle 36°, Not dimmable, Voltage 220-240



GU10 spot 345lm

Masterbox	Qty 5
EAN	6923933818068
Size	H: 55 mm, Ø: 50 mm
Material	Full Plastic
Light source	GU10, 4,7W = Eq. 50W, Lumen 345, Kelvin 2700, Life hours 15.000, RA≥80, Beam angle 36°, Not dimmable, Voltage 220-240



GU10 GU10 spot 450lm

Masterbox	Qty 5
EAN	6923933820184
Size	Ø: 50 mm
Material	Glass+Plastic
Light source	GU10, Eq. 64W, Lumen 450, Kelvin 2700, Life hours 15.000, RA≥80, Beam angle 36°, Not dimmable, Voltage 220-240



GU10 GU10 spot 345lm

Masterbox	Qty 5
EAN	6923933820139
Size	Ø: 50 mm
Material	Glass+Plastic
Light source	GU10, Eq. 50W, Lumen 345, Kelvin 4000, Life hours 15.000, RA≥80, Beam angle 36°, Not dimmable, Voltage 220-240




GU10 GU10 spot 345lm

Masterbox	Qty 6
EAN	6923933817740
Size	Ø: 50 mm
Material	Glass+Plastic
Light source	GU10, Eq. 50W, Lumen 345, Kelvin 4000, Life hours 15.000, RA≥80, Beam angle 36°, Dimmable, Voltage 220-240



E27 PAR20 spot 500lm

Masterbox	Qty 6
EAN	6923933820221
Size	
Material	#N/A
Light source	E27, Eq. 40W, Lumen 500, Kelvin 3000, Life hours 30000, RA≥80, Beam angle 30°, Dimmable, Voltage 220-240




GU5.3 GU5.3 spot 621lm

Masterbox	Qty 6
EAN	6923933818075
Size	H: 50.5 mm, Ø: 50.5 mm
Material	Plastic+Aluminum
Light source	GU5.3, Eq. 50W, Lumen 621, Kelvin 2700, Life hours 15.000, RA≥80, Beam angle 36°, Dimmable, Voltage 12




E14 R50 reflector 250lm

Masterbox	Qty 6
EAN	6923933818082
Size	H: 81 mm, Ø: 50 mm
Material	Full Glass
Light source	E14, Eq. 46W, Lumen 250, Kelvin 2700, Life hours 15.000, RA≥80, Beam angle 36°, Dimmable, Voltage 220-240



E27 R63 reflector 345lm

Masterbox	Qty 6
EAN	6923933818099
Size	H: 100 mm, Ø: 63 mm
Material	Full Glass
Light source	E27, Eq. 60W, Lumen 345, Kelvin 2700, Life hours 15.000, RA≥80, Beam angle 36°, Dimmable, Voltage 220-240



E27 R80 reflector 345lm

Masterbox	Qty 6
EAN	6923933820078
Size	Ø: 80 mm
Material	Full Glass
Light source	E27, Eq. 60W, Lumen 345, Kelvin 2700, Life hours 15.000, RA≥80, Beam angle 36°, Not dimmable, Voltage 220-240




E27 R63 reflector 207lm

Masterbox	Qty 6
EAN	6923933820061
Size	Ø: 63 mm
Material	Full Glass
Light source	E27, Eq. 40W, Lumen 207, Kelvin 2700, Life hours 15.000, RA≥80, Beam angle 36°, Not dimmable, Voltage 220-240




E27 Classic A60 gold 400lm

Masterbox	Qty 6
EAN	5704924000003
Size	H: 104 mm, Ø: 60 mm
Material	Full glass
Light source	E27, 4,2W = Eq. 35W, Lumen 400, Kelvin 2500, Life hours 15.000, RA≥80, Beam angle 360°, Dimmable, Voltage 220-240




E14 Classic C35 bent gold 400lm

Masterbox	Qty 6
EAN	5704924000157
Size	H: 123 mm, Ø: 35 mm
Material	Full glass
Light source	E14, 4,2W = Eq. 35W, Lumen 400, Kelvin 2500, Life hours 15.000, RA≥80, Beam angle 360°, Dimmable, Voltage 220-240




E14 Classic C35 gold 400lm

Masterbox	Qty 6
EAN	5704924000133
Size	H: 97 mm, Ø: 35 mm
Material	Full glass
Light source	E14, 4,2W = Eq. 35W, Lumen 400, Kelvin 2500, Life hours 15.000, RA≥80, Beam angle 360°, Dimmable, Voltage 220-240




E14 Classic G45 gold 400lm

Masterbox	Qty 6
EAN	5704924000201
Size	H: 79 mm, Ø: 45 mm
Material	Full glass
Light source	E14, 4,2W = Eq. 35W, Lumen 400, Kelvin 2500, Life hours 15.000, RA≥80, Beam angle 360°, Dimmable, Voltage 220-240




E27 Classic G95 gold 400lm

Masterbox	Qty 6
EAN	5704924000218
Size	H: 137 mm, Ø: 95 mm
Material	Full glass
Light source	E27, 4,2W = Eq. 35W, Lumen 400, Kelvin 2500, Life hours 15.000, RA≥80, Beam angle 360°, Dimmable, Voltage 220-240




E27 Classic G120 gold 400lm

Masterbox	Qty 3
EAN	5704924000256
Size	H: 172 mm, Ø: 120 mm
Material	Full glass
Light source	E27, 4,2W = Eq. 35W, Lumen 400, Kelvin 2500, Life hours 15.000, RA≥80, Beam angle 360°, Dimmable, Voltage 220-240




E27 Classic deco ST64 gold 400lm

Masterbox	Qty 6
EAN	5704924000089
Size	Ø: 64 mm
Material	Full glass
Light source	E27, Eq. 34W, Lumen 380, Kelvin 2500, Life hours 15.000, RA≥80, Beam angle 360°, Dimmable, Voltage 220-240



E27 Classic deco G45 gold 400lm

Masterbox	Qty 6
EAN	5704924000195
Size	Ø: 45 mm
Material	Full glass
Light source	E27, Eq. 35W, Lumen 400, Kelvin 2500, Life hours 15.000, RA≥80, Beam angle 360°, Dimmable, Voltage 220-240



E27 Spiral A60 gold 250lm

Masterbox	Qty 6
EAN	5704924000058
Size	Ø: 60 mm
Material	Full glass
Light source	E27, Eq. 25W, Lumen 250, Kelvin 2000, Life hours 15.000, RA≥80, Beam angle 330°, Dimmable, Voltage 220-240



E27 Spiral A60 smokey 110lm

Masterbox	Qty 6
EAN	5704924000065
Size	Ø: 60 mm
Material	Full glass
Light source	E27, Eq. N/AW, Lumen 110, Kelvin 1800, Life hours 15.000, RA≥80, Beam angle 330°, Dimmable, Voltage 220-240




E27 Spiral ST64 gold 250lm

Masterbox	Qty 6
EAN	5704924000096
Size	Ø: 64 mm
Material	Full glass
Light source	E27, Eq. 25W, Lumen 250, Kelvin 2000, Life hours 15.000, RA≥80, Beam angle 330°, Dimmable, Voltage 220-240




E27 Spiral ST64 smokey 110lm

Masterbox	Qty 6
EAN	5704924000102
Size	Ø: 64 mm
Material	Full glass
Light source	E27, Eq. N/AW, Lumen 110, Kelvin 1800, Life hours 15.000, RA≥80, Beam angle 330°, Dimmable, Voltage 220-240




E14 Spiral C35 gold 136lm

Masterbox	Qty 6
EAN	5704924000140
Size	Ø: 35 mm
Material	Full glass
Light source	E14, Eq. 15W, Lumen 136, Kelvin 2000, Life hours 15.000, RA≥80, Beam angle 360°, Dimmable, Voltage 220-240




E14 Spiral C35 bent gold 136lm

Masterbox	Qty 6
EAN	5704924000164
Size	Ø: 35 mm
Material	Full glass
Light source	E14, Eq. 15W, Lumen 136, Kelvin 2000, Life hours 15.000, RA≥80, Beam angle 360°, Dimmable, Voltage 220-240




E27 Spiral T45 gold 200lm

Masterbox	Qty 6
EAN	5704924000171
Size	Ø: 45 mm
Material	Full glass
Light source	E27, Eq. 20W, Lumen 200, Kelvin 2000, Life hours 15.000, RA≥80, Beam angle 330°, Dimmable, Voltage 220-240




E27 Spiral deco T65 gold 600lm

Masterbox	Qty 3
EAN	5704924000294
Size	Ø: 65 mm
Material	Full glass
Light source	E27, Eq. 47W, Lumen 600, Kelvin 2000, Life hours 15.000, RA≥80, Beam angle 330°, Dimmable, Voltage 220-240




E27 Spiral G95 gold 250lm

Masterbox	Qty 6
EAN	5704924000225
Size	Ø: 95 mm
Material	Full glass
Light source	E27, Eq. 25W, Lumen 250, Kelvin 2000, Life hours 15.000, RA≥80, Beam angle 330°, Dimmable, Voltage 220-240




E27 Spiral G95 smokey 110lm

Masterbox	Qty 6
EAN	5704924000232
Size	Ø: 95 mm
Material	Full glass
Light source	E27, Eq. NAW, Lumen 110, Kelvin 1800, Life hours 15.000, RA≥80, Beam angle 330°, Dimmable, Voltage 220-240




E27 Spiral G125 gold 250lm

Masterbox	Qty 3
EAN	5704924000263
Size	Ø: 125 mm
Material	Full glass
Light source	E27, Eq. 25W, Lumen 250, Kelvin 2000, Life hours 15.000, RA≥80, Beam angle 330°, Dimmable, Voltage 220-240




E27 Spiral G125 smokey 110lm

Masterbox	Qty 3
EAN	5704924000270
Size	Ø: 125 mm
Material	Full glass
Light source	E27, Eq. N/AW, Lumen 110, Kelvin 1800, Life hours 15.000, RA≥80, Beam angle 330°, Dimmable, Voltage 220-240




E27 Spiral G200 gold 600lm

Masterbox	Qty 3
EAN	5704924000331
Size	Ø: 200 mm
Material	Full glass
Light source	E27, Eq. 47W, Lumen 600, Kelvin 2000, Life hours 15.000, RA≥80, Beam angle 330°, Dimmable, Voltage 220-240




E27 Spiral G200 smokey 200lm

Masterbox	Qty 3
EAN	5704924000348
Size	Ø: 200 mm
Material	Full glass
Light source	E27, Eq. N/AW, Lumen 200, Kelvin 1800, Life hours 15.000, RA≥80, Beam angle 330°, Dimmable, Voltage 220-240




E27 Spiral PS160 gold 600lm

Masterbox	Qty 3
EAN	5704924000300
Size	Ø: 160 mm
Material	Full glass
Light source	E27, Eq. 47W, Lumen 600, Kelvin 2000, Life hours 15.000, RA≥80, Beam angle 330°, Dimmable, Voltage 220-240




E27 Spiral PS160 smokey 200lm

Masterbox	Qty 3
EAN	5704924000317
Size	Ø: 160 mm
Material	Full glass
Light source	E27, Eq. N/AW, Lumen 200, Kelvin 1800, Life hours 15.000, RA≥80, Beam angle 330°, Dimmable, Voltage 220-240



E27 Retro deco A60 gold 65lm

Masterbox	Qty 6
EAN	5704924000072
Size	Ø: 60 mm
Material	Full glass
Light source	E27, Eq. 40W, Lumen 65, Kelvin 1800, Life hours 15.000, RA≥80, Beam angle 360°, Dimmable, Voltage 220-240




E27 Retro ST64 gold 120lm

Masterbox	Qty 6
EAN	5704924000119
Size	Ø: 64 mm
Material	Full glass
Light source	E27, Eq. 40W, Lumen 120, Kelvin 1800, Life hours 15.000, RA≥80, Beam angle 360°, Dimmable, Voltage 220-240




E27 Retro deco T45 gold 120lm

Masterbox	Qty 6
EAN	5704924000188
Size	Ø: 45 mm
Material	Full glass
Light source	E27, Eq. 40W, Lumen 120, Kelvin 1800, Life hours 15.000, RA≥80, Beam angle 360°, Dimmable, Voltage 220-240




E27 Retro deco G95 gold 120lm

Masterbox	Qty 6
EAN	5704924000249
Size	Ø: 95 mm
Material	Full glass
Light source	E27, Eq. 40W, Lumen 120, Kelvin 1800, Life hours 15.000, RA≥80, Beam angle 360°, Dimmable, Voltage 220-240



E27 3,5W G125 gold 120lm

Masterbox	Qty 3
EAN	5704924000287
Size	H: 16,4 cm, Ø: 12,5 cm
Material	Glass
Light source	E27, Lumen 120, Kelvin 1800, Life hours 15.000, Beam angle 330°, Dimmable



E27 3,5W A165 gold 120lm

Masterbox	Qty 3
EAN	5704924000324
Size	H: 30,3 cm, Ø: 16,8 cm
Material	Glass
Light source	E27, Lumen 120, Kelvin 1800, Life hours 15.000, Beam angle 330°, Dimmable



E27 Avra Diamond 2W

Masterbox	Qty 6
Size	H: 14,5 cm, W: 10 cm, Ø: 10 cm
Material	Glass
Light source	E27, Lumen 150, Kelvin 2200, Life hours 15.000, RA 80, Beam angle 360°, Not dimmable



E27 Avra Stripes 2W Smoke

Masterbox	Qty 6
Size	H: 18 cm, W: 12,5 cm, Ø: 12,5 cm
Material	Glass
IP Class	IP20, Class 2
Light source	E27, Lumen 140, Kelvin 2200, Life hours 15.000, RA 80, Beam angle 360°, Not dimmable



#N/A
2080242758 1-pack

E27 Retro deco G125 gold 120lm

Masterbox	Qty 3
EAN	5704924000287
Size	Ø: 95 mm
Material	Full glass
Light source	E27, Eq. 40W, Lumen 120, Kelvin 1800, Life hours 15.000, RA≥80, Beam angle 360°, Dimmable, Voltage 220-240



#N/A
2080282758 1-pack

E27 Retro deco A165 gold 120lm

Masterbox	Qty 3
EAN	5704924000324
Size	Ø: 95 mm
Material	Full glass
Light source	E27, Eq. 40W, Lumen 120, Kelvin 1800, Life hours 15.000, RA≥80, Beam angle 360°, Dimmable, Voltage 220-240




E27 Magician G95 dots black 100lm

Masterbox	Qty 6
EAN	5400848002351
Size	Ø: 95 mm
Material	Full glass
Light source	E27, Eq. 11W, Lumen 100, Kelvin 2700, Life hours 15.000, RA≥80, Beam angle 330°, Dimmable, Voltage 220-240



E27 Magician G95 dots silver 200lm

Masterbox	Qty 6
EAN	5400848002436
Size	Ø: 95 mm
Material	Full glass
Light source	E27, Eq. 20W, Lumen 200, Kelvin 2700, Life hours 15.000, RA≥80, Beam angle 330°, Dimmable, Voltage 220-240




E27 Magician G95 dots gold 80lm

Masterbox	Qty 6
EAN	5400848002399
Size	Ø: 95 mm
Material	Full glass
Light source	E27, Eq. 9W, Lumen 80, Kelvin 2500, Life hours 15.000, RA≥80, Beam angle 330°, Dimmable, Voltage 220-240



E27 Magician G95 net black 180lm

Masterbox	Qty 6
EAN	5400848002375
Size	Ø: 95 mm
Material	Full glass
Light source	E27, Eq. 18W, Lumen 180, Kelvin 2700, Life hours 15.000, RA≥80, Beam angle 330°, Dimmable, Voltage 220-240




E27 Magician G95 net gold 180lm

Masterbox	Qty 6
EAN	5400848002412
Size	Ø: 95 mm
Material	Full glass
Light source	E27, Eq. 18W, Lumen 180, Kelvin 2500, Life hours 15.000, RA≥80, Beam angle 330°, Dimmable, Voltage 220-240




E27 Magician G200 dots black 120lm

Masterbox	Qty 3
EAN	5400848002450
Size	Ø: 200 mm
Material	Full glass
Light source	E27, Eq. 13W, Lumen 120, Kelvin 2700, Life hours 15.000, RA≥80, Beam angle 330°, Dimmable, Voltage 220-240




E27 Magician G200 net black 300lm

Masterbox	Qty 3
EAN	5400848002474
Size	Ø: 200 mm
Material	Full glass
Light source	E27, Eq. 28W, Lumen 300, Kelvin 2700, Life hours 15.000, RA≥80, Beam angle 330°, Dimmable, Voltage 220-240




E27 Smart A60 filament 20-650lm

Masterbox	Qty 6
EAN	5704924002526
Size	Ø: 60 mm
Material	Full Glass
Light source	E27, , Lumen 20-650, Kelvin 2200-6500, Life hours 15.000, RA≥80, Beam angle 360°, , Voltage 220-240



E27 Smart A60 filament 20-585lm

Masterbox	Qty 6
EAN	5704924002533
Size	Ø: 60 mm
Material	Full Glass
Light source	E27, , Lumen 20-585, Kelvin 2200-6500, Life hours 15.000, RA≥80, Beam angle 360°, , Voltage 220-240




E27 Smart G45 filament 18-600lm

Masterbox	Qty 6
EAN	5704924006357
Size	Ø: 45 mm
Material	Full Glass
Light source	E27, , Lumen 18-600, Kelvin 2200-6500, Life hours 15.000, RA≥80, Beam angle 360°, , Voltage 220-240



E27 Smart G45 filament 17-560lm

Masterbox	Qty 6
EAN	5704924006364
Size	Ø: 45 mm
Material	Full Glass
Light source	E27, , Lumen 17-560, Kelvin 2200-6500, Life hours 15.000, RA≥80, Beam angle 360°, , Voltage 220-240



E27 Smart G95 filament 20-650lm

Masterbox	Qty 6
EAN	5704924002540
Size	Ø: 95 mm
Material	Full Glass
Light source	E27, , Lumen 20-650, Kelvin 2200-6500, Life hours 15.000, RA≥80, Beam angle 360°, , Voltage 220-240



E27 Smart A60 SMD 20-900lm

Masterbox	Qty 6
EAN	5704924002496
Size	Ø: 60 mm
Material	Full Plastic
Light source	E27, , Lumen 20-900, Kelvin 2200-6500, Life hours 25000, RA≥80, Beam angle 240°, , Voltage 220-240




E14 Smart G45 SMD 20-470lm

Masterbox	Qty 6
EAN	5704924001932
Size	Ø: 45 mm
Material	Full Plastic
Light source	E14, , Lumen 20-470, Kelvin 2200-6500, Life hours 15.000, RA≥80, Beam angle 200°, , Voltage 220-240




E14 Smart C35 SMD 10-450lm

Masterbox	Qty 6
EAN	5704924001949
Size	Ø: 35 mm
Material	Full Plastic
Light source	E14, , Lumen 10-450, Kelvin 2200-6500, Life hours 15.000, RA≥80, Beam angle 300°, , Voltage 220-240



GU10 Smart GU10 spot 10-380lm

Masterbox	Qty 6
EAN	5704924001956
Size	Ø: 5 mm
Material	
Light source	GU10, , Lumen 10-380, Kelvin 2200-6500, Life hours 15.000, RA≥80, Beam angle 36°, , Voltage 220-240



GU10 Smart GU10 spot 10-345lm

Masterbox	Qty 6
EAN	5704924006333
Size	
Material	
Light source	GU10, , Lumen 10-345, Kelvin 2200-6500, Life hours 20000, RA≥80, Beam angle 36°, , Voltage 220-240



E27 Smart start pack EU

Masterbox	Qty 6
EAN	5704924002502
Size	Ø: 60 mm
Material	Full Plastic
Light source	E27, , Lumen 20-900, Kelvin 2200-6500, Life hours 25000, RA≥80, Beam angle 240°, , Voltage 220-240



E27 Smart start pack UK

Masterbox	Qty 6
EAN	5704924002502
Size	Ø: 60 mm
Material	Full Plastic
Light source	E27, , Lumen 20-900, Kelvin 2200-6500, Life hours 25000, RA≥80, Beam angle 240°, , Voltage 220-240



E27 Smart RGBW A60 SMD 25-806lm

Masterbox	Qty 6
EAN	5704924006371
Size	Ø: 60 mm
Material	Full Plastic
Light source	E27, , Lumen 25-806, Kelvin 2200-6500 + RGB, Life hours 15.000, RA≥80, Beam angle 240°, , Voltage 220-240



E27 Smart RGBW G95 SMD 32-1055lm

Masterbox	Qty 3
EAN	5704924006395
Size	Ø: 95 mm
Material	Full Plastic
Light source	E27, , Lumen 32-1055, Kelvin 2200-6500 + RGB, Life hours 15.000, RA≥80, Beam angle 240°, , Voltage 220-240



GU10 Smart RGBW spot 11-380lm

Masterbox	Qty 6
EAN	5704924006388
Size	Ø: 16 mm
Material	
Light source	GU10, , Lumen 11-380, Kelvin 2200-6500 + RGB, Life hours 15.000, RA≥80, Beam angle 100°, , Voltage 220-240



E27 Smart spiral deco A60 10-360lm

Masterbox	Qty 6
EAN	5704924006401
Size	Ø: 60 mm
Material	Full glass
Light source	E27, , Lumen 10-360, Kelvin 2200, Life hours 15.000, RA≥80, Beam angle 360°, , Voltage 220-240



E27 Smart spiral deco ST64 11-380lm

Masterbox	Qty 6
EAN	5704924006418
Size	Ø: 64 mm
Material	Full glass
Light source	E27, , Lumen 11-380, Kelvin 2200, Life hours 15.000, RA≥80, Beam angle 360°, , Voltage 220-240



E27 Smart spiral deco G95 11-380lm

Masterbox	Qty 3
EAN	5704924006425
Size	Ø: 95 mm
Material	Full glass
Light source	E27, , Lumen 11-380, Kelvin 2200, Life hours 15.000, RA≥80, Beam angle 360°, , Voltage 220-240



E27 Smart spiral deco G200 11-380lm

Masterbox	Qty 3
EAN	5704924006432
Size	Ø: 200 mm
Material	Full glass
Light source	E27, , Lumen 11-380, Kelvin 2200, Life hours 15.000, RA≥80, Beam angle 360°, , Voltage 220-240

2200K



Lightsource
Ø: 125 mm

Beam angle
360°

Lifetime
15.000

On/off
7.500

Smoke
1427070

E27 Avra Bamboo 2W

Masterbox	Qty 6
Size	H: 17,7 cm, W: 12,5 cm, Ø: 12,5 cm
Material	Glass
IP Class	IP20, Class 2
Light source	E27, Lumen 130, Kelvin 2200, Life hours 15.000, RA 80, Beam angle 360°, Not dimmable

2200K



Lightsource
Ø: 120 mm

Beam angle
360°

Lifetime
15.000

On/off
7.500

Amber
1428070

E27 Avra Square 2W

Masterbox	Qty 6
Size	H: 17,7 cm, W: 12 cm, Ø: 12 cm
Material	Glass
IP Class	IP20, Class 2
Light source	E27, Lumen 140, Kelvin 2200, Life hours 15.000, RA 80, Beam angle 360°, Not dimmable

2200K



Lightsource
Ø: 125mm

Beam angle
360°

Lifetime
15.000

On/off
7.500

Smoke
1429070

E27 Avra Dent 2W

Masterbox	Qty 6
Size	H: 17,7 cm, W: 12,5 cm, Ø: 12,5 cm
Material	Glass
IP Class	IP20, Class 2
Light source	E27, Lumen 130, Kelvin 2200, Life hours 15.000, RA 80, Beam angle 360°, Not dimmable

2200K



Lightsource
Ø: 100 mm

Beam angle
360°

Lifetime
15.000

On/off
7.500

Amber
1430070

E27 Avra Nut 2W

Masterbox	Qty 6
Size	H: 18 cm, W: 10 cm, Ø: 10 cm
Material	Glass
IP Class	IP20, Class 2
Light source	E27, Lumen 200, Kelvin 2200, Life hours 15.000, RA 80, Beam angle 360°, Not dimmable

2200K



Lightsource
Ø: 125 mm

Beam angle
360°

Lifetime
15.000

On/off
7.500

Amber
1438070

E27 Avra Basic Stripes 1,5W

Masterbox	Qty 6
Size	H: 17,7 cm, Ø: 12,5 cm
Material	Glass
IP Class	IP20, Class 2
Light source	E27, Lumen 120, Kelvin 2000, Life hours 15.000, RA 80, Beam angle 360°, Not dimmable

2200K



Lightsource
Ø: 125 mm

Beam angle
360°

Lifetime
15.000

On/off
7.500

Amber
1439070

E27 Avra Basic Line Dent 1,5W

Masterbox	Qty 6
Size	H: 17,7 cm, Ø: 12,5 cm
Material	Glass
IP Class	IP20, Class 2
Light source	E27, Lumen 120, Kelvin 2000, Life hours 15.000, RA 80, Beam angle 360°, Not dimmable

2200K



Lightsource
Ø: 100mm

Beam angle
360°

Lifetime
15.000

On/off
7.500

Amber
1440070

E27 Avra Basic Line Nut 1,5W

Masterbox	Qty 6
Size	H: 18 cm, Ø: 10 cm
Material	Glass
IP Class	IP20, Class 2
Light source	E27, Lumen 120, Kelvin 2000, Life hours 15.000, RA 80, Beam angle 360°, Not dimmable

2200K



Lightsource
Ø: 125 mm

Beam angle
360°

Lifetime
15.000

On/off
7.500

Clear
1441070

E27 Avra Basic Stripes 1,5W

Masterbox	Qty 6
Size	H: 17,7 cm, Ø: 12,5 cm
Material	Glass
IP Class	IP20, Class 2
Light source	E27, Lumen 150, Kelvin 2200, Life hours 15.000, RA 80, Beam angle 360°, Not dimmable






E27 Avra Stripes 2W Clear

Masterbox	Qty 6
Size	H: 17,3 cm, Ø: 12,5 cm
Material	Glass
Light source	E27, Lumen 150, Kelvin 2200, Life hours 15.000, RA 80, Beam angle 360°, Not dimmable


E27 Avra Stripes 2W Amber

Masterbox	Qty 6
Size	H: 17,3 cm, W: 12,5 cm, Ø: 12,5 cm
Material	Glass
Light source	E27, Lumen 130, Kelvin 2200, Life hours 15.000, RA 80, Beam angle 360°, Not dimmable



T8 18W Bulb

Masterbox	Qty 12
Size	L: 60 cm, Ø: 2,5 cm
Material	Glass
Light source	T8, Lumen 1.350, Kelvin 4000, Life hours 8.000, RA 80, Beam angle 360°, Not dimmable




T8 36W Bulb

Masterbox	Qty 12
Size	L: 119,5 cm, Ø: 2,5 cm
Material	Glass
Light source	T8, Lumen 3.348, Kelvin 4000, Life hours 8.000, RA 80, Beam angle 360°, Not dimmable




G13(F) T8 LED tube 60 cm 1150lm

Masterbox	Qty 10
EAN	6923933820375
Size	60 cm
Light source	G13(F), , , Kelvin 4000, Not dimmable,




G13(F) T8 LED tube 60 cm 1150lm

Masterbox	Qty 10
EAN	6923933820382
Size	60 cm
Light source	G13(F), , , Kelvin 6500, Not dimmable,




G13(F) T8 LED tube 120 cm 2250lm

Masterbox	Qty 10
EAN	6923933820399
Size	120 cm
Light source	G13(F) Kelvin 4000, Not dimmable,




G13(F) T8 LED tube 120 cm 2250lm

Masterbox	Qty 10
EAN	6923933820405
Size	120 cm
Light source	G13(F) Kelvin 6500, Not dimmable,



G13(F) T8 LED tube 150 cm 2750lm

Masterbox	Qty 10
EAN	6923933820412
Size	150 cm
Light source	G13(F) Kelvin 4000, Not dimmable,




G13(F) T8 LED tube 150 cm 2750lm

Masterbox	Qty 10
EAN	6923933820429
Size	150 cm
Light source	G13(F) Kelvin 6500, Not dimmable,




G9 filament clear 230lm

Masterbox	Qty 20
EAN	5400848003174
Size	Ø: 13.3 mm
Material	
Light source	G9, Eq. 25W, Lumen 230, Kelvin 3000, Life hours 15.000, RA≥80, Beam angle 135°, NON Dimmable, Voltage 230V




G9 filament clear 470lm

Masterbox	Qty 20
EAN	5400848003204
Size	Ø: 13.3 mm
Material	
Light source	G9, Eq. 40W, Lumen 470, Kelvin 3000, Life hours 15.000, RA≥80, Beam angle 135°, NON Dimmable, Voltage 230V



R7S filament clear 78mm 470lm

Masterbox	Qty 20
EAN	5400848003051
Size	Ø: 13.3 mm
Material	
Light source	R7S, Eq. 40W, Lumen 470, Kelvin 3000, Life hours 15.000, RA≥80, Beam angle 135°, NON Dimmable, Voltage 230V



R7S filament clear 118mm 1055lm

Masterbox	Qty 20
EAN	5400848003143
Size	Ø: 13.3 mm
Material	
Light source	R7S, Eq. 75W, Lumen 1055, Kelvin 3000, Life hours 15.000, RA≥80, Beam angle 135°, NON Dimmable, Voltage 230V



White
0100001

Pendant Suspension

Masterbox	Qty 12
Size	L: 200 cm
Canopy	Color: White, Material: Plastic
Material	Plastic
IP Class	IP20, Class 2
Cable	White 200 cm
Light source	E27, Max. 60W, Excl. light source,



White
0140001

Spiral Suspension

Masterbox	Qty 1
Size	L: 137 cm, Ø: 9 cm
Canopy	Color: White, Material: Plastic
Material	Plastic
IP Class	IP20, Class 2
Cable	White 120 cm
Light source	E27, Max. 60W, Excl. light source,



Brushed steel
0130032

Fixit

Masterbox	Qty 12
Size	H: 4,9 cm, Ø: 1,8 cm
Material	Metal/Plastic



White
531556

Dimmer 35-500W

Masterbox	Qty 12
Size	H: 8,5 cm, W: 8,5 cm
Material	Plastic



White
73059901

Cable 4m

Masterbox Qty 6
Size L: 400 cm
Material Textile
Textile cable: White/Black 400 cm



Black
73059903

Cable 4m

Masterbox Qty 6
Size L: 400 cm
Material Textile
Textile cable: White/Black 400 cm



White
73049901

Cable 25m

Masterbox Qty 1
Material Textile
Cable: White/Black 2500 cm replaceable



Black
73049903

Cable 25m

Masterbox Qty 1
Material Textile
Cable: White/Black 2500 cm



White
12351101

Fox Trafo

Masterbox	Qty 3
Size	H: 2,8 cm, W: 3,8 cm, L: 11,2 cm
Material	Plastic
IP Class	IP20, Class 2
Light source	Max. 20-105W,



Galvanized
22039931

Base

Masterbox	Qty 3
Size	H: 50 cm, Ø: 15 cm, Pipe Ø: 5 cm
Material	Galvanized steel



Clear
2440999

Staldglas

Masterbox	Qty 3
Size	H: 16 cm, Ø: 9,5 cm
Material	Glass
Light source	Excl. light source,



Sandblasted
2440888

Staldglas Frostet

Masterbox	Qty 3
Size	H: 16 cm, Ø: 9,5 cm
Material	Glass
Light source	Excl. light source,



Black
2444999

Staldglas Gasket

Masterbox	Qty 12
Size	Ø: 9,5 cm, Cut-out Ø: 8 cm
Material	Plastic



Grey
76859999

Spot box

Masterbox	Qty 12
Size	H: 15 cm, W: 19 cm, L: 19 cm
Material	Plastic


FSC
FORESTS FOR ALL FOREVER
TM



Theo Table
FSC certified wood

FSC® & responsibility

We focus on protecting our resources and the environment. This is one of the reasons why we have been FSC certified since 2016. FSC certification is about using trade forest products such as wood and paper from responsible sources, and ensuring clear traceability for the wood – all the way from forest to the finished product in the shop.

Responsible sources refers to local populations, animals and plant life being taken into consideration, that logging is done in an environmentally appropriate way and that the deforested areas are replanted.

The desire and motivation for FSC certification of the products which include wood is a natural continuation and development of our approach to environment and sustainability – and we will continue to demand FSC certified wood for those of our design products that include wood.

We see sustainability as a task involving everyone associated with Nordlux – from the owners, board and management to employees and suppliers.

**FSC® stands for Forest Stewardship Council® and is a recognised international non-profit labelling scheme for wood and paper.*

FSC certification ensures responsible forest management and improved living conditions for the local population in forests worldwide.

FSC-C124559

Safety and water protection classification



Nordlux uses the IP code system to explain how well suited products are for humid environments, such as bathroom and outdoors.

The IP code is an international standard, that classifies and rates the degree of protection against intrusion, dust, accidental contact and water.

IP consists of two digits. First digit explains effectiveness against intrusion of objects.

It important to protect electronics against contact with hands and fingers and Nordlux's product adhere to all the legal standards for this, typically level 2.

We even offer product that are completely protected against dust – that would be level 6. Second digit explains the degree of water protection. 0 being no protection and 5 meaning protected against water jet from all directions.

Degree and protection	Intrusion protection	Water protection
	0 Not protected	0 Not protected
Protected against	1 Solid objects larger than 50 mm	1 Vertically dripping water
Protected against	2 Solid objects larger than 12 mm	2 Vertically dripping water at an inclination of 15° degrees
Protected against	3 Solid objects larger than 2,5 mm	3 Splashes of water at an angle of up to 60° degress
Protected against	4 Solid objects larger than 1,0 mm	4 Sprinkling of water
	5 Dust protected	5 Protected against water jets
	6 Dust-proof	6 Protected against strong waves
		7 Protected against the effects of temporary immersion in water

Model	Type	Material	Color	Number	EAN	Pack unit	Switch	Page
A60 B22 1521Lm CW Clear 3P	Bulb			5191003723	6923933819942	Qty 5		503
A60 B22 1521Lm CW Milky	Bulb			5191002321	6923933819973	Qty 6		502
A60 B22 1521Lm WW Clear 3P	Bulb			5181001823	6923933819928	Qty 5		503
A60 B22 1521Lm WW Milky	Bulb			5181021821	6923933819966	Qty 6		502
A60 B22 470Lm WW Clear	Bulb			5181001021	6923933819867	Qty 6		503
A60 B22 806Lm CW Clear	Bulb			5181010721	6923933819898	Qty 6		504
A60 B22 806Lm CW Milky	Bulb			5191002121	6923933819959	Qty 6		502
A60 B22 806Lm WW Clear 3P	Bulb			5181000423	6923933819881	Qty 5		503
Adrian	Wall	Metal, Plastic	Black	48801003	5701581462182	Qty 3	Switch on cable	152
Adrian	Wall	Metal, Plastic	Grey	48801011	5701581462281	Qty 3	Switch on cable	152
Adrian	Table	Metal, Plastic	Black	48815003	5701581462380	Qty 3	Switch on cable	153
Adrian	Table	Metal, Plastic	Grey	48815011	5701581462489	Qty 3	Switch on cable	153
Adrian	Floor	Metal, Plastic	Black	48824003	5701581462588	Qty 2	Switch on cable	153
Adrian	Floor	Metal, Plastic	Grey	48824011	5701581462687	Qty 2	Switch on cable	153
Adrian 16	Pendant	Metal, Plastic	Black	48783003	5701581461789	Qty 6		154
Adrian 16	Pendant	Metal, Plastic	Grey	48783011	5701581461888	Qty 6		154
Adrian 25	Pendant	Metal, Plastic	Black	48793003	5701581461987	Qty 3		154
Adrian 25	Pendant	Metal, Plastic	Grey	48793011	5701581462083	Qty 3		154
Agena	Wall	Plastic, Plastic		2118221003	5704924004964	Qty 3		283
Agger	Wall	Galvanized steel, Glass	Galvanized	74481031	5701581210776	Qty 3		268
Agger	Garden	Galvanized steel, Glass	Galvanized	74528031	5701581211179	Qty 3		269
Agger Sensor	Wall	Galvanized steel, Glass	Galvanized	74501031	5701581210974	Qty 3		269
Agnes	Wall	Metal, Plastic	White	49881001	5701581477681	Qty 6	Switch on cable	196
Agnes	SpotLight	Metal, Plastic	White	49890101	5701581477780	Qty 3		196
Agnes	SpotLight	Metal, Plastic	White	49900101	5701581477889	Qty 3		197
Agnes	SpotLight	Metal, Plastic	White	49910101	5701581477988	Qty 3		197
Agnes	SpotLight	Metal, Plastic	White	49920101	5701581478084	Qty 3		198
Akron 11	Wall	Aluminium, Plastic	Black	46961003	5701581410381	Qty 3		295
Akron 17	Wall	Aluminium, Plastic	Black	46971003	5701581410480	Qty 3		295
Alec	Down-Light	Plastic, Plastic	White	2110350101	5704924006951	Qty 3		418
Alec	Down-Light	Plastic, Plastic	Black	2110350103	5704924006968	Qty 3		418
Aleria	Wall	Metal	White	2019131001	5704924004742	Qty 3		285
Aleria	Wall	Metal	Black	2019131003	5704924000720	Qty 3		285

Model	Type	Material	Color	Number	EAN	Pack unit	Switch	Page
Aleria	Wall	Metal	Grey	2019131010	5704924000737	Qty 3		285
Alexander	Wall	Metal, Plastic	White	48621001	5701581459281	Qty 2	Switch on wall base	169
Alexander	Wall	Metal, Plastic	Black	48621003	5701581459380	Qty 2	Switch on wall base	169
Alexander	Table	Metal, Plastic	White	48635001	5701581459489	Qty 2	Switch on the base	170
Alexander	Table	Metal, Plastic	Black	48635003	5701581459588	Qty 2	Switch on the base	170
Alexander	Floor	Metal, Plastic	White	48654001	5701581459687	Qty 2	Switch on fixture	169
Alexander	Floor	Metal, Plastic	Black	48654003	5701581459786	Qty 2	Switch on fixture	169
Alexander	Pendant	Metal, Plastic	White	48673001	5701581459885	Qty 3		170
Alexander	Pendant	Metal, Plastic	Black	48673003	5701581459984	Qty 3		170
Alfred	Wall	Metal, Plastic	Black	49831003	5701581477384	Qty 6	Switch on cable	198
Alfred	SpotLight	Metal, Plastic	Black	49840103	5701581477483	Qty 3		199
Alfred	SpotLight	Metal, Plastic	Black	49850103	5701581477582	Qty 3		199
Alton	Ceiling	Glass, Metal	Brass	2010506001	5704924001062	Qty 3		125
Alton	Ceiling	Glass, Metal	Black	2010506047	5704924001079	Qty 3		124
Alton	Floor	Metal, Glass	Brass	2010514001	5704924001086	Qty 2	Switch on cable	126
Alton	Floor	Metal, Glass	Black	2010514047	5704924001093	Qty 2	Switch on cable	126
Alton	Table	Glass, Metal	Brass	47645001	5701581416987	Qty 3	Switch on cable	126
Alton	Table	Glass, Metal	Black	47645047	5701581452886	Qty 3	Switch on cable	126
Alton 23	Pendant	Glass, Metal	Black/brass	47303001	5701581413788	Qty 3		124
Alton 23	Pendant	Glass, Metal	Black	47303047	5701581452589	Qty 3		124
Alton 25	Pendant	Glass, Metal	Black/brass	47313001	5701581413887	Qty 3		124
Alton 25	Pendant	Glass, Metal	Black	47313047	5701581452688	Qty 3		124
Alton 35	Pendant	Glass, Metal	Black/brass	48973001	5704924000355	Qty 3		125
Alton 35	Pendant	Glass, Metal	Black	48973047	5701581488588	Qty 3		125
Altus 2700K	Ceiling	Plastic, Metal	White	47206001	5701581412682	Qty 3		390
Altus 2700K	Ceiling	Plastic, Metal	Grey	47206010	5701581412781	Qty 3		374
Altus 4000K	Ceiling	Plastic, Metal	White	47906001	5701581420786	Qty 3		391
Altus 4000K	Ceiling	Plastic, Metal	Grey	47906010	5701581420687	Qty 3		391
Alya	Wall	Plastic, Plastic	Black	2118231003	5704924004971	Qty 3		283
Amalienborg	Wall	Galvanized steel, Plastic	Galvanized	10600219	5702376002194	Qty 3		263
Amalienborg	Garden	Galvanized steel, Plastic	Galvanized	10600319	5702376003191	Qty 3		263
Ancona Maxi E27	Ceiling	Metal, Glass	White	25316101	5701581278479	Qty 3		401
Ancona Maxi E27	Ceiling	Metal, Glass	Brushed steel	25316132	5701581277274	Qty 3		373

Model	Type	Material	Color	Number	EAN	Pack unit	Switch	Page
Andy	Table	Metal, Plastic	Rusty brown	48485009	5701581457881	Qty 3	Switch on cable	157
Andy	Wall	Metal, Plastic	Rusty brown	48491009	5701581457980	Qty 3	Switch on cable	156
Andy 30	Pendant	Metal, Plastic	Rusty brown	48473009	5701581457782	Qty 3		157
Ankaa 2700K	Down-Light	Metal	White	49590101	5701581475182	Qty 3		436
Anniversary	Pendant	Metal	White	76633001	5701581231986	Qty 3		168
Anniversary	Pendant	Metal	Black	76633003	5701581232082	Qty 3		168
Apollo IP23 2700K 1-Kit Dim Tilt	Down-Light	Metal, Plastic	White	62009811002		Qty 10		402
Apollo IP23 2700K 1-Kit Dim Tilt	Down-Light	Metal, Plastic	Nickel	62009811012		Qty 10		402
Apollo IP23 2700K 1-Kit Dim Tilt	Down-Light	Metal, Plastic	Chrome	62009811032		Qty 10		402
Apollo IP23 2700K 3-Kit	Down-Light	Metal, Plastic	White	62009031003		Qty 10		404
Apollo IP23 2700K 3-Kit Tilt	Down-Light	Metal, Plastic	Nickel	62009031013		Qty 10		404
Apollo IP23 2700K 3-Kit Tilt	Down-Light	Metal, Plastic	Chrome	62009031033		Qty 10		404
Apollo IP23 2700K 5-Kit Tilt	Down-Light	Metal, Plastic	White	62009051009		Qty 10		404
Apollo IP23 2700K 5-Kit Tilt	Down-Light	Metal, Plastic	Nickel	62009051019		Qty 10		404
Apollo IP23 4000K 3-Kit Tilt	Down-Light	Metal, Plastic	White	62009033003		Qty 10		405
Apollo IP23 4000K 3-Kit Tilt	Down-Light	Metal, Plastic	Nickel	62009033013		Qty 10		405
Apollo IP23 4000K 3-Kit Tilt	Down-Light	Metal, Plastic	White	62010033003		Qty 10		407
Apollo IP23 4000K 3-Kit Tilt	Down-Light	Metal, Plastic	Nickel	62010033013		Qty 10		407
Apollo IP23 4000K 5-Kit Tilt	Down-Light	Metal, Plastic	White	62009053009		Qty 10		405
Apollo IP23 4000K 5-Kit Tilt	Down-Light	Metal, Plastic	Nickel	62009053019		Qty 10		405
Apollo IP65 2700K 3-Kit	Down-Light	Metal, Plastic	White	62009631006		Qty 10		402
Apollo IP65 2700K 3-Kit	Down-Light	Metal, Plastic	Chrome	62009631016		Qty 10		402
Apollo IP65 2700K 3-Kit	Down-Light	Metal, Plastic	Nickel	62009631036		Qty 10		402
Apollo IP65 2700K 3-Kit	Down-Light	Metal, Plastic	White	62009731003		Qty 10		403
Apollo IP65 2700K 3-Kit	Down-Light	Metal, Plastic	Nickel	62009731013		Qty 10		403
Apollo IP65 2700K 3-Kit	Down-Light	Metal, Plastic	Chrome	62009731033		Qty 10		403
Apollo IP65 4000K 3-Kit	Down-Light	Metal, Plastic	Nickel	62009733013		Qty 10		403
Apollo square IP23 2700K 1-Kit Dim Tilt	Down-Light	Metal, Plastic	White	62010811002		Qty 10		406
Apollo square IP23 2700K 1-Kit Dim Tilt	Down-Light	Metal, Plastic	Nickel	62010811012		Qty 10		406
Apollo square IP23 2700K 3-Kit Tilt	Down-Light	Metal, Plastic	White	62010031003		Qty 10		406
Apollo square IP23 2700K 3-Kit Tilt	Down-Light	Metal, Plastic	Nickel	62010031013		Qty 10		406
Apollo square IP65 2700K 3-Kit	Down-Light	Metal, Plastic	White	62010731003		Qty 10		407
Apollo square IP65 2700K 3-Kit	Down-Light	Metal, Plastic	Nickel	62010731013		Qty 10		407

Model	Type	Material	Color	Number	EAN	Pack unit	Switch	Page
Ara To Go	Portable	Aluminium, Plastic	White	2118245001	5704924004995	Qty 3		250
Ara To Go	Portable	Aluminium, Plastic	Black	2118245003	5704924004988	Qty 3		250
Arcus	Wall	Aluminium, Plastic	Black	2019001003	5704924000478	Qty 3		488
Arcus	Wall	Aluminium, Plastic	Grey	2019001010	5704924000775	Qty 3		488
Arki 100	Garden	Metal, Plastic	Black	2118108003	5704924004681	Qty 2		279
Arki 100	Garden	Metal, Plastic	Galvanized	2118108031	5704924004698	Qty 2		279
Arki 35	Wall	Metal, Plastic	Black	2118111003	5704924004667	Qty 2		278
Arki 35	Wall	Metal, Plastic	Galvanized	2118111031	5704924004674	Qty 2		278
Arki outdoor	Wall	Galvanized steel, Plastic	Black	75181003	5701581280175	Qty 3		278
Arki outdoor	Wall	Galvanized steel, Plastic	Galvanized	75181031	5701581280274	Qty 3		278
Arlington 120	Batten	Plastic	White	47836101	5701581418387	Qty 6		454
Arlington 60	Batten	Plastic	White	47826101	5701581418288	Qty 6		454
Arn	Wall	Aluminium, Plastic	White	45471001	5701581388581	Qty 3		298
Arn	Wall	Aluminium, Plastic	Black	45471003	5701581363687	Qty 3		298
Arn	Wall	Aluminium, Plastic	White	45481001	5701581388680	Qty 3		298
Arn	Wall	Aluminium, Plastic	Black	45481003	5701581363786	Qty 3		298
Artego	Wall	Aluminium, Plastic	Black	46941003	5701581410183	Qty 3		294
Artego	Wall	Aluminium, Plastic	Black	46951003	5701581410282	Qty 3		294
Asbol	Wall	Aluminium, Glass	Black	84971003	5701581401389	Qty 6		286
Asbol	Wall	Aluminium, Glass	Grey	84971010	5704924000768	Qty 6		286
Asbol Kubi	Wall	Aluminium, Glass	Black	2019071003	5704924000652	Qty 6		287
Asbol Kubi	Wall	Aluminium, Glass	Grey	2019071010	5704924000669	Qty 6		287
Ask 28	Ceiling	Metal, Plastic	White	45356001	5701581367289	Qty 3		393
Ask 36	Ceiling	Metal, Plastic	White	45376001	5701581367388	Qty 3		393
Ask 36 Sensor	Ceiling	Metal, Plastic	White	45386501	5701581367487	Qty 3		394
Ask 41	Ceiling	Metal, Plastic	White	45396001	5701581367586	Qty 3		394
Aslak	Wall	Metal	White	45721001	5701581368880	Qty 3	Switch on cable	184
Aslak	Wall	Metal	Black	45721003	5701581368989	Qty 3	Switch on cable	184
Aslak	SpotLight	Metal	White	45730101	5701581369085	Qty 3		184
Aslak	SpotLight	Metal	Black	45730103	5701581369184	Qty 3		184
Aslak	SpotLight	Metal	White	45740101	5701581369283	Qty 3		185
Aslak	SpotLight	Metal	Black	45740103	5701581369382	Qty 3		185
Aslak	Pendant	Metal	Black	46553003	5701581406681	Qty 3		185

Model	Type	Material	Color	Number	EAN	Pack unit	Switch	Page
Aslak	Table	Metal	Black	46685003	5701581408982	Qty 3	Switch on cable	186
Aslak	Floor	Metal	Black	46724003	5701581409781	Qty 3	Switch on cable	186
Aud	Pendant	Metal	Black	45643003	5701581367982	Qty 3		81
Ava	Ceiling	Aluminium, Plastic	Black	2019016003	5704924000485	Qty 3		489
Ava	Ceiling	Aluminium, Plastic	Grey	2019016010	5704924000492	Qty 3		489
Avenue	SpotLight	Metal	Brushed steel	47490032	5701581443488	Qty 2		192
Avenue	SpotLight	Metal	Brushed steel	73561132	5701581201972	Qty 3		190
Avenue LED	Wall	Metal	Brushed steel	76551132	5701581232488	Qty 6		190
Avenue LED	SpotLight	Metal	Brushed steel	76560132	5701581232587	Qty 3		191
Avenue LED	SpotLight	Metal	Brushed steel	76570132	5701581232686	Qty 3		191
Avra	Pendant	Metal	Black/Chrome	84800003	5701581345683	Qty 3		152
Avra	Pendant	Metal	Brass	84800025	5701581345782	Qty 3		152
Avra	Pendant	Metal	Copper	84800030	5701581345881	Qty 3		152
Balance	Pendant	Metal, Acrylic	Black	2010103003	5704924001277	Qty 3		101
Balance	Wall	Metal, Acrylic	Black	2010121003	5704924001284	Qty 2	Switch on cable	100
Balance	Table	Metal, Acrylic	Black	2010145003	5704924001291	Qty 2	Switch on fixture	101
Balance	Floor	Metal, Acrylic	Black	2010164003	5704924001307	Qty 2	Switch on fixture	100
Base	Additional	Galvanized steel	Galvanized	22039931	5701581292048	Qty 3		578
Bastia 24	Wall	Metal, Plastic	Black	2118041003	5704924004629	Qty 3		257
Bastia 24	Wall	Metal, Plastic	Galvanized	2118041031	5704924004636	Qty 3		257
Bastia 35	Wall	Metal, Plastic	Black	2118051003	5704924004643	Qty 2		257
Bastia 35	Wall	Metal, Plastic	Galvanized	2118051031	5704924004650	Qty 2		257
Bell	Wall	Aluminium, Plastic	Black	76391003	5701581244382	Qty 3		291
Bend	Wall	Metal, Aluminium	Black	2112751003	5704924006029	Qty 3		96
Bend	Table	Metal, Aluminium	Black	2112765003	5704924006012	Qty 2		97
Bend Double	Floor	Metal, Aluminium	Black	2112784003	5704924005992	Qty 2		98
Bend Single	Floor	Metal, Aluminium	Black	2112774003	5704924006005	Qty 2		97
Birk	Wall	Aluminium, Plastic	Black	45501003	5701581363885	Qty 3		273
Birk	Garden	Aluminium, Plastic	Black	45518003	5701581363984	Qty 3		273
Birk	Wall	Aluminium, Plastic	Black	45521003	5701581383388	Qty 3		272
Birla	Down-Light	Plastic	White	84950001	5701581373082	Qty 6		436
Bity	Batten	Plastic, Plastic	White	2015486101	5704924002847	Qty 6		443
Bity	Batten	Plastic, Plastic	Silver	2015486154	5704924002854	Qty 6		443

Model	Type	Material	Color	Number	EAN	Pack unit	Switch	Page
Bity	Batten	Plastic, Plastic	White	2015496101	5704924002861	Qty 4		444
Bity	Batten	Plastic, Plastic	Silver	2015496154	5704924002878	Qty 4		444
Bity 40	Batten	Plastic, Plastic	White	2110016101	5704924005022	Qty 6		443
Bity 55	Batten	Plastic, Plastic	White	2110026101	5704924005039	Qty 4		444
Blokhus	Wall	Galvanized steel, Glass	Black	25011003	5701581204072	Qty 3		264
Blokhus	Wall	Copper, Glass	Copper	25011030	5701581115040	Qty 3		264
Blokhus	Wall	Galvanized steel, Glass	Galvanized	25011031	5701581116047	Qty 3		264
Blokhus	Wall	Stainless steel, Glass	Stainless steel	25011034	5701581117044	Qty 3		264
Blokhus	Wall	Galvanized steel, Glass	Galvanized	25051031	5701581122048	Qty 3		265
Blokhus	Garden	Copper, Glass	Copper	25078030	5701581123045	Qty 3		265
Blokhus	Garden	Galvanized steel, Glass	Galvanized	25078031	5701581124042	Qty 3		265
Blokhus	Garden	Stainless steel, Glass	Stainless steel	25078034	5701581125049	Qty 3		265
Blokhus Sensor	Wall	Galvanized steel, Glass	Black	25031003	5701581219274	Qty 3		264
Blokhus Sensor	Wall	Copper, Glass	Copper	25031030	5701581118041	Qty 3		264
Blokhus Sensor	Wall	Galvanized steel, Glass	Galvanized	25031031	5701581119048	Qty 3		264
Blokhus Sensor	Wall	Stainless steel, Glass	Stainless steel	25031034	5701581120044	Qty 3		264
Bob To-Go	Portable	Plastic, Plastic	Black	2118085003	5704924004551	Qty 2	Switch on fixture	246
Bob To-Go	Portable	Bamboo, Plastic	Nature (brown)	2118085062	5704924004568	Qty 2	Switch on fixture	246
Bowler	Wall	Galvanized steel, Plastic	Galvanized	28601131	5701581215061	Qty 3		296
Boxline 13W	Batten	Plastic	White	27496101	5701581200371	Qty 3	Switch on fixture	455
Break	Wall	Metal, Plastic	Black	19861003	5701581226180	Qty 3	Switch on fixture	178
Break	Floor	Metal, Plastic	Black	19874003	5701581226289	Qty 2	Switch on cable	178
Bretagne	Pendant	Metal	White	39489901	5701581330788	Qty 3		105
C35 B22 250Lm WW Clear	Bulb			5183000421	6923933819836	Qty 6		504
C35 B22 470Lm WW Clear	Bulb			5183001821	6923933819843	Qty 6		504
C35 B22 470Lm WW Milky	Bulb			5183016621	6923933819850	Qty 6		502
Cable 25m	Additional	Textile	White	73049901	5701581235779	Qty 1		577
Cable 25m	Additional	Textile	Black	73049903	5701581234079	Qty 1		577
Cable 4m	Additional	Textile	White	73059901	5701581204270	Qty 6		577
Cable 4m	Additional	Textile	Black	73059903	5701581204478	Qty 6		577
Cafe 15	Pendant	Glass, Metal		39553001	5701581101012	Qty 3		120
Cafe 20	Pendant	Glass, Metal		39563001	5701581102019	Qty 3		120
Cafe 25	Pendant	Glass, Metal		39573001	5701581103016	Qty 3		121

Model	Type	Material	Color	Number	EAN	Pack unit	Switch	Page
Cafe 30	Pendant	Glass, Metal		39583001	5701581104013	Qty 3		121
Calvi	Wall	Aluminium, Glass	Black	2019141003	5704924000744	Qty 3		285
Cambio 2W 3-Kit	Built-InOn	Plastic, Metal	Aluminium	79440029	5701581341784	Qty 3	Switch on cable	441
Can Maxi	Wall	Aluminium, Glass	Aluminium	28819929	5701581323889	Qty 3		303
Canis 2700K 1-Kit Dim Tilt	Down-Light	Metal	White	49320101	5701581469280	Qty 3		409
Canis 2700K 1-Kit Dim Tilt	Down-Light	Metal	Nickel	49320155	5701581469389	Qty 3		409
Canis 2700K 3-Kit Dim Tilt	Down-Light	Metal	White	49330101	5701581469488	Qty 3		410
Canis 2700K 3-Kit Dim Tilt	Down-Light	Metal	Nickel	49330155	5701581469587	Qty 3		410
Canis 2700K 3-Kit Tilt	Down-Light	Metal	White	49300101	5701581468887	Qty 3		408
Canis 2700K 3-Kit Tilt	Down-Light	Metal	Nickel	49300155	5701581468986	Qty 3		408
Canis 2700K 5-Kit Tilt	Down-Light	Metal	White	49310101	5701581469082	Qty 3		409
Canis 2700K 5-Kit Tilt	Down-Light	Metal	Nickel	49310155	5701581469181	Qty 3		409
Canis 2700K 5-Kit Tilt	Down-Light			49750101	5701581487581	Qty 3		408
Canis 2700K 5-Kit Tilt	Down-Light			49750155	5701581487680	Qty 3		408
Canis 4000K 1-Kit Dim Tilt	Down-Light	Metal	White	49360101	5701581470088	Qty 3		410
Canis 4000K 1-Kit Dim Tilt	Down-Light	Metal	Nickel	49360155	5701581470187	Qty 3		410
Canis 4000K 3-Kit Dim Tilt	Down-Light	Metal	White	49370101	5701581470286	Qty 3		411
Canis 4000K 3-Kit Dim Tilt	Down-Light	Metal	Nickel	49370155	5701581470385	Qty 3		411
Canis 6500K 1-Kit Dim Tilt	Down-Light	Metal	White	49380101	5701581470484	Qty 3		412
Canis 6500K 1-Kit Dim Tilt	Down-Light	Metal	Nickel	49380155	5701581470583	Qty 3		412
Canis 6500K 3-Kit Dim Tilt	Down-Light	Metal	White	49390101	5701581470682	Qty 3		412
Canis 6500K 3-Kit Dim Tilt	Down-Light	Metal	Nickel	49390155	5701581481183	Qty 3		412
Canis 6500K 5-Kit Tilt	Down-Light	Metal, Plastic	White	49760101	5701581487789	Qty 3		411
Canis 6500K 5-Kit Tilt	Down-Light	Metal, Plastic	Nickel	49760155	5701581487888	Qty 3		411
Canto 2	Wall	Aluminium	White	49701001	5701581482388	Qty 3		306
Canto 2	Wall	Aluminium	Black	49701003	5701581482487	Qty 3		306
Canto 2	Wall	Aluminium	Grey	49701010	5701581482586	Qty 3		306
Canto 2	Wall	Metal	Galvanized	49701031	5701581482685	Qty 3		306
Canto 2	Wall	Stainless steel	Stainless steel	49701034	5701581482784	Qty 3		306
Canto 2	Wall	Brass	Brass	49701035	5701581482883	Qty 3		306
Canto Kubi 2	Wall	Aluminium	White	49711001	5701581482982	Qty 3		307
Canto Kubi 2	Wall	Aluminium	Black	49711003	5701581483088	Qty 3		307
Canto Kubi 2	Wall	Aluminium	Grey	49711010	5701581483187	Qty 3		307

Model	Type	Material	Color	Number	EAN	Pack unit	Switch	Page
Canto Kubi 2	Wall	Metal	Galvanized	49711031	5701581483286	Qty 3		306
Canto Kubi 2	Wall	Stainless steel	Stainless steel	49711034	5701581483385	Qty 3		307
Canto Maxi 2	Wall	Aluminium	White	49721001	5701581483484	Qty 3		306
Canto Maxi 2	Wall	Aluminium	Black	49721003	5701581483583	Qty 3		306
Canto Maxi 2	Wall	Aluminium	Grey	49721010	5701581483682	Qty 3		306
Canto Maxi 2	Wall	Metal	Galvanized	49721031	5701581483781	Qty 3		306
Canto Maxi 2	Wall	Stainless steel	Stainless steel	49721034	5701581483880	Qty 3		306
Canto Maxi 2	Wall	Brass	Brass	49721035	5701581483989	Qty 3		306
Canto Maxi Kubi 2	Wall	Aluminium	White	49731001	5701581476080	Qty 3		307
Canto Maxi Kubi 2	Wall	Aluminium	Black	49731003	5701581484085	Qty 3		307
Canto Maxi Kubi 2	Wall	Aluminium	Grey	49731010	5701581476189	Qty 3		307
Canto Maxi Kubi 2	Wall	Metal	Galvanized	49731031	5701581485785	Qty 3		307
Cardiff	Wall	Aluminium, Glass	Black	74371003	5701581256774	Qty 3		274
Cardiff	Wall	Aluminium, Glass	Black	74381003	5701581256873	Qty 3		274
Cardiff	Garden	Aluminium, Glass	Black	74398003	5701581256972	Qty 3		275
Carina 2700K 1-Kit Dim Tilt	Down-Light	Metal	White	49520101	5701581473683	Qty 3		434
Carina 2700K 1-Kit Dim Tilt	Down-Light	Metal	Nickel	49520155	5701581473782	Qty 3		434
Carina 2700K 3-Kit Dim Tilt	Down-Light	Metal	White	49490101	5701581472983	Qty 3		435
Carina 2700K 3-Kit Dim Tilt	Down-Light	Metal	Nickel	49490155	5701581473188	Qty 3		435
Carina Smart Light 1-Kit	Down-Light			2015660101	5704924003271	Qty 6		413
Carina Smart Light 1-Kit	Down-Light			2015660103	5704924003288	Qty 6		413
Carina Smart Light 1-kit	Down-Light	Metal, Plastic	Brushed steel	2015660155	5704924003295	Qty 6		413
Carina Smart Light 3-kit	Down-Light			2015670101	5704924003073	Qty 3		487
Carina Smart Light 3-Kit	Down-Light	Metal, Plastic	White	2015670103	5704924003080	Qty 3		487
Carina Smart Light 3-Kit	Down-Light	Metal, Plastic	Brushed Nickel	2015670155	5704924003097	Qty 3		486
Carina Smart Light Square 3-Kit	Down-Light	Metal, Plastic	White	2015680101	5704924003103	Qty 3		487
Carina Smart Light Square 3-Kit	Down-Light	Metal, Plastic	Black	2015680103	5704924003110	Qty 3		487
Carina Smart Light Square 3-Kit	Down-Light	Metal, Plastic	Brushed Nickel	2015680155	5704924003127	Qty 3		487
Castor Maxi	Wall	Galvanized steel, Glass		71379931	5704924005930	Qty 3		299
Castor Maxi	Wall	Galvanized steel, Glass		71389931	5704924005947	Qty 3		299
Cera	Pendant	Metal	Brass	2010203035	5704924001314	Qty 2		132
Cera	Table	Metal	Brass	2010225035	5704924001321	Qty 3	Switch on cable	131
Cera	Floor	Metal	Brass	2010244035	5704924001338	Qty 2	Switch on cable	131

Model	Type	Material	Color	Number	EAN	Pack unit	Switch	Page
Chicago	Wall	Metal	Brushed steel	47440032	5701581414389	Qty 3		192
Chicago	SpotLight	Metal	Brushed steel	47450032	5701581414488	Qty 3		193
Chicago	SpotLight	Metal	Brushed steel	47460032	5701581414587	Qty 3		193
Chino 25	Pendant	Wood	Nature (brown)	84823014	5701581346284	Qty 3		139
Chino 30	Pendant	Wood	Nature (brown)	84833014	5701581346383	Qty 3		139
Chino 40	Pendant	Wood	Nature (brown)	84843014	5701581346482	Qty 3		140
Christina	Table	Concrete, Glass	Light gray	48905011	5701581463684	Qty 3	Switch on cable	82
Clarkson 2700K 3-Kit	Down-Light	Plastic, Metal	White	47590101	5701581416086	Qty 3		434
Clarkson 2700K 3-Kit	Down-Light	Plastic, Metal	Brushed steel	47590132	5701581416185	Qty 3		434
Clyde	Pendant	Metal, Plastic	Black	2010803003	5704924001154	Qty 2		103
Clyde	Pendant	Metal, Plastic	Black	2010813003	5704924001161	Qty 2		104
Clyde	Wall	Metal, Plastic	Black	2010821003	5704924001178	Qty 3	Switch on cable	102
Clyde	Table	Metal, Plastic	Black	2010835003	5704924001185	Qty 3	Switch on cable	103
Clyde	Floor	Metal, Plastic	Black	2010844003	5704924001192	Qty 2	Switch on cable	102
Clyde 15	Down-Light	Plastic, Plastic	White	47510101	5701581414785	Qty 3		414
Clyde 15 4000K	Down-Light	Plastic, Plastic	White	47660101	5701581421981	Qty 3		415
Clyde 8	Down-Light	Plastic, Plastic	White	47500101	5701581414686	Qty 3		414
Clyde 8 4000K	Down-Light	Plastic, Plastic	White	47650101	5701581422087	Qty 3		415
Cody	Wall	Metal	White	2112001001	5704924005107	Qty 3	Switch on fixture	88
CodyE27 G45 Smart Bulb 345lm	Wall	Metal	Black	2112001003	5704924005114	Qty 3	Switch on fixture	88
CodyE27 G45 Smart Bulb 560lm	Wall	Metal	Green	2112001023	5704924005121	Qty 3	Switch on fixture	88
E27 A60 Smart Bulb ColorWall 806lmCole	Wall	Metal, Glass	Black	2112890003	5704924006111	Qty 3	Switch on fixture	167
ColeE27 G95 Smart Bulb Color 1055lmSpotLight	SpotLight	Metal, Glass	Black	2112910003	5704924006135	Qty 3		167
ColeE27 A60 Smart SpotLight 360lm	SpotLight	Metal, Glass	Black	2112950003	5704924006159	Qty 3		168
ColeE27 ST64 Smart Wall 380lm	Wall	Metal, Glass	Black	2112991003	5704924006098	Qty 3	Switch on fixture	166
ConcordiaE27 G95 Smart Garden 380lm	Garden	Aluminium, Plastic	Anthracite	49018050	5701581464384	Qty 3		310
ContinaE27 G200 Smart Pendant 380lm	Pendant	Metal, Glass	Black	2010953003	5704924001703	Qty 2		113
Contina	Pendant	Metal, Glass	Brass	2010953035	5704924001710	Qty 2		113
Contina	Wall	Metal, Glass	Black	2010971003	5704924001727	Qty 3	Switch on cable	114
Contina	Wall	Metal, Glass	Brass	2010971035	5704924001734	Qty 3	Switch on cable	114
Contina	Table	Metal, Glass	Black	2010985003	5704924001741	Qty 3	Switch on cable	114
Contina	Table	Metal, Glass	Brass	2010985035	5704924001758	Qty 3	Switch on cable	114
Contina	Floor	Metal, Glass	Black	2010994003	5704924001765	Qty 2	Switch on cable	115

Model	Type	Material	Color	Number	EAN	Pack unit	Switch	Page
Contina	Floor	Metal, Glass	Brass	2010994035	5704924001772	Qty 2	Switch on cable	115
Contina	Pendant	Metal, Glass	Black	2113153003	5704924006456	Qty 4		113
Contina	Pendant	Metal, Glass	Brass	2113153035	5704924006463	Qty 4		113
Cross 20	Wall	Aluminium, Plastic	Black	2118121003	5704924004513	Qty 3		313
Cross 20	Wall	Brass, Plastic	Brass	2118121035	5704924004537	Qty 3		313
Cross 25	Wall	Aluminium, Plastic	Black	2118131003	5704924004520	Qty 3		313
Cross 25	Wall	Brass, Plastic	Brass	2118131035	5704924004544	Qty 3		313
Cuba Bright	Wall	Plastic, Aluminium	White	2019171001	5704924001895	Qty 3		314
Cuba Bright	Wall	Plastic, Aluminium	White	2019191001	5704924001918	Qty 3		315
Cuba Bright Oval	Wall	Plastic, Aluminium	Black	2019191003	5704924004728	Qty 3		315
Cuba Bright Round	Wall	Plastic, Aluminium	Black	2019171003	5704924004735	Qty 3		314
Cuba Energy	Wall	Plastic, Plastic	White	2019161001	5704924001888	Qty 3		314
Cuba Energy	Wall	Plastic, Plastic	White	2019181001	5704924001901	Qty 3		315
Cuba Energy Oval	Wall	Plastic, Plastic	Black	2019181003	5704924004704	Qty 3		315
Cuba Energy Round	Wall	Plastic, Plastic	Black	2019161003	5704924004711	Qty 3		314
Curtiz	Wall	Aluminium, Metal	White	2110551001	5704924007149	Qty 3		442
Curtiz	Wall	Aluminium, Metal	Black	2110551003	5704924007156	Qty 3		442
Cyclone	Wall	Metal	White	72991001	5701581259775	Qty 6	Switch on fixture	158
Cyclone	Wall	Metal	Black	72991003	5701581259973	Qty 6	Switch on fixture	158
Cyclone	Table	Metal	White	73065001	5701581220379	Qty 3	Switch on cable	158
Cyclone	Table	Metal	Black	73065003	5701581220478	Qty 3	Switch on cable	158
Cyclone	Clamp	Metal	White	73072001	5701581220676	Qty 3	Switch on cable	159
Cyclone	Clamp	Metal	Black	73072003	5701581220775	Qty 3	Switch on cable	159
Dalton	Wall	Stainless steel, Glass	Black	46901003	5701581410084	Qty 3		254
Dean	Table	Metal	Black	46605003	5701581407282	Qty 3	Switch on cable	147
Dean	Table	Metal	Brass	46605025	5701581407381	Qty 3	Switch on cable	147
Desi 22	Ceiling	Aluminium, Plastic	Black	77636003	5701581250888	Qty 3		317
Desi 28	Ceiling	Aluminium, Plastic	Black	77646003	5701581250987	Qty 3		317
Dicte	Wall	Textile, Metal	White	2112391001	5704924005558	Qty 3	Switch on fixture	136
Dicte	Wall	Textile, Metal	Beige	2112391009	5704924005565	Qty 3	Switch on fixture	136
Dicte	Table	Textile, Metal	White	2112405001	5704924005572	Qty 3	Switch on cable	134
Dicte	Table	Textile, Metal	Beige	2112405009	5704924005589	Qty 3	Switch on cable	134
Dicte	Floor	Textile, Metal	White	2112414001	5704924005596	Qty 1	Switch on fixture	134

Model	Type	Material	Color	Number	EAN	Pack unit	Switch	Page
Dicte	Floor	Textile, Metal	Beige	2112414009	5704924005602	Qty 1	Switch on fixture	134
Dicte 40	Pendant	Textile, Metal	White	2112353001	5704924005510	Qty 2		135
Dicte 40	Pendant	Textile, Metal	Beige	2112353009	5704924005527	Qty 2		135
Dicte 53	Pendant	Textile, Metal	White	2112373001	5704924005534	Qty 2		135
Dicte 53	Pendant	Textile, Metal	Beige	2112373009	5704924005541	Qty 2		135
Dillon	Pendant	Glass		46473047	5701581405288	Qty 3		115
Dimmer 35-500W	Additional	Plastic	White	531556	7057385315567	Qty 12		576
Disa	Pendant	Glass		45823000	5701581370487	Qty 3		144
Disa	Pendant	Glass		45823027	5701581370586	Qty 3		144
Don Smart	Down-Light	Plastic, Metal	White	2110900101	5704924007521	Qty 3		486
Don Smart	Down-Light	Plastic, Metal	Black	2110900103	5704924007538	Qty 3		486
Don Smart	Down-Light	Plastic, Metal	Brushed Nickel	2110900155	5704924007545	Qty 3		486
Dorado 2700K 1-Kit Dim	Down-Light	Plastic, Metal	White	49430101	5701581471580	Qty 3		419
Dorado 2700K 1-Kit Dim	Down-Light	Plastic, Metal	Nickel	49430155	5701581471788	Qty 3		419
Dorado 2700K 3-Kit Dim	Down-Light	Plastic, Metal	White	49410101	5701581471085	Qty 3		420
Dorado 2700K 3-Kit Dim	Down-Light	Plastic, Metal	Nickel	49410155	5701581471283	Qty 3		420
Dorado 2700K 3-Kit Dim Tilt	Down-Light	Plastic, Metal	White	49400101	5701581470781	Qty 3		420
Dorado 2700K 3-Kit Dim Tilt	Down-Light	Plastic, Metal	Nickel	49400155	5701581470989	Qty 3		420
Dorado 4000K 1-Kit Dim	Down-Light	Plastic, Metal	White	49470101	5701581472686	Qty 3		421
Dorado 4000K 1-Kit Dim	Down-Light	Plastic, Metal	Chrome	49470133	5701581472785	Qty 3		421
Dorado 4000K 1-Kit Dim	Down-Light	Plastic, Metal	Nickel	49470155	5701581472884	Qty 3		421
Dorado 4000K 3-Kit Dim	Down-Light	Plastic, Metal	White	49450101	5701581472181	Qty 3		421
Dorado 4000K 3-Kit Dim	Down-Light	Plastic, Metal	Chrome	49450133	5701581472280	Qty 3		421
Dorado 4000K 3-Kit Dim	Down-Light	Plastic, Metal	Nickel	49450155	5701581472389	Qty 3		421
Dorado 4000K 3-Kit Dim Tilt	Down-Light	Plastic, Metal	White	49440101	5701581471887	Qty 3		422
Dorado 4000K 3-Kit Dim Tilt	Down-Light	Plastic, Metal	Black	49440103	5701581471986	Qty 3		422
Dorado 4000K 3-Kit Dim Tilt	Down-Light	Plastic, Metal	Nickel	49440155	5701581472082	Qty 3		422
Dorado Smart Light 1-Kit	Down-Light	Plastic, Metal	White	2015650101	5704924003004	Qty 6		486
Dorado Smart Light 1-Kit	Down-Light	Plastic, Metal	Black	2015650103	5704924003059	Qty 6		486
Dorado Smart Light 1-Kit	Down-Light	Plastic, Metal	Brushed Nickel	2015650155	5704924003066	Qty 6		486
Dove	Table	Plastic, Metal	Black	84593103	5701581343085	Qty 3	Switch on fixture	180
Drop	Wall	Aluminium	Black	320130	7057383201305	Qty 3	Switch on fixture	181
Drop	Wall	Aluminium	White	320131	7057383201312	Qty 3	Switch on fixture	181

Model	Type	Material	Color	Number	EAN	Pack unit	Switch	Page
E27 3,5W A165	Bulb	Glass		2080282758	5704924000324	Qty 3		561
E27 3,5W G125	Bulb	Glass		2080242758	5704924000287	Qty 3		561
E27 4,8W G45	Bulb	Glass		2080152758	5704924000195	Qty 6		505
E27 5,4W ST64	Bulb	Glass		2080052758	5704924000089	Qty 6		505
E27 Avra Bamboo 2W	Bulb	Glass		1427070	5701581365988	Qty 6		570
E27 Avra Basic Line Dent 1,5W	Bulb	Glass		1439070	5701581439986	Qty 6		571
E27 Avra Basic Line Nut 1,5W	Bulb	Glass		1440070	5701581440081	Qty 6		571
E27 Avra Basic Line Stripes 1,5W	Bulb	Glass		1438070	5701581439887	Qty 6		571
E27 Avra Basic Line Stripes 1,5W	Bulb	Glass		1441070	5701581440180	Qty 6		571
E27 Avra Dent 2W	Bulb	Glass		1429070	5701581366183	Qty 6		570
E27 Avra Diamond 2W	Bulb	Glass		1423070	5701581344785	Qty 6		561
E27 Avra Nut 2W	Bulb	Glass		1430070	5701581366282	Qty 6		570
E27 Avra Square 2W	Bulb	Glass		1428070	5701581366084	Qty 6		570
E27 Avra Stripes 2W Amber	Bulb	Glass		1422070	5701581344686	Qty 6		572
E27 Avra Stripes 2W Clear	Bulb	Glass	Clear	1421070	5701581344587	Qty 6		572
E27 Avra Stripes 2W Smoke	Bulb	Glass		1426070	5701581365889	Qty 6		561
Eagle 1 Spot G9 3,4W	Ceiling	Metal	Chrome	61014111032		Qty 20		422
Eagle 2 Spiral G9 3,4W	Ceiling	Metal	Chrome	61014431032		Qty 8		424
Eagle 2 Spot G9 3,4W	Ceiling	Metal	Chrome	61014221032		Qty 18		423
GU10 Smart Ceiling 345lmEagle 3 Spot G9 3,4W	Ceiling	Metal	Chrome	61014031032		Qty 6		423
Eagle 30 E27 7,4WGU10 Smart Bulb Color 380lmPendant	Pendant	Metal	Chrome	64008711032		Qty 4		424
Eagle 4 Spot G9 3,4W	Ceiling	Metal	Chrome	61014041032		Qty 4		423
Eagle 4 Spot G9 3,4W	Ceiling	Metal	Chrome	61014241032		Qty 10		423
Eagle 400 E27 7,4W	Pendant	Metal	Chrome	64008811032		Qty 2		425
Eagle 6 Spot G9 3,4W	Ceiling	Metal	Chrome	61014061032		Qty 1		423
Eagle 9 Spot G9 3,4W	Ceiling	Metal	Chrome	64008891032		Qty 2		425
Eik	Wall	Metal	White	45761001	5701581369481	Qty 3	Switch on cable	176
Eik	Wall	Metal	Grey	45761010	5701581369580	Qty 3	Switch on cable	176
Eik	SpotLight	Metal	White	45770101	5701581369689	Qty 3		176
Eik	SpotLight	Metal	Grey	45770110	5701581369788	Qty 3		176
Eik	SpotLight	Metal	White	45780101	5701581369887	Qty 3		177
Eik	SpotLight	Metal	Grey	45780110	5701581369986	Qty 3		177
Elkton 14	Down-Light	Plastic, Plastic	White	47530101	5701581414983	Qty 3		417

Model	Type	Material	Color	Number	EAN	Pack unit	Switch	Page
Elkton 8	Down-Light	Plastic, Plastic	White	47520101	5701581414884	Qty 3		417
Ellen	Table	Metal, Glass	Black	2112305003	5704924005480	Qty 3	Switch on cable	161
Ellen	Table	Metal, Glass	Brushed steel	2112305032	5704924005497	Qty 3	Switch on cable	161
Ellen	Table	Metal, Glass	Brass	2112305035	5704924005503	Qty 3	Switch on cable	161
Ellen	Table	Metal, Plastic	White	48555001	5701581458086	Qty 3	Switch on cable	161
Ellen	Table	Metal, Plastic	Black	48555003	5701581458185	Qty 3	Switch on cable	161
Ellen	Table	Metal, Plastic	Green	48555023	5701581458284	Qty 3	Switch on cable	161
Ellen	Floor	Metal, Plastic	White	48584001	5701581458789	Qty 2	Switch on cable	160
Ellen	Floor	Metal, Plastic	Black	48584003	5701581458888	Qty 2	Switch on cable	160
Ellen 30	Pendant	Metal, Plastic	White	48563001	5701581463066	Qty 3		160
Ellen 30	Pendant	Metal, Plastic	Black	48563003	5701581458482	Qty 3		160
Ellen 40	Pendant	Metal, Plastic	White	48573001	5701581458581	Qty 2		162
Ellen 40	Pendant	Metal, Plastic	Black	48573003	5701581458680	Qty 2		162
Elm	Wall	Aluminium, Plastic	Black	45321003	5701581382589	Qty 3		271
Elm	Wall	Aluminium, Plastic	Black	45331003	5701581382787	Qty 3		271
Elm	Garden	Aluminium, Plastic	Black	45348003	5701581382985	Qty 3		272
Embla	Pendant	Glass		45703001	5701581368286	Qty 3		105
Embla	Pendant	Glass		45703047	5701581368385	Qty 3		105
Ethan	Built-InOn	Aluminium, Metal	Mat White	2110400101	5704924007033	Qty 3		376
Ethan	Built-InOn	Aluminium, Metal	Mat black	2110400103	5704924007040	Qty 3		376
Ethan	Built-InOn	Aluminium, Metal	Mat White	2110410101	5704924007057	Qty 3		376
Ethan	Built-InOn	Aluminium, Metal	Mat black	2110410103	5704924007064	Qty 3		376
Ethan	Built-InOn	Aluminium, Metal	Mat White	2110430101	5704924007071	Qty 3		377
Ethan	Built-InOn	Aluminium, Metal	Mat black	2110430103	5704924007088	Qty 3		377
Explore	Wall	Metal	White	72091001	5701581246577	Qty 6	Switch on fixture	188
Explore	Wall	Metal	Black	72091003	5701581246775	Qty 6	Switch on fixture	188
Explore	Wall	Metal	White	74811001	5701581261174	Qty 6	Switch on fixture	189
Explore	Wall	Metal	Black	74811003	5701581261679	Qty 6	Switch on fixture	189
Explore	SpotLight	Metal	White	74830001	5701581262270	Qty 3		189
Explore	SpotLight	Metal	Black	74830003	5701581262478	Qty 3		189
Fallon	Built-InOn	Metal, Plastic	White	47540101	5701581415089	Qty 3		373
Fallon	Built-InOn	Metal, Plastic	Black	47540103	5701581445888	Qty 3		373
Fallon	Built-InOn	Metal, Plastic	White/brushed steel	47540132	5701581415188	Qty 3		373

Model	Type	Material	Color	Number	EAN	Pack unit	Switch	Page
Fallon Long	Built-InOn	Metal, Plastic	White	47550101	5701581415287	Qty 3		373
Fallon Long	Built-InOn	Metal, Plastic	Black	47550103	5701581445987	Qty 3		373
Fallon Long	Built-InOn	Metal, Plastic	White/brushed steel	47550132	5701581415386	Qty 3		373
Fixit	Additional	Metal, Plastic	Brushed steel	0130032	5701581011076	Qty 12		576
Fleur	Wall	Metal	Beige	2112101001	5704924005282	Qty 3	Switch on fixture	78
Fleur	Table	Metal	Beige	2112115001	5704924005299	Qty 3	Switch on fixture	79
Fleur	Floor	Metal	Beige	2112124001	5704924005305	Qty 2	Switch on fixture	78
Foggia 1 Spot GU10 4,3W	SpotLight	Metal	White	61024111002		Qty 12		425
Foggia 1 Spot GU10 4,3W	SpotLight	Metal	Nickel	61024111012		Qty 12		425
Foggia 2 Spot GU10 4,3W	SpotLight	Metal	White	61024221002		Qty 12		426
Foggia 2 Spot GU10 4,3W	SpotLight	Metal	Nickel	61024221012		Qty 12		426
Foggia 3 Spot GU10 4,3W	SpotLight	Metal	White	61024331002		Qty 8		426
Foggia 3Spot GU10 4,3W	SpotLight	Metal	Nickel	61024331012		Qty 8		426
Foggia 4 Spot GU10 4,3W	SpotLight	Metal	White	61024421002		Qty 6		427
Foggia 4 Spot GU10 4,3W	SpotLight	Metal	Nickel	61024421012		Qty 6		427
Fold 10	Wall	Aluminium, Plastic	White	2019041001	5704924000522	Qty 3		304
Fold 10	Wall	Aluminium, Plastic	Black	2019041003	5704924000539	Qty 3		304
Fold 10	Wall	Copper, Plastic	Copper	2019041030	5704924000546	Qty 3		304
Fold 10	Wall	Galvanized steel, Plastic	Galvanized	2019041031	5704924000553	Qty 3		304
Fold 10	Wall	Brass, Plastic	Brass	2019041035	5704924000560	Qty 3		304
Fold 10	Wall	Corten, Plastic	Corten	2019041038	5704924001970	Qty 3		304
Fold 15	Wall	Aluminium, Plastic	White	2019051001	5704924000577	Qty 3		304
Fold 15	Wall	Aluminium, Plastic	Black	2019051003	5704924000584	Qty 3		304
Fold 15	Wall	Copper, Plastic	Copper	2019051030	5704924000591	Qty 3		304
Fold 15	Wall	Galvanized steel, Plastic	Galvanized	2019051031	5704924000607	Qty 3		304
Fold 15	Wall	Brass, Plastic	Brass	2019051035	5704924000614	Qty 3		304
Fold 15	Wall	Metal, Plastic	Corten	2019051038	5704924001987	Qty 3		304
Fox Trafo 20-105W	Additional	Plastic	White	12351101	5701581004993	Qty 3		578
Fremont 2700K 3-Kit	Down-Light	Plastic, Metal	White	47580101	5701581420489	Qty 3		433
Fremont 2700K 3-Kit	Down-Light	Plastic, Metal	Black	47580103	5701581415881	Qty 3		433
Fremont 2700K 3-Kit	Down-Light	Plastic, Metal	Brushed steel	47580132	5701581415980	Qty 3		433
Frida	Wall	Metal, Plastic	White	49801001	5701581477087	Qty 6	Switch on cable	182
Frida	SpotLight	Metal, Plastic	White	49810101	5701581477186	Qty 3		183

Model	Type	Material	Color	Number	EAN	Pack unit	Switch	Page
Frida	SpotLight	Metal, Plastic	White	49820101	5701581477285	Qty 3		183
Front 26	Wall	Metal, Plastic	White	84081001	5701581341180	Qty 3		290
Front 26	Wall	Metal, Plastic	Black	84081003	5701581341289	Qty 3		290
Front 36	Wall	Metal, Plastic	White	84091001	5701581341388	Qty 3		291
Front 36	Wall	Metal, Plastic	Black	84091003	5701581341487	Qty 3		291
Front Single	Wall	Aluminium, Glass	White	46801001	5701581398986	Qty 3		290
Front Single	Wall	Aluminium, Glass	Black	46801003	5701581399082	Qty 3		290
Fuse	Garden	Galvanized steel, Glass	Galvanized	77518031	5701581249288	Qty 1		270
Fuse Base	Additional	Galvanized steel	Galvanized	77509931	5701581257689	Qty 3		270
G45 B22 250Lm WW Clear	Bulb			5182000421	6923933819812	Qty 6		504
G45 B22 470Lm WW Clear	Bulb			5182001221	6923933819829	Qty 6		505
Galloway	Pendant	Metal, Metal	Black/brass	2011053003	5704924001826	Qty 6		116
Galloway	Table	Metal	Black/brass	2011075003	5704924001833	Qty 6	Switch on cable	116
Grant	Pendant	Metal, Glass	Black	2010583003	5704924001130	Qty 3		118
Grant	Pendant	Metal, Glass	Brass	2010583035	5704924001147	Qty 3		118
Grant	Table	Metal, Glass	Black	46635003	5701581407886	Qty 3	Switch on cable	117
Grant	Table	Metal, Glass	Brass	46635025	5701581407985	Qty 3	Switch on cable	117
Grant	Wall	Metal, Glass	Black	47091003	5701581411685	Qty 3	Switch on cable	117
Grant	Wall	Metal, Glass	Brass	47091025	5701581411784	Qty 3	Switch on cable	117
Grant 15	Pendant	Glass, Metal	Brass	2010553035	5704924001109	Qty 3		118
Grant 25	Pendant	Glass, Metal	Brass	2010563035	5704924001116	Qty 3		119
Grant 35	Pendant	Glass, Metal	Brass	2010573035	5704924001123	Qty 2		119
GripGrip Wall	Wall	Aluminium, Plastic	White	2118201001	5704924004384	Qty 3		488
Grip	Wall	Aluminium, Plastic	Black	2118201003	5704924004377	Qty 3		488
Groa 30	Pendant	Wood	Nature (brown)	45683014	5701581368088	Qty 3		137
Groa 34	Pendant	Wood, Metal	Black	2112453003	5704924005619	Qty 3		136
Groa 34	Pendant	Wood, Metal	Nature (brown)	2112453014	5704924005626	Qty 3		136
Groa 40	Pendant	Wood	Nature (brown)	45693014	5701581368187	Qty 3		137
Hang	Pendant	Porcelain	White	2010013001	5704924001222	Qty 6		79
Hang	Pendant	Porcelain	Grey	2010013010	5704924001239	Qty 6		79
Hang	Pendant	Porcelain	Terracotta	2010013059	5704924001246	Qty 6		79
Harlow 60	Ceiling	Plastic, Plastic	White	2110496101	5704924007118	Qty 3		389
Harlow Smart 60	Ceiling	Plastic, Plastic	White	2110806101	5704924007422	Qty 3		484

Model	Type	Material	Color	Number	EAN	Pack unit	Switch	Page
Heka	Wall	Aluminium, Glass	Black	2118211003	5704924004957	Qty 3		296
Heka	Wall	Aluminium, Glass	Grey	2118211050	5704924005046	Qty 3		296
Helford	Wall	Brass, Glass	Brass	49031035	5701581464681	Qty 3		312
Helford	Wall	Brass, Glass	Nickel	49031055	5701581464780	Qty 3		312
Helix	Wall	Metal, Plastic	Galvanized	77479931	5704924005954	Qty 3		305
Helix	Wall	Metal, Plastic	Corten	77479938	5704924005893	Qty 3		305
HelixHelix Garden	Garden	Metal, Plastic	Galvanized	77499931	5704924005961	Qty 2		305
Helix	Garden	Metal, Plastic	Corten	77499938	5704924005909	Qty 2		305
Helva Double	Wall	Plastic, Plastic	Chrome	2015321033	5704924002595	Qty 3	Switch on fixture	362
Helva Double	Wall	Plastic, Plastic	Brushed Nickel	2015321055	5704924002601	Qty 3	Switch on fixture	362
Helva Double Basic	Wall	Plastic, Plastic	White	2015311001	5704924002571	Qty 3	Switch on fixture	362
Helva Double Basic	Wall	Plastic, Plastic	Black	2015311003	5704924002588	Qty 3	Switch on fixture	362
Helva Night	Wall	Plastic, Plastic	White	2015301001	5704924002557	Qty 3	Switch on fixture	361
Helva Night	Wall	Plastic, Plastic	Chrome	2015301033	5704924002564	Qty 3	Switch on fixture	361
Hester	Wall	Plastic, Glass	White	2015391001	5704924002649	Qty 3		372
Hester	Wall	Plastic, Glass	Black	2015391003	5704924002656	Qty 3		372
Hester	Wall	Plastic, Glass	Chrome	2015391033	5704924002663	Qty 3		372
Hollywood	Pendant	Glass, Metal		46483000	5701581405387	Qty 3		127
Hollywood	Pendant	Glass, Metal		46483027	5701581405486	Qty 3		127
Hollywood	Pendant	Glass, Metal		46483047	5701581405585	Qty 3		127
Hollywood	Table	Glass, Plastic		46645000	5701581408081	Qty 3	Switch on cable	127
Hollywood	Table	Glass		46645027	5701581408180	Qty 3	Switch on cable	127
Hollywood	Table	Glass, Plastic		46645047	5701581408289	Qty 3	Switch on cable	127
IP S12	Bathroom	Metal, Plastic	White	83051001	5701581300484	Qty 3		365
IP S12	Bathroom	Metal, Plastic	Chrome	83051033	5701581300583	Qty 3		365
IP S13	Bathroom	Metal, Plastic	White	83061001	5701581300682	Qty 3		366
IP S13	Bathroom	Metal, Plastic	Brushed steel	83061032	5701581300781	Qty 3		366
IP S13	Bathroom	Metal, Plastic	White	83071001	5701581300880	Qty 3		366
IP S13	Bathroom	Metal, Plastic	Brushed steel	83071032	5701581300989	Qty 3		366
IP S16	Bathroom	Metal, Plastic	White	84531001	5701581340985	Qty 3		367
IP S4 Bathroom	SpotLight	Metal, Plastic	White	78511001	5701581268388	Qty 3		364
IP S4 bathroom	Bathroom	Metal, Plastic	Brushed steel	78511032	5701581268487	Qty 3		364
IP S5	Bathroom	Metal, Plastic	White	78521001	5701581268685	Qty 3		364

Model	Type	Material	Color	Number	EAN	Pack unit	Switch	Page
IP S6	Bathroom	Metal, Plastic	White	78531001	5701581274983	Qty 3		365
IP S6	Bathroom	Metal, Plastic	Brushed steel	78531032	5701581275089	Qty 3		365
Ivona	Pendant	Metal, Glass	Black	2112153003	5704924005312	Qty 2		112
Ivona	Pendant	Metal, Glass	Brass	2112153035	5704924005329	Qty 2		112
Ivona	Pendant	Metal, Glass	Black	2112163003	5704924005336	Qty 2		112
Ivona	Pendant	Metal, Glass	Brass	2112163035	5704924005343	Qty 2		112
Jelly	Pendant	Glass, Metal	Clear	2010783001	5704924001628	Qty 2		111
Josefine	Pendant	Metal	Black	2010303003	5704924001055	Qty 3		148
Josefine	Pendant	Metal	Mat black	48933003	5701581463981	Qty 2		148
Josefine	Wall	Metal	Mat black	48941003	5701581464087	Qty 3	Switch on cable	149
Josefine	Table	Metal	Mat black	48955003	5701581464186	Qty 3	Switch on cable	149
Julian	Table	Metal	White	48405001	5701581456488	Qty 3		162
Julian 13	Pendant	Metal	White	48413001	5701581456587	Qty 6		163
Julian 23	Pendant	Metal	White	48423001	5701581456686	Qty 3		163
Kettle 22	Portable	Plastic, Plastic	White	2018003003	5701581495982	Qty 3	Switch on fixture	251
Kettle 36	Portable	Plastic, Plastic	White	2018013003	5701581496088	Qty 3	Switch on fixture	251
Kettle spike	Portable	Metal, Aluminium	Black	2018028003	5701581496187	Qty 3		250
Kettle tripod 100	Portable	Metal	Black	2018044003	5701581496583	Qty 3		252
Kettle Tripod 100	Portable	Wood, Metal	Nature (brown)	2018044014	5701581496682	Qty 3		252
Kettle tripod 31	Portable	Metal	Black	2018035003	5701581496385	Qty 3		252
Kettle Tripod 31	Portable	Wood, Metal	Nature (brown)	2018035014	5701581496484	Qty 3		252
Kinver	Wall	Metal	White	84181001	5701581342781	Qty 3		292
Kinver	Wall	Metal	Black	84181003	5701581342880	Qty 3		292
Kinver 26	Wall	Aluminium, Glass	White	2118181001	5704924004766	Qty 3		292
Kinver 26	Wall	Aluminium, Glass	Black	2118181003	5704924004759	Qty 3		292
Kitchenio 1-kit	Built-InOn	Plastic, Plastic	White	2015450101	5704924002786	Qty 3		440
Kitchenio 1-kit	Built-InOn	Plastic, Plastic	Black	2015450103	5704924002793	Qty 3		440
Kitchenio 1-kit	Built-InOn	Plastic, Plastic	Brushed Nickel	2015450155	5704924002809	Qty 3		440
Kitchenio 3-kit	Built-InOn	Plastic, Plastic	White	2015460101	5704924002816	Qty 3		440
Kitchenio 3-kit	Built-InOn	Plastic, Plastic	Black	2015460103	5704924002823	Qty 3		440
Kitchenio 3-kit	Built-InOn	Plastic, Plastic	Brushed Nickel	2015460155	5704924002830	Qty 3		440
Kurnos 20	Wall	Metal, Plastic	Black	2118061003	5704924004582	Qty 3		256
Kurnos 20	Wall	Metal, Plastic	Galvanized	2118061031	5704924004599	Qty 3		256

Model	Type	Material	Color	Number	EAN	Pack unit	Switch	Page
Kurnos 35	Wall	Metal, Plastic	Black	2118071003	5704924004605	Qty 2		256
Kurnos 35	Wall	Metal, Plastic	Galvanized	2118071031	5704924004612	Qty 2		256
Largo	Wall	Metal	White	47051001	5701581411081	Qty 3	Switch on fixture	187
Largo	Wall	Metal	Black	47051003	5701581411180	Qty 3	Switch on fixture	187
Largo	SpotLight	Metal	Black	47060003	5701581411388	Qty 3		187
Largo	SpotLight	Metal	Black	47070003	5701581411586	Qty 3		188
Latona 31,2 9W	Batten	Plastic	White	47416101	5701581446281	Qty 6		445
Latona 56,2 9W	Batten	Plastic	White	47426101	5701581446380	Qty 6		445
Latona 91,2 12W	Batten	Plastic	White	47436101	5701581446489	Qty 6		446
Led Strip 3M DIM	Rail	Silicone, Plastic		47970000	5701581443587	Qty 6		459
Led Strip 5M	Rail	Silicone, Plastic		47980000	5701581443686	Qty 6		459
Lelio	Floor	Metal, Textile	Black	75554003	5701581286276	Qty 2	Switch on cable	175
LEO To-Go	Portable	Bamboo, Plastic	Nature (brown)	2118095062	5704924004575	Qty 2	Switch on fixture	246
Leonis 2700K IP65 3-Kit	Down-Light	Plastic	Chrome	49160133	5701581466289	Qty 3		430
Leonis 4000K IP65 3-Kit	Down-Light	Plastic	White	49200101	5701581467187	Qty 3		430
Leonis 4000K IP65 3-Kit	Down-Light	Plastic	Nickel	49200155	5701581467385	Qty 3		430
Leroy 2700K	Ceiling	Plastic	White	47560101	5701581415485	Qty 3		374
Leroy 4000K	Ceiling	Plastic	White	47680101	5701581422988	Qty 3		375
Lilly	Pendant	Metal, Glass	Black	48603003	5701581458987	Qty 2		123
Lilly	Pendant	Metal, Glass	Brass	48603035	5701581459083	Qty 2		123
Lilly	Floor	Metal, Glass	Black	48613003	5701581459182	Qty 2	Switch on cable	122
Lilly	Table	Glass, Metal	Black	48885003	5701581463387	Qty 6	Switch on cable	123
Lilly	Wall	Glass, Metal	Black	48891003	5701581463486	Qty 6	Switch on cable	122
Lilt	Pendant	Metal, Plastic	Black	2010603003	5704924001505	Qty 3		147
Lilt	Pendant	Metal, Plastic	Brushed steel	2010603032	5704924001512	Qty 3		147
Link	Rail		Mat White	2110589901	5704924007187	Qty 3		346
Link	Rail	Metal, Plastic	Mat black	2110589903	5704924007194	Qty 3		346
Link 1M	Rail	Metal	White	79079901	5701581273382	Qty 3		346
Link 1M	Rail	Metal	Black	79079903	5701581356382	Qty 3		346
Link 2M	Rail	Metal	White	79089901	5701581273481	Qty 3		347
Link 2M	Rail	Metal	Black	79089903	5701581356580	Qty 3		346
Link Adaptor	Rail	Plastic	White	79069901	5701581273283	Qty 6		349
Link Adaptor	Rail	Plastic	Black	79069903	5701581356986	Qty 6		349

Model	Type	Material	Color	Number	EAN	Pack unit	Switch	Page
Link Connect	Rail	Plastic	White	79059901	5701581273184	Qty 6		347
Link Connect	Rail	Plastic	Black	79059903	5701581356788	Qty 6		347
Link Connect Turnable	Rail	Plastic, Metal	White	79029901	5701581357082	Qty 6		347
Link Connect Turnable	Rail	Plastic, Metal	Black	79029903	5701581357181	Qty 6		347
Link Diskie	SpotLight	Metal, Plastic	Mat White	2110609901	5704924007200	Qty 3		351
Link Diskie	SpotLight	Metal, Plastic	Mat black	2110609903	5704924007217	Qty 3		351
Link Double Adaptor	Rail	Plastic	White	79049901	5701581357488	Qty 3		348
Link Double Adaptor	Rail	Plastic	Black	79049903	5701581357587	Qty 3		348
Link Explore	Rail	Metal, Plastic	White	86189901	5701581373587	Qty 6		353
Link Explore	Rail	Metal, Plastic	Black	86189903	5701581373686	Qty 6		353
Link Frøya	Rail	Metal, Plastic	White	86119901	5701581373389	Qty 3		354
Link Koniekel	SpotLight	Metal, Plastic	Mat White	2110629901	5704924007248	Qty 3		352
Link Koniekel	SpotLight	Metal, Plastic	Mat black	2110629903	5704924007255	Qty 3		352
Link Mib 6	Rail	Metal, Plastic	White	71669901	5701581332287	Qty 3		354
Link Mib 6	Rail	Metal, Plastic	Black	71669903	5701581332386	Qty 3		353
Link Munin	Rail	Metal, Plastic	White	86129901	5701581373488	Qty 3		355
Link Open	SpotLight	Metal, Plastic	Mat White	2110619901	5704924007224	Qty 3		351
Link Open	SpotLight	Metal, Plastic	Mat black	2110619903	5704924007231	Qty 3		351
Link Opposite Adaptor	Rail	Plastic, Metal	White	79039901	5701581357280	Qty 3		347
Link Opposite Adaptor	Rail	Plastic	Black	79039903	5701581357389	Qty 3		350
Link Rondie	SpotLight	Metal, Plastic		2110639901	5704924007262	Qty 3		353
Link Rondie	SpotLight	Metal, Plastic		2110639903	5704924007279	Qty 3		353
Link Rondie	Pendant	Metal, Plastic		2110649901	5704924007286	Qty 3		352
Link Rondie	Pendant	Metal, Plastic		2110649903	5704924007293	Qty 3		352
Link Single	Rail	Metal, Plastic	White	86109901	5701581357686	Qty 6		355
Link Single	Rail	Metal, Plastic	Black	86109903	5701581373280	Qty 6		355
Link T-Connector Left	Rail	Plastic, Metal	White	86069901	5701581402287	Qty 6		350
Link T-Connector Left	Rail	Plastic, Metal	Black	86069903	5701581402386	Qty 6		350
Link T-Connector Right	Rail	Plastic, Metal	White	86059901	5701581402089	Qty 6		349
Link T-Connector Right	Rail	Plastic, Metal	Black	86059903	5701581402188	Qty 6		349
Link X-Connector	Rail	Plastic, Metal	White	86079901	5701581402485	Qty 6		348
Link X-Connector	Rail	Plastic, Metal	Black	86079903	5701581402584	Qty 6		348
Lismore 4-kit	Built-InOn	Plastic	Chrome	76730001	5701581210684	Qty 3	Switch on cable	441

Model	Type	Material	Color	Number	EAN	Pack unit	Switch	Page
Lotus	Wall	Metal, Plastic	Black/brass	50101003	5701581478183	Qty 6	Switch on cable	194
Lotus	SpotLight	Metal, Plastic	Black/brass	50110103	5701581478282	Qty 3		194
Lotus	SpotLight	Metal, Plastic	Black/brass	50120103	5701581478381	Qty 3		195
LINK OMARI LED WHITE	Pendant	Metal, Plastic	White	2112229901	5704924005411	Qty 4		356
LINK COLE SPOT E14 WHITE/ OPALWHITE	SpotLight	Metal, Glass	White	2112859901	5704924006074	Qty 3		356
Lotus	SpotLight	Metal, Plastic	Black/brass	50130103	5701581478480	Qty 3		195
Luxembourg	Wall	Galvanized steel, Glass	Black	22671003	5701581004047	Qty 3		255
Luxembourg	Wall	Galvanized steel, Glass	Rusty	22671009	5701581233171	Qty 3		255
Luxembourg	Wall	Copper, Glass	Copper	22671030	5701581083011	Qty 3		255
Luxembourg	Wall	Galvanized steel, Glass	Galvanized	22671031	5701581035010	Qty 3		255
Luxembourg	Pendant	Galvanized steel, Glass	Rusty	72805009	5701581233270	Qty 3		254
Luxembourg Sensor	Wall	Galvanized steel, Glass	Galvanized	22661031	5701581020054	Qty 3		255
Lyne	Pendant	Metal	Black	84813003	5701581346086	Qty 3		155
Lønstrup 22	Wall	Galvanized steel, Glass	Black	71431003	5701581232389	Qty 3		266
Lønstrup 22	Wall	Galvanized steel, Glass	Galvanized	71431031	5701581232181	Qty 3		266
Lønstrup 22 Sensor	Wall	Galvanized steel, Glass	Galvanized	71432031	5701581232280	Qty 3		266
Lønstrup 32	Wall	Galvanized steel, Glass	Black	71411003	5701581277977	Qty 3		267
Lønstrup 32	Wall	Galvanized steel, Glass	Galvanized	71411031	5701581253773	Qty 3		267
Lønstrup 32	Garden	Galvanized steel, Glass	Black	71428003	5701581278271	Qty 3		268
Lønstrup 32	Garden	Galvanized steel, Glass	Galvanized	71428031	5701581253674	Qty 3		268
Lønstrup 32 Sensor	Wall	Galvanized steel, Glass	Galvanized	71412031	5701581278073	Qty 3		267
Mahi IP65 1-Kit	Down-Light	Plastic, Metal	White	2015430101	5704924002748	Qty 3		372
Mahi IP65 1-Kit	Down-Light	Plastic, Metal	Black	2015430103	5704924002755	Qty 3		372
Mahi IP65 1-Kit	Down-Light	Plastic, Metal	Brushed Nickel	2015430155	5704924002779	Qty 3		372
Malte	Wall	Galvanized steel, Plastic	Galvanized	21841031	5701581099043	Qty 3		316
Malte	Wall	Galvanized steel, Plastic	Galvanized	21861031	5701581100046	Qty 3		316
Mani 25	Ceiling	Metal, Plastic		45606001	5701581367784	Qty 6		392
Mani 32	Ceiling	Metal, Plastic		45616001	5701581367883	Qty 6		392
Marina Bathroom	Bathroom	Metal, Glass	Black	62329903	5701581365780	Qty 3		367
Marina Bathroom	Bathroom	Metal, Glass	Chrome	62329933	5701581331785	Qty 3		367
Marina Flatline	Wall	Aluminium, Plastic	White	46821001	5701581399181	Qty 3		293
Marina Flatline	Wall	Aluminium, Plastic	Black	46821003	5701581399280	Qty 3		293
Marina Flatline Pir Sensor	Wall	Aluminium, Plastic	White	46831001	5701581399389	Qty 3		293

Model	Type	Material	Color	Number	EAN	Pack unit	Switch	Page
Marina Flatline Pir Sensor	Wall	Aluminium, Plastic	Black	46831003	5701581399488	Qty 3		293
Marlee	Bathroom	Metal, Plastic	White	2110701001	5704924007361	Qty 3		360
Marlee	Bathroom	Metal, Plastic	Black	2110701003	5704924007378	Qty 3		360
Mason	Wall	Plastic	White	47131001	5701581412187	Qty 3	Switch on fixture	182
Mason	Wall	Plastic	Black	47131003	5701581412286	Qty 3	Switch on fixture	182
Matrix	Ceiling	Aluminium, Plastic	Black	2118006003	5704924004421	Qty 3		276
Matrix	Ceiling	Aluminium, Plastic	Aluminium	2118006010	5704924004445	Qty 3		276
Matrix	Ceiling	Aluminium, Plastic	Dark brass	2118006061	5704924004438	Qty 3		276
Matrix	Wall	Aluminium, Plastic	Black	2118011003	5704924004391	Qty 3		276
Matrix	Wall	Aluminium, Plastic	Aluminium	2118011010	5704924004414	Qty 3		276
Matrix	Wall	Aluminium, Plastic	Dark brass	2118011061	5704924004407	Qty 3		276
Matrix 45	Garden	Aluminium, Plastic	Black	2118028003	5704924004452	Qty 3		277
Matrix 45	Garden	Aluminium, Plastic	Aluminium	2118028010	5704924004476	Qty 3		277
Matrix 45	Garden	Aluminium, Plastic	Dark brass	2118028061	5704924004469	Qty 3		277
Matrix 95	Garden	Aluminium, Plastic	Black	2118038003	5704924004483	Qty 3		277
Matrix 95	Garden	Aluminium, Plastic	Aluminium	2118038010	5704924004506	Qty 3		277
Matrix 95	Garden	Aluminium, Plastic	Dark brass	2118038061	5704924004490	Qty 3		277
Melo 28	Ceiling	Plastic, Metal	White	77656001	5701581251083	Qty 3		400
Melo 34	Ceiling	Plastic, Metal	White	63246001	5701581240889	Qty 3		401
Melo 34 Sensor	Ceiling	Plastic, Metal	White	78866001	5701581273788	Qty 3		400
Mento	Wall	Metal	White	75531001	5701581285972	Qty 6	Switch on fixture	180
Mento	Wall	Metal	Black	75531003	5701581286078	Qty 6	Switch on fixture	180
Mento	Clamp	Metal	White	75582001	5701581211780	Qty 6	Switch on fixture	180
Mento	Clamp	Metal	Black	75582003	5701581211889	Qty 6	Switch on fixture	180
Milford	Table	Glass, Wood	Nature (brown)	48915001	5701581463783	Qty 3	Switch on cable	83
Milford	Floor	Metal, Glass	White	48924001	5701581463882	Qty 2	Switch on cable	82
Milford	Table	Glass, Metal	Black	48965001	5701581464285	Qty 3	Switch on cable	83
Milford 20	Pendant	Glass		46573001	5701581406988	Qty 3		84
Milford 30	Pendant	Glass		46583001	5701581407084	Qty 2		84
Mixit	Down-Light	Plastic, Metal	Brushed steel	71820132	5701581264779	Qty 3		438
Mixit Pro	Down-Light	Plastic, Metal	White	71810101	5701581295186	Qty 3		438
Mixit Pro	Down-Light	Plastic, Metal	Brushed steel	71810132	5701581279681	Qty 3		438
Molli	Pendant	Metal, Glass	Black	2112803003	5704924006067	Qty 3		166

Model	Type	Material	Color	Number	EAN	Pack unit	Switch	Page
Molli	Wall	Metal, Glass	Black	2112811003	5704924006036	Qty 3	Switch on fixture	164
Molli	Table	Metal, Glass	Black	2112825003	5704924006449	Qty 3	Switch on fixture	164
Molli	Floor	Metal, Glass	Black	2112834003	5704924006043	Qty 2	Switch on cable	165
Molli	Floor	Metal, Glass	Black	2112844003	5704924006050	Qty 2	Switch on fixture	165
Mona	Wall	Aluminium, Glass	White	2110561001	5704924007163	Qty 3	Switch on cable	442
Mona	Wall	Aluminium, Glass	Black/White	2110561003	5704924007170	Qty 3	Switch on cable	442
Mono	SpotLight	Aluminium	Black	83698003	5701581306585	Qty 3		320
Montone 18	Ceiling	Metal, Plastic	White	2015156101	5704924002250	Qty 3		395
Montone 25	Ceiling	Metal, Plastic	White	2015176101	5704924002267	Qty 3		395
Montone 25 2700K	Ceiling	Metal, Plastic	White	49936101	5701581484184	Qty 3		396
Montone 28X28 2700KMontone 28X28 2700KCeiling	Ceiling	Metal, Plastic	White	49976101	5701581484580	Qty 3		396
Montone 30	Ceiling	Metal, Plastic	White	2015196101	5704924002274	Qty 3		397
Montone 30 2700K	Ceiling	Metal, Plastic	White	49956101	5701581484382	Qty 3		397
Montone 33	Ceiling	Metal, Plastic	White	2015226101	5704924002304	Qty 3		371
Montone 36	Ceiling	Metal, Plastic	White	2015206101	5704924002281	Qty 3		397
Montone 36	Ceiling	Metal, Plastic	White	2015216101	5704924002298	Qty 3		398
Montone 36	Ceiling	Metal, Plastic	White	2015236101	5704924002311	Qty 3		371
Nama 50	Garden	Aluminium, Plastic	Black	2118268003	5704924005008	Qty 2	Switch on cable	282
Nama 90	Garden	Aluminium, Plastic	Black	2118278003	5704924005015	Qty 2	Switch on cable	282
Nene	Wall	Metal, Glass	Black	872723	7057388727237	Qty 3		287
Nestor	Wall	Aluminium, Plastic	Black	49041003	5701581464889	Qty 3		284
Nestor sensor	Wall	Aluminium, Plastic	Black	49051503	5701581464988	Qty 3		284
Nibe	Wall	Copper, Glass	Copper	24981030	5701581121010	Qty 6		261
Nibe	Wall	Galvanized steel, Glass	Galvanized	24981031	5701581122017	Qty 6		261
Norma	Wall	Aluminium, Glass	Grey	77611010	5701581250680	Qty 3		289
Notti	Pendant	Metal	Black	2010903003	5704924001666	Qty 6		81
Notti	Pendant	Metal	Grey	2010903010	5704924001673	Qty 6		81
Notti	Pendant	Glass, Metal	Black	2011003003	5704924001789	Qty 3		80
Notti	Pendant	Glass, Metal	Grey	2011003010	5704924001796	Qty 3		80
Notti	Table	Metal, Glass	Black	2011035003	5704924001802	Qty 3	Switch on cable	80
Notti	Table	Metal, Glass	Grey	2011035010	5704924001819	Qty 3	Switch on cable	80
Noxy IP44 3000K/4000K	Ceiling	Plastic, Aluminium	White	2015356101	5704924002618	Qty 3	Switch on fixture	370
Noxy IP44 3000K/4000K	Ceiling	Plastic, Aluminium	Black	2015356103	5704924002625	Qty 3	Switch on fixture	370

Model	Type	Material	Color	Number	EAN	Pack unit	Switch	Page
Oakland 120 23W	Batten	Plastic, Plastic	White	47736101	5701581417380	Qty 6		457
Oakland 120 54W	Batten	Plastic, Plastic	White	47746101	5701581417489	Qty 6		457
Oakland 150 29W	Batten	Plastic, Plastic	White	47756101	5701581417588	Qty 6		458
Oakland 150 61W	Batten	Plastic, Plastic	White	47766101	5701581417687	Qty 6		458
Oakland 60 12W	Batten	Plastic, Plastic	White	47716101	5701581417182	Qty 6		456
Oakland 60 23W	Batten	Plastic	White	47726101	5701581417281	Qty 6		456
Octans 4000K 3-Kit	Down-Light	Plastic	White	49270101	5701581468382	Qty 3		431
Octans 4000K 3-Kit	Down-Light	Plastic	Nickel	49270155	5701581468580	Qty 3		431
Octans 4000K 3-Kit	Down-Light	Plastic	Nickel	49280155	5701581468788	Qty 3		431
Octans 4000K 5-Kit	Down-Light	Plastic	White	49280101	5701581468689	Qty 3		431
Oja 24 IP20 2700K non-dim	Ceiling	Plastic	White	47246001	5701581413283	Qty 3		378
Oja 24 IP20 4000K non-dim	Ceiling	Plastic	White	47946001	5701581421080	Qty 3		382
Oja 29	Ceiling	Plastic, Plastic	White	2110456101	5704924007095	Qty 3		388
Oja 29 IP20 2700K 3-step Dim	Ceiling	Plastic	White	47276001	5701581443181	Qty 3		384
Oja 29 IP20 2700K non-dim	Ceiling	Plastic	White	47256001	5701581413382	Qty 3		378
Oja 29 IP20 3000K/4000K	Ceiling	Plastic, Plastic	White	2015016101	5704924002120	Qty 3		386
Oja 29 IP20 3000K/4000K	Ceiling	Plastic, Plastic	Brushed Nickel	2015016155	5704924002137	Qty 3		386
Oja 29 IP20 4000K 3-step Dim	Ceiling	Plastic	White	47156001	5701581442986	Qty 3		384
Oja 29 IP20 4000K non-dim	Ceiling	Plastic	White	47956001	5701581421288	Qty 3		383
Oja 29 IP54 2700K Dim	Ceiling	Plastic	White	50046101	5701581485181	Qty 3		379
Oja 29 IP54 2700K non-dim	Ceiling	Plastic	White	50036101	5701581485082	Qty 3		379
Oja 29 IP54 4000K Dim	Ceiling	Plastic	White	50216101	5701581488083	Qty 3		380
Oja 29 IP54 BATH 3000K/4000K	Ceiling	Plastic, Plastic	Black	2015026103	5704924002144	Qty 3		368
Oja 29 IP54 BATH 3000K/4000K	Ceiling	Plastic, Plastic	Chrome	2015026133	5704924002151	Qty 3		368
Oja 29x29 IP20 3000K/4000K	Ceiling	Plastic, Plastic	White	2015056101	5704924002168	Qty 3		389
Oja 29x29 IP20 3000K/4000K	Ceiling	Plastic, Plastic	Brushed Nickel	2015056155	5704924002175	Qty 3		389
Oja 29x29 IP54 BATH 3000K/4000K	Ceiling	Plastic, Plastic	Black	2015066103	5704924002182	Qty 3		368
Oja 29x29 IP54 BATH 3000K/4000K	Ceiling	Plastic, Plastic	Chrome	2015066133	5704924002199	Qty 3		368
Oja 30 Smart Light	Ceiling	Plastic		2015036101	5704924002977	Qty 3		484
Oja 42	Ceiling	Plastic, Plastic	White	2110476101	5704924007101	Qty 3		388
Oja 42 IP20 2700K 3-step Dim	Ceiling	Plastic	White	47286001	5701581443280	Qty 3		385
Oja 42 IP20 2700K non-dim	Ceiling	Plastic	White	47266001	5701581413481	Qty 3		381
Oja 42 IP20 3000K/4000K	Ceiling	Plastic, Plastic	White	2015106101	5704924002205	Qty 3		387

Model	Type	Material	Color	Number	EAN	Pack unit	Switch	Page
Oja 42 IP20 3000K/4000K	Ceiling	Plastic, Plastic	Brushed Nickel	2015106155	5704924002212	Qty 3		387
Oja 42 IP20 4000K 3-Step Dim	Ceiling	Plastic	White	47166001	5701581443082	Qty 3		387
Oja 42 IP20 4000K non-dim	Ceiling	Plastic	White	47966001	5701581421486	Qty 3		382
Oja 42 IP54 2700K Dim	Ceiling	Plastic	White	50056101	5701581485280	Qty 3		381
Oja 42 IP54 4000K Dim	Ceiling	Plastic	White	50226101	5701581488182	Qty 3		380
Oja 42 IP54 BATH 3000K/4000K	Ceiling	Plastic, Plastic	Black	2015116103	5704924002229	Qty 3		369
Oja 42 IP54 BATH 3000K/4000K	Ceiling	Plastic, Plastic	Chrome	2015116133	5704924002236	Qty 3		369
Oja 42 Smart Light	Ceiling	Plastic, Metal	White	2015136101	5704924002984	Qty 3		485
Oja 60 IP20 2700K 3-Step Dim	Ceiling	Plastic, Metal	White	50066101	5701581488380	Qty 3		386
Oja 60 IP20 2700K 3-Step Dim	Ceiling	Plastic, Metal	Black	50066103	5704924002243	Qty 3		386
Oja 60 IP20 4000K 3-Step Dim	Ceiling	Plastic, Metal	White	50236101	5701581487987	Qty 3		385
Oja 60 Smart Light	Ceiling	Plastic, Metal	White	2015146101	5704924002991	Qty 3		485
Omari	SpotLight	Metal	White	2112193001	5704924005350	Qty 3		92
Omari	SpotLight	Metal	Black	2112193003	5704924005367	Qty 3		92
Omari	SpotLight	Metal	White	2112203001	5704924005374	Qty 2		92
Omari	SpotLight	Metal	Black	2112203003	5704924005381	Qty 2		92
Omari	Pendant	Metal, Plastic	White	2112213001	5704924005398	Qty 3		94
Omari	Pendant	Metal, Plastic	Black	2112213003	5704924005404	Qty 3		94
Omari	Wall	Metal	White	2112231001	5704924005428	Qty 4	Switch on fixture	93
Omari	Wall	Metal	Black	2112231003	5704924005435	Qty 4	Switch on fixture	93
Omari	Table	Metal	White	2112245001	5704924005442	Qty 3	Switch on fixture	94
Omari	Table	Metal	Black	2112245003	5704924005459	Qty 3	Switch on fixture	94
Omari	Floor	Metal	White	2112254001	5704924005466	Qty 2	Switch on fixture	93
Omari	Floor	Metal	Black	2112254003	5704924005473	Qty 2	Switch on fixture	93
Orbiform	Ceiling	Glass, Metal	Brass	2010656047	5704924001529	Qty 3		129
Orbiform	Pendant	Glass, Metal		2010673047	5704924001536	Qty 3		130
Orbiform	Pendant	Glass, Metal	Brass	2010693047	5704924001543	Qty 3		130
Orbiform	Table	Glass, Metal	Brass	2010715047	5704924001550	Qty 3	Switch on cable	129
Otis 40	Wall	Aluminium, Plastic	White	2015401001	5704924002687	Qty 3		363
Otis 40	Wall	Aluminium, Plastic	Chrome	2015401033	5704924002694	Qty 3		363
Otis 40	Wall	Aluminium, Plastic	Brushed Nickel	2015401055	5704924002700	Qty 3		363
Otis 60	Wall	Aluminium, Plastic	White	2015411001	5704924002717	Qty 3		363
Otis 60	Wall	Aluminium, Plastic	Chrome	2015411033	5704924002724	Qty 3		363

Model	Type	Material	Color	Number	EAN	Pack unit	Switch	Page
Otis 60	Wall	Aluminium, Plastic	Brushed Nickel	2015411055	5704924002731	Qty 3		363
Paco	Pendant	Metal	Black	2112053003	5704924005213	Qty 6		144
Paco	Pendant	Metal	Brass	2112053035	5704924005220	Qty 6		144
Paco	Pendant	Metal	Black	2112063003	5704924005237	Qty 3		145
Paco	Pendant	Metal	Brass	2112063035	5704924005244	Qty 3		145
Paco	Wall	Metal	Black	2112071003	5704924005251	Qty 3	Switch on cable	145
Paco	Table	Metal	Black	2112085003	5704924005268	Qty 4	Switch on cable	146
Paco	Floor	Metal	Black	2112094003	5704924005275	Qty 3	Switch on cable	146
Pato Round	Groun-dRes	Metal, Glass	Stainless steel	83830034	5701581307780	Qty 3		322
Pato Square	Groun-dRes	Metal, Glass	Stainless steel	83840034	5701581307889	Qty 3		322
Pendant Suspension	Additional	Plastic	White	0100001	5701581168886	Qty 12		576
Petri 30	Ceiling	Glass, Metal	White	92746001	5708839013332	Qty 3		377
Phoenix	Wall	Copper, Plastic	Copper	24381030	5701581033030	Qty 2		258
Phoenix	Wall	Galvanized steel, Plastic	Galvanized	24381031	5701581034037	Qty 2		258
Photo	Clamp	Metal	Aluminium	59372029	5701581123014	Qty 6	Switch on cable	159
Piana	Wall	Aluminium, Plastic	Black	2019081003	5704924000676	Qty 6		288
Piana 30	Garden	Aluminium, Plastic	Black	2019098003	5704924000683	Qty 4		288
Piana 50	Garden	Aluminium, Plastic	Black	2019108003	5704924000690	Qty 2		289
Pignia	Wall	Aluminium	Black	2019151003	5704924000751	Qty 3		286
Pine	Pendant	Metal	Black	2010353003	5704924001345	Qty 3		151
Pine	Pendant	Metal	Grey	2010353010	5704924001352	Qty 3		151
Pine	Wall	Metal	Black	2010381003	5704924001383	Qty 6	Switch on fixture	150
Pine	Wall	Metal	Grey	2010381010	5704924001390	Qty 6	Switch on fixture	150
Pine	Table	Metal	Black	2010405003	5704924001406	Qty 3	Switch on fixture	151
Pine	Table	Metal	Grey	2010405010	5704924001413	Qty 3	Switch on fixture	151
Pine	Floor	Metal	Black	2010414003	5704924001420	Qty 3	Switch on fixture	150
Pine	Floor	Metal	Grey	2010414010	5704924001437	Qty 3	Switch on fixture	150
Piso	Ceiling	Metal, Plastic	White	2010756001	5704924001581	Qty 3		99
Piso	Ceiling	Metal, Plastic	Grey	2010756010	5704924001598	Qty 3		99
Piso	Pendant	Metal, Plastic	White	2010763001	5704924001604	Qty 3		99
Piso	Pendant	Metal, Plastic	Grey	2010763010	5704924001611	Qty 3		99
Polperro	Wall	Brass, Glass	Brass	49021035	5701581464483	Qty 3		312
Polperro	Wall	Brass, Glass	Nickel	49021055	5701581464582	Qty 3		312

Model	Type	Material	Color	Number	EAN	Pack unit	Switch	Page
Pop	Pendant	Metal	White	45833001	5701581370685	Qty 3		85
Pop	Pendant	Metal	Black	45833003	5701581370784	Qty 3		85
Pop	Pendant	Metal	Green	45833023	5701581370982	Qty 3		85
Pop	Pendant	Metal	Anthracite	45833050	5701581371088	Qty 3		85
Pop	Wall	Metal	White	45841001	5701581371286	Qty 3	Switch on cable	86
Pop	Wall	Metal	Black	45841003	5701581371385	Qty 3	Switch on cable	86
Pop	Wall	Metal	Green	45841023	5701581371583	Qty 3	Switch on cable	86
Pop	Wall	Metal	Anthracite	45841050	5701581371682	Qty 3	Switch on cable	86
Pop Maxi	Pendant	Metal	White	45983001	5701581390485	Qty 2		85
Pop Maxi	Pendant	Metal	Black	45983003	5701581390584	Qty 2		85
Pop Rough	Pendant	Metal, Plastic	White	48733001	5701581460980	Qty 3		87
Pop Rough	Pendant	Metal, Plastic	Grey	48733011	5701581461086	Qty 3		87
Pop Rough	Table	Metal, Plastic	White	48745001	5701581461185	Qty 3	Switch on cable	87
Pop Rough	Table	Metal, Plastic	Grey	48745011	5701581461284	Qty 3	Switch on cable	87
Pop Rough	Floor	Metal, Plastic	White	48754001	5701581461383	Qty 2	Switch on cable	86
Pop Rough	Floor	Metal, Plastic	Grey	48754011	5701581461482	Qty 2	Switch on cable	86
Ray	Wall	Metal	Black	63191003	5701581344884	Qty 3	Switch on fixture	172
Ray	Wall	Metal, Glass	Chrome	63191033	5701581253483	Qty 3	Switch on fixture	172
Ray	Table	Metal	Black	63201003	5701581344983	Qty 3	Switch on cable	173
Ray	Table	Metal, Glass	Chrome	63201033	5701581253582	Qty 3	Switch on cable	173
Ray	Floor	Metal	Black	63214003	5701581345089	Qty 2	Switch on cable	173
Ray	Floor	Metal, Glass	Chrome	63214033	5701581239289	Qty 2	Switch on cable	173
Ray	Floor	Metal	Black	63224003	5701581345188	Qty 2	Switch on cable	174
Ray	Floor	Metal, Glass	Chrome	63224033	5701581239388	Qty 2	Switch on cable	173
Ray 2-Kit	Pendant	Glass, Metal	White	63233001	5701581372887	Qty 3		175
Ray 2-Kit	Pendant	Metal	Black	63233003	5701581345287	Qty 3		175
Ray 2-Kit	Pendant	Glass, Metal	Chrome	63233033	5701581239487	Qty 3		175
Ray Dim	Floor	Metal	Black	72224003	5701581345386	Qty 2	Switch on fixture	174
Ray Dim	Floor	Metal, Glass	Chrome	72224033	5701581249479	Qty 2	Switch on fixture	174
Read 14	Pendant	Glass, Metal		73153010	5701581265479	Qty 3		107
Read 20	Pendant	Glass, Metal		73163010	5701581265578	Qty 3		108
Recess 3-Kit LED COB	Down-Light	Metal	White	84650001	5701581343887	Qty 3		435
Recess 3-Kit LED COB	Down-Light	Metal	Brushed steel	84650032	5701581343986	Qty 3		435

Model	Type	Material	Color	Number	EAN	Pack unit	Switch	Page
Remote Smart Light	Various	Plastic	White	2015700001	5704924003011	Qty 6		496
Renton 110	Batten	Plastic	White	47806101	5701581418080	Qty 6	Switch on fixture	449
Renton 150	Batten	Plastic	White	47816101	5701581418189	Qty 6	Switch on fixture	450
Renton 30	Batten	Plastic	White	47776101	5701581417786	Qty 6	Switch on fixture	448
Renton 55	Batten	Plastic	White	47786101	5701581417885	Qty 6	Switch on fixture	448
Renton 90	Batten	Plastic	White	47796101	5701581417984	Qty 6	Switch on fixture	449
RENTON 30 4000K WHITE				2111016101	5704924008450	Qty 6		451
RENTON 55 4000K WHITE				2111026101	5704924008467	Qty 6		452
RENTON 90 4000K WHITE				2111036101	5704924008474	Qty 6		452
RENTON 110 4000K WHITE				2111046101	5704924008481	Qty 6		450
RENTON 150 4000K WHITE				2111056101	5704924008498	Qty 6		451
Rica Round	Wall	Plastic, Plastic	Black	2118141003	5704924004773	Qty 3		280
Rica Round	Garden	Stainless steel, Plastic	Black	2118158003	5704924004780	Qty 3		280
Rica Square	Wall	Plastic, Plastic	Black	2118161003	5704924004797	Qty 3		281
Rica Square	Garden	Stainless steel, Plastic	Black	2118178003	5704924004803	Qty 3		281
Rispapir 35	Pendant	Paper	White	14093501	5708715730001	Qty 12		140
Rispapir 40	Pendant	Paper	White	14094001	5708715740000	Qty 12		141
Rispapir 48	Pendant	Paper	White	14094801	5708839002442	Qty 12		141
Roar Dim Tilt	Down-Light	Plastic	White	84960001	5701581373181	Qty 6		437
Rold	Wall	Metal, Glass	Black	84141003	5701581342385	Qty 3		297
Rold Kubi	Wall	Metal, Glass	Black	84151003	5701581342484	Qty 3		297
Roomi indoor	Wall	Metal, Metal	White	2112551001	5704924005657	Qty 2	Switch on fixture	88
Roomi indoor	Wall	Metal, Metal	Black	2112551003	5704924005664	Qty 2	Switch on fixture	88
Scorpius	Wall	Galvanized steel, Plastic	White	21651001	5701581301979	Qty 6		308
Scorpius	Wall	Galvanized steel, Plastic	Black	21651003	5701581011021	Qty 6		308
Scorpius	Wall	Copper, Plastic	Copper	21651030	5701581916951	Qty 6		308
Scorpius	Wall	Galvanized steel, Plastic	Galvanized	21651031	5701581917958	Qty 6		308
Scorpius Maxi	Wall	Galvanized steel, Plastic	White	21751001	5701581303973	Qty 3		308
Scorpius Maxi	Wall	Galvanized steel, Plastic	Black	21751003	5701581012028	Qty 3		308
Scorpius Maxi	Wall	Copper, Plastic	Copper	21751030	5701581240964	Qty 3		308
Scorpius Maxi	Wall	Galvanized steel, Plastic	Galvanized	21751031	5701581241961	Qty 3		308
Scorpius Maxi	Garden	Galvanized steel	Galvanized	21769931	5701581228375	Qty 3		309
Siege	Down-Light	Plastic, Metal	White	2110370101	5704924006999	Qty 3		419

Model	Type	Material	Color	Number	EAN	Pack unit	Switch	Page
Siege	Down-Light	Plastic, Metal	Nickel	2110370155	5704924007002	Qty 3		419
Siv	Table	Marble	White	45875001	5701581371880	Qty 3	Switch on cable	128
Siv	Table	Marble	Black	45875003	5701581371989	Qty 3	Switch on cable	128
Siv	Pendant	Marble	White	45883001	5701581372184	Qty 3		128
Siv	Pendant	Marble	Black	45883003	5701581372283	Qty 3		128
Sjaver	Bathroom	Plastic, Aluminium	White	2110711001	5704924007385	Qty 3	Switch on fixture	358
Skot	Wall	Plastic, Glass	White	17051001	4017506013324	Qty 4		318
Skot	Wall	Plastic, Glass	Black	17051003	4017506013331	Qty 4		318
Skylar	Pendant	Aluminium, Plastic	Black	2113003003	5704924006197	Qty 2		98
Skylar	Pendant	Aluminium, Plastic	Aluminium	2113003029	5704924006203	Qty 2		98
Smart Bulb | E14 | 430 Lumen	Bulb			2070011401	5704924001932	Qty 6		491
Smart Bulb | E14 | 430 Lumen	Bulb			2070021401	5704924001949	Qty 6		491
Smart Bulb | E27 | 560 Lumen	Bulb			2070092701	5704924002533	Qty 6		490
Smart Bulb | E27 | 600 Lumen	Bulb			2070082700	5704924002526	Qty 6		490
Smart Bulb | E27 | 600 Lumen	Bulb			2070102700	5704924002540	Qty 6		490
Smart Bulb | E27 | 900 Lumen	Bulb			2070052701	5704924002496	Qty 6		490
Smart Bulb | GU10 | 345 Lumen	Bulb			2070031000	5704924001956	Qty 6		492
Smart Bulb | GU10 | 380 Lumen	Bulb			2070041000	5704924001963	Qty 6		492
Smart daylight and motion sensor	Additional	Plastic	White	49091001	5701581465589	Qty 6		497
Smart daylight and motion sensor	Additional	Plastic	Black	49091003	5701581465688	Qty 6		497
Smart Light Bridge	Additional		White	1507070	5701581495784	Qty 6		496
SMART STIKDÅSE EU	Additional	Plastic, Plastic	White	2170010001	5704924006319	Qty 3		498
SMART GU10 OUTDOOR CLEAR	Bulb			2170031000	5704924006333	Qty 6		492
SMART E27 G45 FILAMENT CLEAR	Bulb			2170052700	5704924006357	Qty 6		491
SMART E27 G45 FILAMENT WHITE	Bulb			2170062701	5704924006364	Qty 6		491
SMART E27 A60 COLOR WHITE	Bulb			2170072701	5704924006371	Qty 6		493
SMART GU10 COLOR CLEAR	Bulb			2170081000	5704924006388	Qty 6		493
SMART E27 G95 COLOR WHITE	Bulb			2170092701	5704924006395	Qty 3		493
SMART DEKO- E27 A60 AMBER	Bulb			2170102747	5704924006401	Qty 6		494
SMART DEKO- E27 ST64 AMBER	Bulb			2170112747	5704924006418	Qty 6		494
SMART DEKO- E27 G95 AMBER	Bulb			2170132747	5704924006432	Qty 3		494
SMART DEKO- E27 G200 AMBER	Bulb			2170122747	5704924006425	Qty 3		494
Spinner	Ceiling	Metal, Glass	White	25416001	5701581972957	Qty 3		374

Model	Type	Material	Color	Number	EAN	Pack unit	Switch	Page
Spinner	Ceiling	Metal, Glass	Brushed steel	25416032	5701581251472	Qty 3		374
Spiral Suspension	Additional	Plastic	White	0140001	5701581197886	Qty 1		576
Sponge 20	Portable	Plastic, Metal	White	2018103003	5701581496781	Qty 3	Switch on fixture	247
Sponge 20	Portable	Plastic, Metal	White	2018128003	5701581496880	Qty 3	Switch on fixture	247
Sponge 20	Portable	Plastic, Metal	White	2018135003	5701581496989	Qty 3	Switch on fixture	248
Sponge 20	Portable	Plastic, Metal	White	2018145003	5701581497085	Qty 3	Switch on fixture	246
Sponge 34	Portable	Plastic, Metal	White	2018154003	5701581497184	Qty 3	Switch on fixture	249
Sponge 34	Portable	Plastic, Metal	White	2018165003	5701581497788	Qty 3	Switch on fixture	249
Spot box 19x19 cm	Various	Plastic	Grey	76859999	5701581229884	Qty 12		579
Spotlight	SpotLight	Aluminium, Glass	Black	20789903	5701581326781	Qty 3		320
Staldglas	Additional	Glass	Clear	2440999	5701581347960	Qty 3		578
Staldglas Frostet	Additional	Glass	Sandblasted	2440888	5701581289475	Qty 3		578
Staldglas Gasket	Various	Plastic	Black	2444999	5701581200388	Qty 12		579
Standard	Ceiling	Glass, Metal	White	25326001	5701581027039	Qty 3		390
Starke	Down-Light	Plastic, Metal	White	2110360101	5704924006975	Qty 3		418
Starke	Down-Light	Plastic, Metal	Black	2110360103	5704924006982	Qty 3		418
START PACK | 2x E27 SMD 900 | Bridge EU	Bulb			2070062701	5704924002502	Qty 6		495
START PACK | 2x E27 SMD 900 | Bridge UK	Bulb			2070072701	5704924002519	Qty 6		495
Step 17	Pendant	Metal	Black	46353003	5701581398689	Qty 3		155
Sóller 12	Bathroom	Plastic, Plastic	White	2110726101	5704924007408	Qty 3		358
Sóller 17	Bathroom	Plastic, Plastic	White	2110736101	5704924007392	Qty 3		359
Sóller 22	Bathroom	Plastic, Plastic	White	2110746101	5704924007415	Qty 3		359
T8 18W	Bulb	Glass	White	1270070	5701581208773	Qty 12		573
T8 36W	Bulb	Glass	White	1271070	5701581208872	Qty 12		573
Tangens	Bathroom	Glass, Metal	Brushed steel	17131032	5701581119055	Qty 3		347
Tangens	Bathroom	Glass, Metal	Chrome	17141029	5701581006072	Qty 3		361
Tangens	Bathroom	Glass, Metal	Brushed steel	17141032	5701581120051	Qty 3		361
Taurus	SpotLight	Stainless steel	Stainless steel	77029934	5701581324183	Qty 3		321
Tees	Pendant	Metal	Black	84863003	5701581346581	Qty 3		156
Teton	Ceiling	Metal, Plastic	Black	84136003	5701581342286	Qty 3		318
Texas	Wall	Metal	White	47141001	5701581412385	Qty 3	Switch on fixture	171
Texas	Wall	Metal	Black	47141003	5701581412484	Qty 3	Switch on fixture	171

Model	Type	Material	Color	Number	EAN	Pack unit	Switch	Page
Texas	Table	Metal	White	47615001	5701581416482	Qty 3	Switch on cable	171
Texas	Table	Metal	Black	47615003	5701581416581	Qty 3	Switch on cable	171
Theo	Pendant	Metal, Wood	Black	2112603003	5704924005671	Qty 2		91
Theo	Wall	Metal, Wood	Black	2112631003	5704924005688	Qty 3	Switch on fixture	90
Theo	Table	Metal, Wood	Black	2112645003	5704924005695	Qty 2	Switch on cable	91
Theo	Floor	Metal, Wood	Black	2112654003	5704924005701	Qty 2	Switch on cable	90
Theros IP44 3000K/4000K	Ceiling	Plastic, Aluminium	Chrome	2015376101	5704924002632	Qty 3		370
Tiaki 2700K / 4000K	Down-Light	Plastic, Metal	White	49570101	5701581474789	Qty 3		433
Tiaki 2700K / 4000K	Down-Light	Plastic, Metal	Nickel	49570155	5701581474888	Qty 3		433
TIAKI SQUARE 2700/4000K SORT	Down-Light			2110100103	5704924006555	Qty 3		432
Tilo	Pendant	Metal, Wood	Black	2010453003	5704924001444	Qty 6		95
Tilo	Pendant	Metal, Wood	Grey	2010453010	5704924001451	Qty 6		95
Tilo 3-Kit	Pendant	Metal, Wood	Black	2010473003	5704924001468	Qty 3		95
Tilo 3-Kit	Pendant	Metal, Wood	Grey	2010473010	5704924001475	Qty 3		95
Tilo 5-Kit	Pendant	Metal, Wood	Black	2010483003	5704924001482	Qty 2		96
Tilo 5-Kit	Pendant	Metal	Grey	2010483010	5704924001499	Qty 2		95
Tilos	GrounDRes	Stainless steel, Plastic		96409934	5704924005978	Qty 3		323
Tilos	GrounDRes	Stainless steel, Glass		96439934	5704924005985	Qty 3		323
Time	Table	Metal, Glass	Black	2010925003	5704924001680	Qty 3	Switch on fixture	89
Time	Table	Metal, Glass	Grey	2010925010	5704924001697	Qty 3	Switch on fixture	89
Tin	Wall	Metal, Glass	Black	21269903	5701581322684	Qty 3		300
Tin	Wall	Copper, Glass	Copper	21269930	5701581327481	Qty 3		300
Tin	Wall	Stainless steel, Glass	Stainless steel	21279134	5701581327986	Qty 3		300
Tin	Wall	Metal, Glass	Black	21279903	5701581327788	Qty 3		300
Tin	Wall	Copper, Glass	Copper	21279930	5701581327887	Qty 3		300
Tin Maxi	Wall	Metal, Glass	White	21509901	5701581322882	Qty 3		301
Tin Maxi	Wall	Metal, Glass	Black	21509903	5701581322981	Qty 3		301
Tin Maxi	Wall	Metal, Glass	Aluminium	21509929	5701581323087	Qty 3		301
Tin Maxi	Wall	Metal, Glass	White	21519901	5701581328884	Qty 3		302
Tin Maxi	Wall	Metal, Glass	Black	21519903	5701581323186	Qty 3		302
Tin Maxi	Wall	Metal, Glass	Aluminium	21519929	5701581329089	Qty 3		302
Tin Maxi	Wall	Stainless steel, Glass	Stainless steel	21519934	5701581329188	Qty 3		302
Tin Maxi Sensor	Wall	Metal, Glass	Black	21509103	5701581328686	Qty 3		302

Model	Type	Material	Color	Number	EAN	Pack unit	Switch	Page
Tin Maxi Sensor	Wall	Metal, Glass	Aluminium	21509129	5701581328785	Qty 3		302
Tin Maxi Sensor	Wall	Aluminium, Glass	Black	21519103	5701581329287	Qty 3		303
Tin Maxi Sensor	Wall	Aluminium, Glass	Aluminium	21519129	5701581329386	Qty 3		303
Tin Sensor	Wall	Stainless steel, Glass	Stainless steel	21279934	5701581322783	Qty 3		301
Tip	Down-Light	Metal	Galvanized	20299931	5701581326682	Qty 3		437
Trenton 23W	Batten	Plastic, Metal	White	47856101	5701581418585	Qty 3		446
Trenton 48W	Batten	Plastic, Metal	White	47476101	5701581446083	Qty 3		447
Trenton 56W	Batten	Plastic, Metal	White	47486101	5701581446182	Qty 3		447
Tribeca 24	Pendant	Wood	Black	46423003	5701581404687	Qty 3		138
Tribeca 24	Pendant	Wood	Nature (brown)	46423014	5701581404786	Qty 3		137
Tribeca 38	Pendant	Wood	Black	46433003	5701581404885	Qty 3		138
Trinidad	Pendant	Bamboo	Nature (brown)	2011123015	5704924001864	Qty 3		142
Trinidad	Table	Bamboo	Nature (brown)	2011135015	5704924001871	Qty 3	Switch on cable	142
Trio 45	Ceiling	Plastic	White	3001601	5701581149885	Qty 6	Switch on cable	177
Triton 3-kit	Down-Light	Metal	White	54540101	5701581319486	Qty 6		439
Triton 3-Kit	Down-Light	Metal	Brushed steel	54540132	5701581319684	Qty 6		439
Trude	Pendant	Metal	Black	45713003	5701581368781	Qty 3		172
Trumpet	Pendant	Glass, Metal	Chrome	84903001	5701581337985	Qty 3		104
Turn	Wall	Aluminium	White	2019061001	5704924000621	Qty 3		309
Turn	Wall	Aluminium	Black	2019061003	5704924000638	Qty 3		309
Turn	Wall	Aluminium	Grey	2019061010	5704924000645	Qty 3		309
Ufo	Ceiling	Glass, Metal	White	25576000	5701581047037	Qty 3		399
Ufo Maxi	Ceiling	Glass, Metal	White	25626001	5701581064041	Qty 3		399
Uma 18	Pendant	Glass, Metal	Opal white	2112703001	5704924006180	Qty 3		110
Uma 18	Pendant	Glass, Metal	Amber	2112703027	5704924005718	Qty 3		110
Uma 18	Pendant	Glass, Metal	Grey	2112703047	5704924005725	Qty 3		110
Uma 23	Pendant	Glass, Metal	Opal white	2112723001	5704924006166	Qty 3		110
Uma 23	Pendant	Glass, Metal	Amber	2112723027	5704924005732	Qty 3		110
Uma 23	Pendant	Glass, Metal	Grey	2112723047	5704924005749	Qty 3		110
Uma 30	Pendant	Glass, Metal	Opal white	2112733001	5704924006173	Qty 3		111
Uma 30	Pendant	Glass, Metal	Amber	2112733027	5704924005756	Qty 3		111
Uma 30	Pendant	Glass, Metal	Grey	2112733047	5704924005763	Qty 3		111
Une 6-Kit	GrounddRes	Plastic, Stainless Steel	Stainless steel	45420034	5701581374683	Qty 3		321

Model	Type	Material	Color	Number	EAN	Pack unit	Switch	Page
Vanila	Table	Metal	White	72695001	5701581271579	Qty 2	Switch on fixture	109
Vanila	Table	Metal	Black	72695003	5701581243170	Qty 2	Switch on fixture	109
Vanila	Floor	Metal	White	72704001	5701581268173	Qty 2	Switch on fixture	109
Vanila	Floor	Metal	Black	72704003	5701581268272	Qty 2	Switch on fixture	109
Vanila	Wall	Metal	White	72711001	5701581268371	Qty 3	Switch on fixture	108
Vanila	Wall	Metal	Black	72711003	5701581268470	Qty 3	Switch on fixture	108
Vejers	Wall	Galvanized steel, Glass	White	25091001	5701581029071	Qty 3		258
Vejers	Wall	Galvanized steel, Glass	Black	25091003	5701581030077	Qty 3		258
Vejers	Wall	Galvanized steel, Glass	Galvanized	25091031	5701581092068	Qty 3		258
Vejers	Wall	Stainless steel, Glass	Stainless steel	25091034	5701581053076	Qty 3		258
Vejers	Garden	Galvanized steel, Glass	Black	25118003	5701581032071	Qty 3		260
Vejers	Garden	Galvanized steel, Glass	Galvanized	25118031	5701581093065	Qty 3		260
Vejers	Garden	Stainless steel, Glass	Stainless steel	25118034	5701581052079	Qty 3		260
Vejers 2M	Garden	Galvanized steel, Glass	Galvanized	25168031	5701581228573	Qty 2		260
Vejers Down	Wall	Galvanized steel, Glass	Galvanized	74461031	5701581210578	Qty 3		259
Vejers Down	Wall	Galvanized steel, Glass	Black	74471003	5701581210677	Qty 3		259
Vejers Sensor	Wall	Galvanized steel, Glass	Black	25101003	5701581176072	Qty 3		259
Vejers Sensor	Wall	Galvanized steel, Glass	Galvanized	25101031	5701581174078	Qty 3		259
Venezia 2 Spot GU10 5W	SpotLight	Metal	Nickel	61009221012		Qty 8		428
Venezia 3 Spot GU10 5W	SpotLight	Metal	Nickel	61009331012		Qty 8		429
Venezia 4 Spot GU10 5W	SpotLight	Metal	Nickel	61009241012		Qty 6		428
Venø	Wall	Galvanized steel, Plastic	Galvanized	10600619	5702376006192	Qty 3		262
Venø	Wall	Copper, Plastic	Copper	10600625	5702376006253	Qty 3		262
Venø	Garden	Galvanized steel, Plastic	Galvanized	10600719	5702376007199	Qty 3		262
Venø	Garden	Copper, Plastic	Copper	10600725	5702376007250	Qty 3		262
Verona	Pendant	Glass, Metal	Black	2010863001	5704924001635	Qty 3		106
Verona	Table	Glass, Metal	Black	2010875001	5704924001642	Qty 3	Switch on fixture	106
Verona	Floor	Glass, Metal	Black	2010884001	5704924001659	Qty 2	Switch on fixture	107
Virum	Wall	Galvanized steel, Glass	Galvanized	24111031	5701581027046	Qty 3		261
Westport 120	Batten	Plastic	Grey	49666110	5701581481985	Qty 6		461
Westport 120	Batten	Plastic	Grey	49676110	5701581482081	Qty 6		461
Westport 60	Batten	Plastic	Grey	49646110	5701581481787	Qty 6		460
Westport 60	Batten	Plastic	Grey	49656110	5701581481886	Qty 6		460

Model	Type	Material	Color	Number	EAN	Pack unit	Switch	Page
Works IP65 1X18W LED	Batten	Plastic, Metal	Grey	27396101	5701581322585	Qty 6		463
Works IP65 1x36W	Batten	Plastic	Grey	27316101	5701581195073	Qty 6		464
Works IP65 1X9W LED	Batten	Plastic, Metal	Grey	27386101	5701581322486	Qty 6		462
Works IP65 2x18W	Batten	Plastic, Plastic	Grey	27326101	5701581196070	Qty 3		464
Works IP65 2x18W LED	Batten	Plastic	Grey	27596101	5701581340084	Qty 6		463
Works IP65 2x36W	Batten	Plastic	Grey	27336101	5701581197077	Qty 3		465
Works IP65 2x9W LED	Batten	Plastic	Grey	27586101	5701581339989	Qty 6		462
WORKS IP65 ARM. 1X24W LED RØR				2111076101	5704924008504	Qty 6		465

Model	Type	Material	Color	Number	EAN	Pack unit	Switch	Page
A60 filament clear 1055lm	Filament	Full Glass	Clear	5181001321	6923933814107	1-pack		506
A60 filament clear 1055lm	Filament	Full Glass	Clear	5181001323	6923933819720	3-pack		507
A60 filament clear 1055lm	Filament	Full Glass	Clear	5181006521	6923933814138	1-pack		508
A60 filament clear 1055lm	Filament	Full Glass	Clear	5181011021	6923933816965	1-pack		509
A60 filament clear 1055lm	Filament	Full Glass	Clear	5181011023	6923933819737	3-pack		509
A60 filament clear 1055lm	Filament	Full Glass	Clear	5181011221	6923933819744	1-pack		510
A60 filament clear 1521lm	Filament	Full Glass	Clear	5211020921	6923933820559	1-pack		508
A60 filament clear 1521lm	Filament	Full Glass	Clear	5211027421	6923933820498	1-pack		511
A60 filament clear 1521lm	Filament	Full Glass	Clear	5211027423	6923933820504	3-pack		511
A60 filament clear 1521lm	Filament	Full Glass	Clear	5211029721	6923933820511	1-pack		512
A60 filament clear 1620lm	Filament	Full Glass	Clear	5211027921	6923933820337	1-pack		510
A60 filament clear 1620lm	Filament	Full Glass	Clear	5211029723	6923933820528	3-pack		512
A60 filament clear 250lm	Filament	Full Glass	Clear	5181000121	6923933813599	1-pack		506
A60 filament clear 470lm	Filament	Full Glass	Clear	5181000921	6923933818198	1-pack		506
A60 filament clear 470lm	Filament	Full Glass	Clear	5181000923	6923933819676	3-pack		507
A60 filament clear 470lm	Filament	Full Glass	Clear	5181010321	6923933819683	1-pack		508
A60 filament clear 470lm	Filament	Full Glass	Clear	5181010323	6923933819690	3-pack		509
A60 filament clear 470lm	Filament	Full Glass	Clear	5181001021	6923933819867	1-pack		510
A60 filament clear 806lm	Filament	Full Glass	Clear	5181000321	6923933818204	1-pack		506
A60 filament clear 806lm	Filament	Full Glass	Clear	5181000323	6923933819706	3-pack		507
A60 filament clear 806lm	Filament	Full Glass	Clear	5181003621	6923933818259	1-pack		507
A60 filament clear 806lm	Filament	Full Glass	Clear	5181003321	6923933818211	1-pack		508
A60 filament clear 806lm	Filament	Full Glass	Clear	5181003323	6923933819713	3-pack		509
A60 filament clear 806lm	Filament	Full Glass	Clear	5181000421	6923933819874	1-pack		510
A60 filament clear 806lm	Filament	Full Glass	Clear	5181000423	6923933819881	3-pack		511
A60 filament clear 806lm	Filament	Full Glass	Clear	5181010721	6923933819898	1-pack		511
A60 filament clear 806lm	Filament	Full Glass	Clear	5181010723	6923933819904	3-pack		512
A60 filament milky 1055lm	Filament	Full Glass	Milky	5181021521	6923933818341	1-pack		513
A60 filament milky 1055lm	Filament	Full Glass	Milky	5181021523	6923933819782	3-pack		515
A60 filament milky 1055lm	Filament	Full Glass	Milky	5181023321	6923933818372	1-pack		514
A60 filament milky 1055lm	Filament	Full Glass	Milky	5191002021	6923933817092	1-pack		515
A60 filament milky 1055lm	Filament	Full Glass	Milky	5191002023	6923933819799	3-pack		516
A60 filament milky 1055lm	Filament	Full Glass	Milky	5181023721	6923933819805	1-pack		516

Model	Type	Material	Color	Number	EAN	Pack unit	Switch	Page
A60 filament milky 1055lm	Filament	Full Glass	Milky	5181021621	6923933818365	1-pack		517
A60 filament milky 1521lm	Filament	Full Glass	Milky	5211022721	6923933820283	1-pack		514
A60 filament milky 1521lm	Filament	Full Glass	Milky	5211028021	6923933820290	1-pack		516
A60 filament milky 1521lm	Filament	Full Glass	Milky	5211027621	6923933820535	1-pack		517
A60 filament milky 1521lm	Filament	Full Glass	Milky	5211029821	6923933820542	1-pack		517
A60 filament milky 1521lm	Filament	Full Glass	Clear	5181021721	6923933818396	1-pack		521
A60 filament milky 1521lm	Filament	Full Glass	Clear	5191002221	6923933817108	1-pack		521
A60 filament milky 1521lm	Filament	Full Glass	Milky	5181021821	6923933819966	1-pack		522
A60 filament milky 1521lm	Filament	Full Glass	Milky	5191002321	6923933819973	1-pack		522
A60 filament milky 250lm	Filament	Full Glass	Milky	5181020921	6923933818297	1-pack		512
A60 filament milky 470lm	Filament	Full Glass	Milky	5181021121	6923933818303	1-pack		513
A60 filament milky 470lm	Filament	Full Glass	Milky	5191001721	6923933819751	1-pack		514
A60 filament milky 806lm	Filament	Full Glass	Milky	5181021321	6923933818310	1-pack		513
A60 filament milky 806lm	Filament	Full Glass	Milky	5181021323	6923933819768	3-pack		513
A60 filament milky 806lm	Filament	Full Glass	Milky	5181023121	6923933818389	1-pack		514
A60 filament milky 806lm	Filament	Full Glass	Milky	5191001821	6923933817085	1-pack		515
A60 filament milky 806lm	Filament	Full Glass	Milky	5191001823	6923933819775	3-pack		515
A60 filament milky 806lm	Filament	Full Glass	Milky	5181021421	6923933818334	1-pack		516
A60 filament milky 806lm	Filament	Full Glass	Milky	5191002121	6923933819959	1-pack		517
A60 SMD 1055lm	SMD	Plastic+Aluminum	Frosted	5171013721	6923933817719	1-pack		539
A60 SMD 1055lm	SMD	Plastic+Aluminum	Frosted	5171013723	6923933817863	3-pack		540
A60 SMD 1521lm	SMD	Plastic+Aluminum	Frosted	5197001021	6923933817894	1-pack		539
A60 SMD 1521lm	SMD	Plastic+Aluminum	Frosted	5197001023	6923933817887	3-pack		540
A60 SMD 470lm	SMD	Full Plastic	Frosted	5171013321	6923933817702	1-pack		539
A60 SMD 470lm	SMD	Full Plastic	Frosted	5171013323	6923933817818	3-pack		540
A60 SMD 470lm	SMD	Full Plastic	Frosted	5181014923	6923933817801	3-pack		541
A60 SMD 806lm	SMD	Plastic+Aluminum	Frosted	5171013521	6923933817856	1-pack		539
A60 SMD 806lm	SMD	Plastic+Aluminum	Frosted	5171013523	6923933817832	3-pack		540
A60 SMD 806lm	SMD	Plastic+Aluminum	Frosted	5181015523	6923933817849	3-pack		541
A60 SMD flame 396lm	SMD	Full Plastic	Flame	5181014521	6923933817771	1-pack		545
A60 SMD light sensor 806lm	SMD	Plastic	Frosted	5161009021	6923933809639	1-pack		545
A70 filament clear 1521lm	Filament	Full Glass	Clear	5181001721	6923933814114	1-pack		520
A70 filament clear 1521lm	Filament	Full Glass	Clear	5181008121	6923933814145	1-pack		518

Model	Type	Material	Color	Number	EAN	Pack unit	Switch	Page
A70 filament clear 1521lm	Filament	Full Glass	Clear	5181001821	6923933819911	1-pack		520
A70 filament clear 1521lm	Filament	Full Glass	Clear	5181001823	6923933819928	3-pack		520
A70 filament clear 1521lm	Filament	Full Glass	Clear	5191003721	6923933819935	1-pack		521
A70 filament clear 1521lm	Filament	Full Glass	Clear	5191003723	6923933819942	3-pack		521
A70 filament clear 1620lm	Filament	Full Glass	Clear	5191003621	6923933817245	1-pack		520
C35 filament clear 140lm	Filament	Full Glass	Clear	5183014021	6923933815319	1-pack		530
C35 filament clear 250lm	Filament	Full Glass	Clear	5183000121	6923933813124	1-pack		530
C35 filament clear 250lm	Filament	0	Clear	5183018821	6923933820085	1-pack		529
C35 filament clear 250lm	Filament	Full Glass	Clear	5183000321	6923933819638	1-pack		529
C35 filament clear 250lm	Filament	Full Glass	Clear	5183000421	6923933819836	1-pack		532
C35 filament clear 470lm	Filament	Full Glass	Clear	5183001521	6923933814077	1-pack		530
C35 filament clear 470lm	Filament	Full Glass	Clear	5183001523	6923933820092	3-pack		529
C35 filament clear 470lm	Filament	Full Glass	Clear	5183005421	6923933813117	1-pack		531
C35 filament clear 470lm	Filament	Full Glass	Clear	5183005321	6923933817115	1-pack		531
C35 filament clear 470lm	Filament	Full Glass	Clear	5183001721	6923933819645	1-pack		529
C35 filament clear 470lm	Filament	Full Glass	Clear	5183001821	6923933819843	1-pack		532
C35 filament clear 806lm	Filament	Full Glass	Clear	5283018721	6923933818464	1-pack		530
C35 filament clear 806lm	Filament	#N/A	Clear	5283018821	6923933818471	1-pack		531
C35 filament milky 140lm	Filament	Full glass	Milky	5183002921	6923933814329	1-pack		533
C35 filament milky 250lm	Filament	Full Glass	Milky	5183015921	6923933818495	1-pack		533
C35 filament milky 250lm	Filament	Full Glass	Milky	5193002821	6923933820108	1-pack		532
C35 filament milky 250lm	Filament	Full Glass	Milky	5183016121	6923933819652	1-pack		535
C35 filament milky 470lm	Filament	Full Glass	Milky	5183016321	6923933818501	1-pack		533
C35 filament milky 470lm	Filament	Full Glass	Milky	5183016323	6923933820115	3-pack		532
C35 filament milky 470lm	Filament	Full Glass	Milky	5183017921	6923933818518	1-pack		534
C35 filament milky 470lm	Filament	Full Glass	Milky	5193003221	6923933818525	1-pack		534
C35 filament milky 470lm	Filament	Full Glass	Milky	5183016521	6923933819669	1-pack		535
C35 filament milky 470lm	Filament	Full Glass	Milky	5183016621	6923933819850	1-pack		535
C35 filament milky 806lm	Filament	Full Glass	Milky	5193002421	6923933818532	1-pack		533
C35 filament milky 806lm	Filament	Full Glass	Milky	5193006021	6923933818549	1-pack		534
C35 SMD 250lm	SMD	Full Plastic	Frosted	5173018921	6923933818112	1-pack		544
C35 SMD 250lm	SMD	Full Plastic	Frosted	5173018923	6923933818129	3-pack		544
C35 SMD 470lm	SMD	Plastic+Aluminum	Frosted	5173019321	6923933817726	1-pack		544

Model	Type	Material	Color	Number	EAN	Pack unit	Switch	Page
C35 SMD 470lm	SMD	Plastic+Aluminum	Frosted	5173019323	6923933818143	3-pack		544
Classic deco A60 gold 400lm	Filament	Full glass	Gold	2080012758	5704924000003	1-pack		554
Classic deco C35 bent tip gold 400lm	Filament	Full glass	Gold	2080111458	5704924000157	1-pack		554
Classic deco C35 gold 400lm	Filament	Full glass	Gold	2080091458	5704924000133	1-pack		554
Classic deco G120 gold 400lm	Filament	Full glass	Gold	2080212758	5704924000256	1-pack		555
Classic deco G45 gold 400lm	Filament	Full glass	Gold	2080152758	5704924000195	1-pack		555
Classic deco G45 gold 400lm	Filament	Full glass	Gold	2080161458	5704924000201	1-pack		554
Classic deco G95 gold 400lm	Filament	Full glass	Gold	2080172758	5704924000218	1-pack		555
Classic deco ST64 gold 400lm	Filament	Full glass	Gold	2080052758	5704924000089	1-pack		555
Disco G80 RGB	SMD	Plastic	RGB	2020051801EL	5400848000883	1-pack		546
G120 filament clear 1055lm	Filament	Full Glass	Clear	5186001121	6923933815234	1-pack		537
G120 filament milky 1521lm	Filament	Full Glass	Milky	5196002821	6923933817207	1-pack		537
G4 SMD 136lm	SMD	Plastic+Ceramic	Clear	5155101521	6923933820207	1-pack		547
G4 SMD 136lm	SMD	Plastic+Ceramic	Clear	5155101523	6923933820214	3-pack		547
G4 SMD 180lm	SMD	sillicon	Clear	5195000621	6923933818150	1-pack		547
G45 filament clear 140lm	Filament	Full Glass	Clear	5182015721	6923933815357	1-pack		518
G45 filament clear 140lm	Filament	Full Glass	Clear	5182015821	6923933815364	1-pack		519
G45 filament clear 250lm	Filament	Full Glass	Clear	5182000921	6923933814039	1-pack		518
G45 filament clear 250lm	Filament	Full Glass	Clear	5182001121	6923933814046	1-pack		519
G45 filament clear 250lm	Filament	Full Glass	Clear	5182016521	6923933819621	1-pack		524
G45 filament clear 250lm	Filament	Full Glass	Clear	5182000421	6923933819812	1-pack		524
G45 filament clear 470lm	Filament	Full Glass	Clear	5182000121	6923933813568	1-pack		518
G45 filament clear 470lm	Filament	Full Glass	Clear	5182000123	6923933820009	3-pack		524
G45 filament clear 470lm	Filament	Full Glass	Clear	5182007821	6923933817337	1-pack		519
G45 filament clear 470lm	Filament	Full Glass	Clear	5182007823	6923933820016	3-pack		524
G45 filament clear 470lm	Filament	Full Glass	Clear	5182000321	6923933813575	1-pack		519
G45 filament clear 470lm	Filament	Full Glass	Clear	5182006321	6923933813483	1-pack		523
G45 filament clear 470lm	Filament	Full Glass	Clear	5182003721	6923933817146	1-pack		523
G45 filament clear 470lm	Filament	Full Glass	Clear	5182001221	6923933819829	1-pack		525
G45 filament clear 806lm	Filament	Full Glass	Clear	5192001921	6923933818648	1-pack		523
G45 filament clear 806lm	Filament	Full Glass	Clear	5192006521	6923933818655	1-pack		523
G45 filament milky 140lm	Filament	Full glass	Milky	5182001721	6923933814237	1-pack		525
G45 filament milky 140lm	Filament	Full glass	Milky	5182001921	6923933814398	1-pack		526

Model	Type	Material	Color	Number	EAN	Pack unit	Switch	Page
G45 filament milky 250lm	Filament	Full Glass	Milky	5182014121	6923933818686	1-pack		525
G45 filament milky 250lm	Filament	Full Glass	Milky	5182014321	6923933818693	1-pack		526
G45 filament milky 470lm	Filament	Full Glass	Milky	5182014521	6923933818709	1-pack		525
G45 filament milky 470lm	Filament	Full Glass	Milky	5182014523	6923933820023	3-pack		528
G45 filament milky 470lm	Filament	Full Glass	Milky	5192003321	6923933818716	1-pack		526
G45 filament milky 470lm	Filament	Full Glass	Milky	5192003323	6923933820030	3-pack		528
G45 filament milky 470lm	Filament	Full Glass	Milky	5182014721	6923933818723	1-pack		526
G45 filament milky 470lm	Filament	Full Glass	Milky	5182015521	6923933818730	1-pack		527
G45 filament milky 470lm	Filament	Full Glass	Milky	5192003521	6923933818747	1-pack		527
G45 filament milky 806lm	Filament	Full Glass	Milky	5192002121	6923933820047	1-pack		528
G45 filament milky 806lm	Filament	0	Milky	5192007221	6923933820054	1-pack		528
G45 filament milky 806lm	Filament	Full Glass	Milky	5192002321	6923933818754	1-pack		527
G45 filament milky 806lm	Filament	Full Glass	Milky	5192006821	6923933818761	1-pack		527
G45 SMD 250lm	SMD	Full Plastic	Frosted	5172013921	6923933817917	1-pack		541
G45 SMD 250lm	SMD	Full Plastic	Frosted	5172013923	6923933817900	3-pack		542
G45 SMD 250lm	SMD	Full Plastic	Frosted	5172014021	6923933817931	1-pack		542
G45 SMD 250lm	SMD	Full Plastic	Frosted	5172014023	6923933817924	3-pack		542
G45 SMD 470lm	SMD	Plastic+Aluminum	Frosted	5172014321	6923933817962	1-pack		541
G45 SMD 470lm	SMD	Plastic+Aluminum	Frosted	5172014323	6923933817948	3-pack		543
G45 SMD 470lm	SMD	Plastic+Aluminum	Frosted	5172014421	6923933813551	1-pack		542
G45 SMD 470lm	SMD	Plastic+Aluminum	Frosted	5172014423	6923933817955	3-pack		543
G45 SMD 806lm	SMD	Full Plastic	Frosted	5172003921	6923933814770	1-pack		543
G45 SMD 806lm	SMD	Full Plastic	Frosted	5172003923	6923933817979	3-pack		543
G45 SMD flame 215lm	SMD	Full Plastic	Flame	5182003321	6923933813896	1-pack		545
G45 SMD flame 215lm	SMD	Full Plastic	Flame	5182003421	6923933814213	1-pack		545
G9 filament clear 230lm	0		Clear	5002020321OS	5400848003174	1-pack		575
G9 filament clear 470lm	0		Clear	5003020321OS	5400848003204	1-pack		575
G9 SMD 370lm	SMD	Plastic+Ceramic	Frosted	5195000321	6923933818167	1-pack		546
G9 SMD clear 350lm	SMD	Plastic+Ceramic	Clear	5185000321	6923933820320	1-pack		546
G9 SMD clear 400lm	SMD	Plastic+Ceramic	Clear	5195000221	6923933817733	1-pack		546
G95 filament clear 1521lm	Filament	Full Glass	Clear	5216000121	6923933820306	1-pack		536
G95 filament clear 806lm	Filament	Full Glass	Clear	5186000721	6923933815227	1-pack		536
G95 filament milky 1521lm	Filament	Full Glass	Milky	5216001121	6923933820313	1-pack		536

Model	Type	Material	Color	Number	EAN	Pack unit	Switch	Page
GU10 spot 230lm	SMD	Glass+Plastic	Full glass	5174008521	6923933817993	1-pack		548
GU10 spot 230lm	SMD	Full Plastic	White	5174008823	6923933818051	3-pack		550
GU10 spot 345lm	SMD	Glass+Plastic	Full glass	5174008621	6923933818006	1-pack		548
GU10 spot 345lm	SMD	Glass+Plastic	Full glass	5174008623	6923933820122	3-pack		548
GU10 spot 345lm	SMD	Glass+Plastic	Full glass	5164003721	6923933812462	1-pack		548
GU10 spot 345lm	SMD	Glass+Plastic	Full glass	5184003621	6923933818013	1-pack		549
GU10 spot 345lm	SMD	Glass+Plastic	Full glass	5184003623	6923933820139	3-pack		550
GU10 spot 345lm	SMD	Glass+Plastic	Full glass	5164005421	6923933817740	1-pack		551
GU10 spot 345lm	SMD	Full Plastic	White	5174008923	6923933818068	3-pack		550
GU10 spot 450lm	SMD	Glass+Plastic	Full glass	5164003221	6923933814749	1-pack		549
GU10 spot 450lm	SMD	Glass+Plastic	Full glass	5164003223	6923933820184	3-pack		550
GU10 spot 450lm	SMD	Glass+Plastic	Full glass	5184002821	6923933817276	1-pack		549
GU10 spot 450lm	SMD	Glass+Plastic	Full glass	5164005621	6923933817269	1-pack		549
GU10 spot 450lm	SMD	Glass+Plastic	Full glass	5164005623	6923933820191	3-pack		573
GU5.3 spot 621lm	SMD	Plastic+Aluminum	Clear	5194000421	6923933818075	1-pack		552
Magician G200 dots black 120lm	Filament	Full glass	Black	2020070206	5400848002450	1-pack		564
Magician G200 net black 300lm	Filament	Full glass	Black	2020070207	5400848002474	1-pack		564
Magician G95 dots black 100lm	Filament	Full glass	Black	2020070201	5400848002351	1-pack		563
Magician G95 dots gold 80lm	Filament	Full glass	Gold	2020070203	5400848002399	1-pack		563
Magician G95 dots silver 200lm	Filament	Full glass	Silver	2020070205	5400848002436	1-pack		563
Magician G95 net black 180lm	Filament	Full glass	Black	2020070202	5400848002375	1-pack		563
Magician G95 net gold 180lm	Filament	Full glass	Gold	2020070204	5400848002412	1-pack		564
PAR20 spot 500lm	SMD	#N/A	Clear	5020160921OS	6923933820221	1-pack		552
R50 reflector 250lm	SMD	Full Glass	Clear	5194001821	6923933818082	1-pack		552
R63 reflector 207lm	SMD	Full Glass	Clear	5194002021	6923933820061	1-pack		553
R63 reflector 345lm	SMD	Full Glass	Clear	5194002421	6923933818099	1-pack		552
R7S filament clear 118mm 1055lm	0		Clear	5001020321OS	5400848003143	1-pack		575
R7S filament clear 78mm 470lm	0		Clear	5000020321OS	5400848003051	1-pack		575
R80 reflector 345lm	SMD	Full Glass	Clear	5194002621	6923933820078	1-pack		553
Retro deco A165 gold 120lm	#N/A	Full glass	#N/A	2080282758	5704924000324	1-pack		562
Retro deco A60 gold 65lm	Filament	Full glass	Gold	2080042758	5704924000072	1-pack		560
Retro deco G125 gold 120lm	#N/A	Full glass	#N/A	2080242758	5704924000287	1-pack		562
Retro deco G95 gold 120lm	Filament	Full glass	Gold	2080202758	5704924000249	1-pack		560

Model	Type	Material	Color	Number	EAN	Pack unit	Switch	Page
Retro deco ST64 gold 120lm	Filament	Full glass	Gold	2080082758	5704924000119	1-pack		560
Retro deco T45 gold 120lm	Filament	Full glass	Gold	2080142758	5704924000188	1-pack		560
Smart A60 filament clear 20-650lm	Filament	Full Glass	Clear	2070082700	5704924002526	1-pack		565
Smart A60 filament milky 20-585lm	Filament	Full Glass	Milky	2070092701	5704924002533	1-pack		565
Smart A60 SMD 20-900lm	SMD	Full Plastic		2070052701	5704924002496	1-pack		566
Smart C35 SMD 10-450lm	SMD	Full Plastic		2070021401	5704924001949	1-pack		566
Smart G45 filament clear 18-600lm	Filament	Full Glass	Clear	2170052700	5704924006357	1-pack		565
Smart G45 filament milky 17-560lm	Filament	Full Glass	#N/A	2170062701	5704924006364	1-pack		565
Smart G45 SMD 20-470lm	SMD	Full Plastic		2070011401	5704924001932	1-pack		566
Smart G95 filament clear 20-650lm	Filament	Full Glass	Clear	2070102700	5704924002540	1-pack		566
Smart GU10 spot 10-345lm	Spot			2170031000	5704924006333	1-pack		567
Smart GU10 spot 10-380lm	Spot			2070031000	5704924001956	1-pack		567
Smart RGBW A60 SMD 25-806lm	SMD	Full Plastic		2170072701	5704924006371	1-pack		568
Smart RGBW G95 SMD 32-1055lm	SMD	Full Plastic		2170092701	5704924006395	1-pack		568
Smart RGBW GU10 spot 11-380lm	Spot			2170081000	5704924006388	1-pack		568
Smart spiral deco A60 gold 10-360lm		Full glass	Gold	2170102747	5704924006401	1-pack		568
Smart spiral deco G200 gold 11-380lm		Full glass	Gold	2170132747	5704924006432	1-pack		569
Smart spiral deco G95 gold 11-380lm		Full glass	Gold	2170122747	5704924006425	1-pack		569
Smart spiral deco ST64 gold 11-380lm		Full glass	Gold	2170112747	5704924006418	1-pack		569
Smart start pack EU		Full Plastic		2070062701	5704924002502	2-pack		567
Smart start pack UK		Full Plastic		2070072701	5704924002502	2-pack		567
Spiral deco A60 gold 250lm	Filament	Full glass	Gold	2080022758	5704924000058	1-pack		556
Spiral deco A60 smoky 110lm	Filament	Full glass	Smoky	2080032747	5704924000065	1-pack		556
Spiral deco C35 bent tip gold 136lm	Filament	Full glass	Gold	2080121458	5704924000164	1-pack		557
Spiral deco C35 gold 136lm	Filament	Full glass	Gold	2080101458	5704924000140	1-pack		557
Spiral deco G125 gold 250lm	Filament	Full glass	Gold	2080222758	5704924000263	1-pack		558
Spiral deco G125 smoky 110lm	Filament	Full glass	Smoky	2080232747	5704924000270	1-pack		558
Spiral deco G200 gold 600lm	Filament	Full glass	Gold	2080292758	5704924000331	1-pack		559
Spiral deco G200 smoky 200lm	Filament	Full glass	Smoky	2080302747	5704924000348	1-pack		559
Spiral deco G95 gold 250lm	Filament	Full glass	Gold	2080182758	5704924000225	1-pack		558
Spiral deco G95 smoky 110lm	Filament	Full glass	Smoky	2080192747	5704924000232	1-pack		558
Spiral deco PS160 gold 600lm	Filament	Full glass	Gold	2080262758	5704924000300	1-pack		559
Spiral deco PS160 smoky 200lm	Filament	Full glass	Smoky	2080272747	5704924000317	1-pack		559

Model	Type	Material	Color	Number	EAN	Pack unit	Switch	Page
Spiral deco ST64 gold 250lm	Filament	Full glass	Gold	2080062758	5704924000096	1-pack		556
Spiral deco ST64 smoky 110lm	Filament	Full glass	Smoky	2080072747	5704924000102	1-pack		556
Spiral deco T45 gold 200lm	Filament	Full glass	Gold	2080132758	5704924000171	1-pack		557
Spiral deco T65 gold 600lm	Filament	Full glass	Gold	2080252758	5704924000294	1-pack		557
T25 filament clear 100lm	Filament	Full Glass	Clear	5167003521	6923933812578	1-pack		538
T25 filament clear 250lm	Filament	Full Glass	Clear	5187000121	6923933813544	1-pack		538
T25 filament clear 470lm	Filament	Full Glass	Clear	5187000321	6923933814008	1-pack		538
T8 LED tube 120 cm 2250lm	Glass (with film)	0	Frosted	4211000321	6923933820399	1-pack		574
T8 LED tube 120 cm 2250lm	Glass (with film)	0	Frosted	4211000421	6923933820405	1-pack		574
T8 LED tube 150 cm 2750lm	Glass (with film)	0	Frosted	4211000521	6923933820412	1-pack		574
T8 LED tube 150 cm 2750lm	Glass (with film)	0	Frosted	4211000621	6923933820429	1-pack		574
T8 LED tube 60 cm 1150lm	Glass (with film)	0	Frosted	4211000121	6923933820375	1-pack		573
T8 LED tube 60 cm 1150lm	Glass (with film)	0	Frosted	4211000221	6923933820382	1-pack		573

Der tages forbehold for ændringer m.h.t. tekniske specifikationer, design og collistørrelser.
Vi förbehåller oss för ändring med hänsyn till tekniske specifikationer, design och collistorlek.
We reserve the right to changes as to technical specifications, design and number of packages.
Wir nehmen Vorbehalt für Änderungen bezgl. technischer Spezifikationen, Design und Verpackungseinheiten.
Nous nous réservons le droit de modifier toute documentation technique, design et colisage.
We behouden ons het recht om technische specificaties, ontwerp en verpakkingsaantal te wijzigen zonder voorafgaande kennisgeving.

Showroom & Headquarters
Østre Havnegade 34
DK 9000 Aalborg
T + 45 98 18 16 11
nordlux@nordlux.com
nordlux.com

Benelux
T +32 (0)15 25 76 40
info@nordlux.com

France
T +33 320 479 346
france@nordlux.com

Germany
T +49 (0) 21 52 89 87 37
F +49 (0) 21 52 14 85 54
germany@nordlux.com

Norway
T +47 51 88 63 18
norway@nordlux.com

Sweden
T +46 (0) 20 14 00 054
sweden@nordlux.com

UK & Eire
T +44 (0) 12 00 42 27 77
salesuk@nordlux.com

nordlux®

nordlux.com