



NORDLUX SMART

nordlux® smart





There is a perfect light for everyone with Nordlux Smart

At Nordlux our vision is to lift people's quality of life with light.

Adjust the light and colour for any occasion

With Nordlux Smart, there is a perfect light for everyone, for every need and even for a colourful life. Nordlux Smart simply enables all users to customize their light to all situations in their life.

Fast and easy setup

In addition to this, it is easy to get started, set up and use in everyday life in all your existing lamps, since we offer a full range of Smart items, from bulbs, to accessories and ceiling and wall lamps - and also offered at a very competitive price. You can set up a whole household with Nordlux Smart - at the same cost as with non-smart items - without compromising with any of the fantastic Smart features.

Bluetooth Mesh and data protection

Nordlux Smart is built with the newest Bluetooth Mesh Technology which enables the smart items to connect and align via Bluetooth Mesh, which also gives users the ability to use - even without ever signing up as a user in the app. This allows our users to have complete privacy and strong data protection.

Change the Mood with just one click with Nordlux Smart

Adding the Nordlux bridge, the Nordlux Smart universe of features will expand even more.

The Nordlux Smart app is where all your smart products are connected and managed. The app is available for both iOS and Android, as well as being compatible with all tablets, and a range of Smart Home Systems, by adding the Smart Bridge.

We get it - we got you with Nordlux Smart.


User friendly Bluetooth Mesh technology



Nordlux Smart makes use of the newest Bluetooth Mesh technology. This enables it to work both indoor and outdoor with a stable communication between the devices.

Bluetooth has a very low power consumption allowing us to save energy, but also introduce battery powered accessories, such as a daylight and motion sensor.

Bluetooth also allows our users complete anonymity and strong privacy protection – because we allow access to all the basic functions without signing up with any account or email.



WiFi Bridge connects to a world of advanced functions

The Smart Bridge enhances the features and functionalities of the Nordlux Smart Products.

In addition to instantly controlling the products via Bluetooth, the Smart Bridge makes it possible to set schedules and programs, control the lights from anywhere and activate a presence simulation, when the family is on vacation.

As Nordlux Smart is compatible to the smart home assistants Amazon Alexa and Google Home, it is also possible to control the lights by voice.

The bridge must be purchased separately.


With Smart Bridge, you can use Smart Home Assistants



Voice control with
GOOGLE HOME




Voice control with
AMAZON ALEXA



Fast and easy setup

The installation of Nordlux Smart Light only takes one minute, and furthermore the products fit your existing light fixtures, so they are incredibly easy to replace. Follow these simple steps and are now ready to create the perfect lighting for any situation.



WE HAVE 12
"HOW-TO"
VIDEOS



We are here to help!

On our website, we have an entire Nordlux Smart section, which will guide, help and inspire you with everything for Nordlux smart.

You can find:

- FAQ
- Set-up guides
- Functionality guides
- "How to" feature videos

Available in English, Danish, Swedish, Norwegian, German and French


Great products supported by great marketing

With a little help from the Zoo, we explain the core benefits of Nordlux Smart while creating attention around all of our Nordlux Smart items and features. The ability to choose between millions of different colours, the ability to dim and adjust light and colour temperature, and to set the right mood even through automation and sensor.

There's a perfect light for everyone




There's a perfect light for every need




There's a perfect light for every taste



The perfect light for a colourful life





There's a perfect light for everyone


With Nordlux Smart bulbs, you can easily adjust the "colour temperature" and "brightness" of the light and create the mood that fits your life perfectly – whether you prefer to hang out in warm light or you thrive in cool and clear light.





 **Night light**
Turned on by darkness




 **Full light**
Turned on by movement

There's a perfect light for every need

With Nordlux Smart bulbs and elegant Smart outdoor fixtures, you can create your desired light in the yard. With automation via the Smart sensor, there's dim light for those who like to sit still in the dark or full blast for those who like to show their wings.





There's a perfect light for every taste

With Nordlux Smart bulbs, all of your lamp-species get a new life. Place the bulb in your long-legged floor lamp, the naughty night lamp, or in the herd of spotlights on the porch. Adjust the "colour temperature" and the "brightness" to create the perfect light.



A surreal living room scene featuring polar bears. Two large polar bears stand on their hind legs in the center, facing each other. To the left, a smaller polar bear sits on a red sofa, holding a bucket of popcorn. To the right, another small polar bear sits on a green sofa. The room is lit with vibrant, multi-colored lights (red, blue, green, purple) that create a rainbow-like effect. A floor lamp is on the left, and a window on the right shows a view of trees. A smartphone in the bottom right corner displays a color picker app.

The perfect light for a colourful life

With Nordlux Smart Colour, you can create your own rainbow at home. In everyday life, light up your habitat with perfect warm or cold light. And when there's a party in the air, break the ice with delicate shades or have beary fun with dance-friendly colours that can follow the beat of the music.

Retail support


POS material is an effective tool for creating awareness and preferences among customers. In order to promote sales in the store and increase awareness of specific products or concepts, we offer you creative designs and solutions, including display solutions, signs, shelf dangles etc., which catch the customers' attention. We take care of the process from idea to finished production. The effect of great POS material is not to be mistaken - see here what we can offer you.



(Shelfdangler on demand)



Display no. 41100111 (topcard on demand)
Smart Colour E27 G100 no. 2170092701 x 4
Smart Colour E27 A60 no. 2171072701 x 12
Smart Colour GU10 no. 2170081000 x 27



Display no. 41100100 (topcard on demand)
Smart Colour E27 G100 no. 2170092701 x 20
Smart Colour E27 A60 no. 2171072701 x 72
Smart Colour GU10 no. 2170081000 x 110



Poster with content (3 posters) no. 41300060
Poster with extra ceiling (1 poster) no. 41300061

Online marketing support


At Nordlux, we want to serve you with all the information and materials you need in the best possible way. Therefore, we have created various marketing packages with all relevant communication material, including everything from ERP-labels, images and videos, to sales texts and exciting content for your social media channels. Download the packages and use it on all your channels – it will definitely make your marketing activities a lot easier.

Marketing package available

- Product pictures
- Detail pictures
- Ambience pictures
- "How-to" videos
- Sales text in 6 languages
- SoMe content
- Energy labels
- Data sheets



Download package here



Full Nordlux Smart bulb assortment

BULBS



DECO BULBS



3-pack



Full Nordlux Smart assortment


CEILING



Colour Liva



DJay



Colour Harlow



Oja 29



Oja 42



Oja 60



Landon 8



Landon 12



Colour Don 1-kit



Colour Don 3-kit



Carina 3-kit



Carina 3-kit



Dorado 1-kit

HOME



Sensor



Remote



Plug EU & FR




Dual WiFi Bridge


OUTDOOR



Ava Outdoor



Arcus Outdoor



Grip Outdoor



Bulbs



Frosted 2170072701



3-pack frosted 2270052701

NEW



Frosted 2270042201

NEW

Smart E27 A60 Colour



Size H: 10,9 cm, Ø: 6 cm
Lightsource E27 - 7W LED, 806 Lumen, 2200-6500 Kelvin,
 15000 Hours, RA 80, Beam angle 240°,
 Has built-in dimmable light source with Nordlux
 Smart functionality

Features

More than 16 million colours
 Cool to warm white light
 Personalised and pre-set moods



Dimmable with
Nordlux Smart



2200-6500K
warm to cold light



Colour
ambience

Smart B22 A60 Colour



Masterbox Qty. 6
Size H: 10,9 cm, Ø: 6 cm,
Lightsource B22 - 806 Lumen, 2200-6500 Kelvin,
 15000 Hours, Beam angle 240°,
 Has built-in dimmable light source with Nordlux
 Smart functionality

Features

More than 16 million colours
 Cool to warm white light
 Personalised and pre-set moods



Dimmable with
Nordlux Smart



2200-6500K
warm to cold light



Colour
ambience



Frosted 2170092701

Smart E27 G95 Colour

Size H: 12,9 cm, Ø: 9,5 cm
Lightsource E27 - 8,5W LED, 1055 Lumen, 2200-6500 Kelvin, 15000 Hours, RA 80, Beam angle 240°, Has built-in dimmable light source with Nordlux Smart functionality

Features

More than 16 million colours
 Cool to warm white light
 Personalised and pre-set moods
 High lumen output



Dimmable with
Nordlux Smart



2200-6500K
warm to cold light



Colour
ambience



White housing 2170081000



3-pack white housing 2270061000

Smart GU10 Colour

Size H: 5,5 cm, Ø: 5 cm
Lightsource GU10 - 4,7W LED, 380 Lumen, 2200-6500 Kelvin, 15000 Hours, RA 80, Beam angle 100°, Has built-in dimmable light source with Nordlux Smart functionality

Features

More than 16 million colours
 Cool to warm white light
 Personalised and pre-set moods



Dimmable with
Nordlux Smart



2200-6500K
warm to cold light



Colour
ambience



Glass housing 2070031000

Smart GU10

Size H: 5,5 cm, Ø: 5 cm

Lightsource GU10 - 4,7W LED, 380 Lumen, 2200-6500 Kelvin, 15000 Hours, RA 80, Beam angle 36°, Has built-in dimmable light source with Nordlux Smart functionality

Features

Exclusive glass finish

Adjustable kelvin and lumen output



Dimmable with
Nordlux Smart



2200-6500K
warm to cold light



2-pack white housing 2070041000



3-pack clear 2270031000

Smart GU10

Size H: 5,5 cm, Ø: 5 cm

Lightsource GU10 - 4,8W, 420 Lumen, 2200-6500 Kelvin, 15000 Hours, RA 80, Beam angle 36°, Has built-in dimmable light source with Nordlux Smart functionality

Features

Adjustable kelvin and lumen output



Dimmable with
Nordlux Smart



2200-6500K
warm to cold light



Frosted 2070021401

Smart E14 C35

Size H: 10,8 cm, Ø: 3,5 cm
Lightsource E14 - 4,9W, 450 Lumen, 2200-6500 Kelvin, 15000 Hours, RA 80, Beamangle 300°,
Yes, has built-in dimmable light source with Nordlux Smart functionality

Features

Bluetooth connection to Nordlux Smart Light
Adjustable kelvin and lumen output



Dimmable with
Nordlux Smart



2200-6500K
warm to cold light



Frosted 2070011401

Smart E14 G45

Size H: 8,7 cm, Ø: 4,5 cm
Lightsource E14 - 4,7W, 470 Lumen, 2200-6500 Kelvin, 15000 Hours, RA 80, Beam angle 200°,
Has built-in dimmable light source with Nordlux Smart functionality

Features

Bluetooth connection to Nordlux Smart Light
Adjustable kelvin and lumen output



Dimmable with
Nordlux Smart



2200-6500K
warm to cold light



Clear 2170052700

Smart E27 G45

Size H: 8 cm, Ø: 4,5 cm
Lightsource E27 - 4,7W LED, 600 Lumen, 2200-6500 Kelvin, 15000 Hours, RA 80, Beam angle 360°,
Has built-in dimmable light source with Nordlux
Smart functionality

Features

Compact size - 45 mm globe
Cool to warm white light



Dimmable with
Nordlux Smart



2200-6500K
warm to cold light



Opal white 2170062701

Smart E27 G45

Size H: 8 cm, Ø: 4,5 cm
Lightsource E27 - 4,7W, 560 Lumen, 2200-6500 Kelvin,
15000 Hours, RA 80, Beam angle 360°,
Has built-in dimmable light source with Nordlux
Smart functionality

Features

Compact size - 45 mm globe
Cool to warm white light



Dimmable with
Nordlux Smart



2200-6500K
warm to cold light



Clear 2070082700



3- pack clear 2270012700

NEW



Opal white 2070092701

Smart E27 A60

Size H: 10,4 cm, Ø: 6 cm

Lightsource E27 - 4,7W, 650 Lumen, 2200-6500 Kelvin,
15000 Hours, RA 80, Beam angle 360°,
Has built-in dimmable light source with Nordlux
Smart functionality

Features

Full 360° beam angle



Dimmable with
Nordlux Smart



2200-6500K
warm to cold light

Smart E27 A60

Size H: 10,4 cm, Ø: 6 cm

Lightsource E27 - 4,7W, 560 Lumen, 2200-6500 Kelvin,
15000 Hours, RA 80, Beam angle 360°,
Has built-in dimmable light source with Nordlux
Smart functionality

Features

Milky surface that covers electronics

Full 360° beam angle



Dimmable with
Nordlux Smart



2200-6500K
warm to cold light



Frosted 2070052701



3-pack frosted 2270022701

Smart E27 A60

Size H: 10,9 cm, Ø: 6 cm

Lightsource E27 - 7W, 900 Lumen, 2200-6500 Kelvin, 15000 Hours, RA 80, Beam angle 240°,
Has built-in dimmable light source with Nordlux
Smart functionality



Dimmable with
Nordlux Smart



2200-6500K
warm to cold light



Clear 2070102700

Smart E27 G95

Size H: 13,7 cm, Ø: 9.5 cm

Lightsource E27 - 4,7W, 650 Lumen, 2200-6500 Kelvin,
15000 Hours, RA 80, Beam angle 360°,
Has built-in dimmable light source with Nordlux
Smart functionality

Features

Full 360° beam angle



Dimmable with
Nordlux Smart



2200-6500K
warm to cold light



Amber 2170102747



Smoky 2280012747

Smart E27 Deco A60

Size H: 10,5 cm, Ø: 6 cm
Lightsource E27 - 4,7W LED, 380 Lumen, 2200 Kelvin, 15000 Hours, RA 80, Beam angle 360°, Has built-in dimmable light source with Nordlux Smart functionality

Features

Decorative croissant-shaped LED
Warm white light (2200 kelvin)
Dimmable



Dimmable with
Nordlux Smart



2200K
warm light



Amber 2170112747



Smoked 2280022747

Smart E27 ST64 Deco

Size H: 14 cm, Ø: 6.4 cm
Lightsource E27 - 4,7W LED, 380 Lumen, 2200 Kelvin, 15000 Hours, RA 80, Beam angle 360°, Has built-in dimmable light source with Nordlux Smart functionality

Features

Decorative croissant-shaped LED
Warm white light (2200 kelvin)
Dimmable
Retro Edison shape



Dimmable with
Nordlux Smart



2200K
warm light



Amber 2170132747



Smoky 2280162747



Amber 2170122747



Smoked 2280032747

Smart E27 G95 Deco

Size H: 13,7 cm, Ø: 9,5 cm
Lightsource E27 - 4,7W LED, 380 Lumen, 2200 Kelvin,
15000 Hours, RA 80, Beam angle 360°,
Has built-in dimmable light source with Nordlux
Smart functionality

Features

Decorative croissant-shaped LED
Warm white light (2200 kelvin)
Dimmable



Dimmable with
Nordlux Smart



2200K
warm light

Smart E27 G200 Deco

Size H: 26 cm, Ø: 20 cm
Lightsource E27 - 4,7W LED, 380 Lumen, 2200 Kelvin,
15000 Hours, RA 80, Beam angle 360°,
Has built-in dimmable light source with Nordlux
Smart functionality

Features

Decorative croissant-shaped LED
Warm white light (2200 kelvin)
Dimmable



Dimmable with
Nordlux Smart



2200K
warm light



Frosted 2270002700

Smart E27 A60 Outdoor

Masterbox	Qty. 6
Size	H: 10,9 cm, Ø: 6 cm
Lightsource	E27 - 806 Lumen, 2200-6500 Kelvin, 25000 Hours, Beam angle 240°, Has built-in dimmable light source with Nordlux Smart functionality

Features

Access to full Smart options
Longer lifetime
Higher heat resistance



Higher heat
resistance



Dimmable with
Nordlux Smart



2200-6500K
warm to cold light



Grey housing 2170031000

Smart GU10 Outdoor

Size	H: 5,4 cm, Ø: 5 cm
Lightsource	GU10 - 4,2W LED, 345 Lumen, 2200-6500 Kelvin, 20000 Hours, RA 80, Beam angle 36°, Has built-in dimmable light source with Nordlux Smart functionality

Features

Extra-long lifetime
Higher heat resistance
Well suited for outdoor use



Higher heat
resistance



Dimmable with
Nordlux Smart



2200-6500K
warm to cold light

Smart LED strips





White 2210439901
Plastic

Smart Color LED strip 3M

Masterbox	Qty. 6
Size	L: 300 cm
IP Class	IP65
Cable	White 120 cm
Lightsource	LED Module - 24W, 290 Lumen, 2200-6500 Kelvin, 35000 Hours, Has built-in dimmable light source with Nordlux Smart functionality

- Features**
- Control light through Nordlux Smart app
 - Suitable for humid areas (IP65)



Dimmable with Nordlux Smart



2200-6500K warm to cold light



Colour ambience



White 2210449901
Plastic

Smart Color LED strip 10M

Masterbox	Qty. 6
Size	L: 1000 cm
IP Class	IP65
Cable	White 120 cm
Lightsource	LED Module - 60W, 960 Lumen, 2200-6500 Kelvin, 35000 Hours, Has built-in dimmable light source with Nordlux Smart functionality

- Features**
- More than 16 million colours
 - IP65 water resistant (water jets from any angle)



Dimmable with Nordlux Smart




2200-6500K warm to cold light



Colour ambience

Smart Downlights





White 2110900101
Plastic/Metal



Black 2110900103
Plastic/Metal



Brushed Nickel 2110900155
Plastic/Metal



3-pack white 2210500001
Plastic/Metal



3-pack black 2210500003
Plastic/Metal

Don smart Colour Downlight/Recessed

Masterbox	Qty. 3
Size	H: 5,4 cm, D: 5,4 cm, Ø: 8,5 cm
IP Class	IP65, Class 2 (Double isolated)
Lightsource	LED Module - 4,7W LED, 320 Lumen, 2200-6500 Kelvin, 20000 Hours, Beam angle 60°, Has built-in dimmable light source with Nordlux Smart functionality

Features

Parallel connection up to 15 pcs.

External driver connector, memory and reset function

Easy screwless push-in connection that requires no tooling

5 year LED Guarantee



**Dimmable with
Nordlux Smart**



**Bathroom
safe**



**2200-6500K
warm to cold light**




**Colour
ambience**



Brushed Nickel 2015650155
Plastic/Metal



White 2015650101
Plastic/Metal



Black 2015650103
Plastic/Metal

Dorado smart Downlight/Recessed

Masterbox	Qty. 6
Size	H: 7 cm, D: 5,4 cm, Ø: 8.5 cm
IP Class	IP65, Class 2 (Double isolated)
Lightsource	LED Module - 4,7W LED, 360 Lumen, 2200-6500 Kelvin, 20000 Hours, RA 80, Beam angle 36°, Has built-in dimmable light source with Nordlux Smart functionality

Features

IP 65 protection for both outdoor and bathroom use

Bluetooth connection to Nordlux Smart Light

Adjustable kelvin and lumen output



**Dimmable with
Nordlux Smart**



**Bathroom
safe**



**2200-6500K
warm to cold light**

Smart Ceiling





White 2110886101
Plastic/Metal

Djay smart Colour Ceiling


Masterbox	Qty. 3
Size	H: 9 cm, W: 40 cm
IP Class	IP54, Class 1 (Earth contact)
Lightsource	LED Module - 21W LED, 2200 Lumen, 2700-6500 Kelvin, 25000 Hours, Beam angle 120°, Has built-in dimmable light source with Nordlux Smart functionality

Features

Control light and music through Nordlux Smart app (also Bluetooth)
IP44 protected from water splashes in all directions
Easy screwless connection



Dimmable with
Nordlux Smart



Use as speaker with
Nordlux Smart



2700-6500K
warm to cold light



Colour
ambience



Black 2110826103
Plastic



White 2110826101
Plastic

Liva smart Colour Ceiling

Masterbox	Qty. 3
Size	H: 3,2 cm, D: 3,2 cm, Ø: 36 cm
IP Class	IP54, Class 2 (Double isolated)
Lightsource	LED Module - 21W LED, 2100 Lumen, 2700-6500 Kelvin, 25000 Hours, RA 80, Beam angle 120°, Has built-in dimmable light source with Nordlux Smart functionality

Features

Adjust brightness, warmth and colour of the light
IP54 protected from water splashes in all directions
Create ambience by only lighting side light in colour



Dimmable with
Nordlux Smart



2700-6500K
warm to cold light



Colour
ambience



Black 2110840103
Metal/Plastic

White 2110840101
Metal/Plastic

Landon smart Ceiling

Masterbox	Qty. 3
Size	H: 8,2 cm, D: 8,5 cm, Ø: 12.5 cm,
IP Class	IP44, Class 2 (Double isolated)
Lightsource	LED Module - 8W LED, 700 Lumen, 2700-6500 Kelvin, 25000 Hours, RA 80, Beam angle 110°, Has built-in dimmable light source with Nordlux Smart functionality

Features

- Adjust the brightness of inner and outer light ring
- IP44-lid protects from water splashes in all directions
- Extra lid for mounting on hook included (IP20)
- Easy screwless push-in connection that requires no tooling



Dimmable with
Nordlux Smart



2700-6500K
warm to cold light



White 2110850101
Metal/Plastic

Black 2110850103
Metal/Plastic

Landon smart Long Ceiling

Masterbox	Qty. 3
Size	H: 14 cm, D: 14 cm, Ø: 12.5 cm,
IP Class	IP44, Class 2 (Double isolated)
Lightsource	LED Module - 8W LED, 700 Lumen, 2700-6500 Kelvin, 25000 Hours, RA 80, Beam angle 110°, Has built-in dimmable light source with Nordlux Smart functionality

Features


- Adjust the brightness of inner and outer light ring
- IP44-lid protects from water splashes in all directions
- Extra lid for mounting on hook included (IP20)
- Easy screwless push-in connection that requires no tooling



Dimmable with
Nordlux Smart



2700-6500K
warm to cold light



White 2110806101
Plastic/Plastic

Harlow smart Colour Ceiling

Masterbox	Qty. 3
Size	H: 2,3 cm, W: 29,4 cm, L: 59,5 cm, D: 2,5 cm
IP Class	IP54, Class 2 (Double isolated)
Lightsource	LED Module - 21W LED, 2200 Lumen, 2700-6500 Kelvin, 25000 Hours, RA 80, Beam angle 120°, Has built-in dimmable light source with Nordlux Smart functionality

Features

IP54 protected from dust and water splashes
Ultra-thin design with back light effect
Parallel, easy push-in connection and side entry
5 year LED GUarantee



Dimmable with
Nordlux Smart



2700-6500K
warm to cold light



Colour
ambience



White 2015036101
Plastic/Metal

Black 2015036103
Plastic/Metal

Oja smart 29 Ceiling

Masterbox	Qty. 3
Size	H: 2,3 cm, W: 29,4 cm, L: 29,4 cm, D: 2,3 cm, Ø: 29,4 cm
IP Class	IP20, Class 2 (Double isolated)
Lightsource	LED Module - 15W LED, 1600 Lumen, 2700-6500 Kelvin, 25000 Hours, RA 80, Beam angle 120°, Has built-in dimmable light source with Nordlux Smart functionality

Features

Ultra-slim ceiling panel light
Bluetooth connection to Nordlux Smart Light
Adjustable kelvin and lumen output



Dimmable with
Nordlux Smart



2700-6500K
warm to cold light



White 2015136101
Plastic/Metal

Black 2015136103
Plastic/Metal

Oja smart 42 Ceiling



Masterbox	Qty. 3
Size	H: 2,3 cm, W: 42,4 cm, L: 42,4 cm, D: 2,3 cm, Ø: 42,4 cm
IP Class	IP20, Class 2 (Double isolated)
Lightsource	LED Module - 20W LED, 2300 Lumen, 2700-6500 Kelvin, 25000 Hours, RA 80, Beam angle 120°, Has built-in dimmable light source with Nordlux Smart functionality

Features

Ultra-slim ceiling panel light
Bluetooth connection to Nordlux Smart Light
Adjustable kelvin and lumen output



Dimmable with
Nordlux Smart



2700-6500K
warm to cold light



White 2015146101
Plastic/Metal

Black 2015146103
Plastic/Metal

Oja smart 60 Ceiling



Masterbox	Qty. 3
Size	H: 3,2 cm, W: 60 cm, L: 60 cm, D: 3,2 cm, Ø: 60 cm
IP Class	IP20, Class 1 (Earth contact)
Lightsource	LED Module - 30W LED, 3500 Lumen, 2700-6500 Kelvin, 25000 Hours, RA 80, Beam angle 120°, Has built-in dimmable light source with Nordlux Smart functionality

Features

Ultra-slim ceiling panel light
Bluetooth connection to Nordlux Smart Light
Adjustable kelvin and lumen output



Dimmable with
Nordlux Smart




2700-6500K
warm to cold light



**Smart
Outdoor**



Black 2019001003
Aluminium/Plastic



Grey 2019001010
Aluminium/Plastic

Arcus smart Wall

Masterbox	Qty. 3
Size	H: 10 cm, W: 20 cm, D: 10 cm
IP Class	IP54, Class 1 (Earth contact)
Lightsource	LED Module - 9,5W LED, 440 Lumen, 2700 Kelvin, 30000 Hours, RA 80, Beam angle 147,6°, Has built-in dimmable light source with Nordlux Smart functionality

Features

Dual light LED

Can be controlled by wireless Nordlux Smart Sensor

Built-in parallel connection

Indication light 200 lumen. Main light 800 lumen



Dimmable with
Nordlux Smart



2700K
warm light



Black 2019016003
Aluminium/Plastic



Grey 2019016010
Aluminium/Plastic

Ava smart Ceiling

Masterbox	Qty. 3
Size	H: 20 cm, W: 20 cm, D: 6,8 cm,
IP Class	IP54, Class 1 (Earth contact)
Lightsource	LED Module - 9,5W LED, 600 Lumen, 2700 Kelvin, 30000 Hours, RA 80, Beam angle 159,2°, Has built-in dimmable light source with Nordlux Smart functionality

Features

Dual light LED

Can be controlled by wireless Nordlux Smart Sensor

Indication light 200 lumen. Main light 800 lumen

Designed for both ceiling and wall mounting



Dimmable with
Nordlux Smart



2700K
warm light



Black 2118201003
Aluminium/Plastic



White 2118201001
Aluminium/Plastic

Grip smart Wall

Masterbox	Qty. 3
Size	H: 18 cm, W: 15 cm, D: 9,7 cm
IP Class	IP54, Class 1 (Earth contact)
Lightsource	LED Module - 10W LED, 830 Lumen, 2700 Kelvin, 25000 Hours, RA 80, Beam angle 120°, Has built-in dimmable light source with Nordlux Smart functionality

Features

Like a piece of jewellery for your house

Built-in Nordlux Smart LED

Dimmable through app

Parallel connection possible




**Dimmable with
Nordlux Smart**



**2700-6500K
warm to cold light**

Smart Accessories





White 2070062701

Smart 2xE27 + EU Bridge

Size	H: 10,9 cm, Ø: 6 cm
Lightsource	E27 - 7W, 900 Lumen, 2200-6500 Kelvin, 15000 Hours, RA 80, Beam angle 240°, Has built-in dimmable light source with Nordlux Smart functionality



Dimmable with
Nordlux Smart



2200-6500K
warm to cold light



White 2170220001
Plastic

Smart Dual-Wifi Bridge

Masterbox	Qty. 6
Size	H: 1,8 cm, W: 6,6 cm, L: 6,6 cm,
IP Class	IP20, Class 1 (Earth contact)
Cable	White 120 cm,

Features

Works with both 2.4 and 5.0GHz Wi-Fi
Creates more options for your Smart lighting at home



White 2170010001
Plastic

Smart EU Plug

Masterbox	Qty. 3
Size	H: 7,2 cm, W: 5,2 cm, L: 10 cm, D: 8,2 cm,
IP Class	IP20, Class 2 (Double isolated)

Features

Connects electronics to Nordlux Smart set-up
Remote onoff and dimming
Tracking of power consumption



White 2015700001
Plastic

Smart Remote control

Masterbox	Qty. 6
Size	H: 6,7 cm, W: 1,46 cm, L: 12 cm,
IP Class	IP20, Class 3 (12V)

Features

Twist-lock for easy mounting of smart bulbs
Bluetooth connection to Nordlux Smart Light



White 49091001
Plastic



Black 49091003
Plastic

Smart Sensor

Masterbox	Qty. 6
Size	H: 7,6 cm, W: 4,5 cm, L: 7,6 cm, D: 4,5 cm Tilt angle 100°, Turning angle 120°
IP Class	IP54, Class 3 (12V)

Features

Easy installation without the use of cables
Daylight and movement sensor in one unit
IP safe for both outdoor and bathroom use
Bracket included for tilted or corner positioning
Battery lifetime +400 days
Can control up to 50 lights via Bluetooth

