

new arrivals

novedades / nouveautés / novità

WS23



F A R O
BARCELONA

**indoor
interior**



new arrivals

indoor / interior

Maya

by Faro Lab



reddot winner 2023







Surface/Superficie


- 40102 Matt Black/Negro Mate +Shiny Black/Negro Brillo
- 40103 Matt White/Blanco Mate + Beige/Beige
- 40104 Matt Black/Negro Mate + Terracotta/Terracota

Body Aluminium+Steel/Aluminio+Acero
Diff Opal Glass/Cristal Opal
Light Source SMD LED 6W 410lm
Voltage (V/Hz) 220V-240V/50-60Hz

CRI >90
Class II
IP 20
Cable 1.5 MT



2 Installation Modes / 2 Modos de instalación





Luang

by Faro Lab








Surface/Superficie

- ● 23004-57 Black/Negro + Beige
- ● 23004-58 Black/Negro + Camel

Body Steel/Acero
Shade Papyrus/Papiro
Light Source 1 E27 max. 15W
Bulb incl. No



Recom. Bulb 17462
Class I
IP 20









Table/Mesa

<ul style="list-style-type: none"> ● ● 23001-57 Black/Negro + Beige ● ● 23001-58 Black/Negro + Camel 	<p>Body Steel/Acero Shade Papyrus/Papiro Light Source 1 E27 max. 15W Bulb incl. No</p>	<p>Recom. Bulb 17462 Class II IP 20 Cable 1.9 MT</p>	
<ul style="list-style-type: none"> ● ● 23002-57 Black/Negro + Beige ● ● 23002-58 Black/Negro + Camel 	<p>Body Steel/Acero Shade Papyrus/Papiro Light Source 1 E27 max. 15W Bulb incl. No</p>	<p>Recom. Bulb 17463 Class II IP 20 Cable 1.8 MT</p>	



23001-57
23001-58



23002-57
23002-58






Floor/Suelo

- ● 23003-59 Black/Negro + Beige
- ● 23003-60 Black/Negro + Camel

Body Steel/Acero
Shade Papyrus/Papiro
Light Source 1 E27 max. 15W
Bulb incl. No

Recom. Bulb 17463
Class II
IP 20
Cable 1.8 MT





new arrivals

indoor / interior

Tatawin

by Adolfo Abejón








Surface/Superficie

- ● 20335-116 Satin Black/Negro Satinado + Opal
- ● 20335-117 Satin Black/Negro Satinado + Shiny
Black/Negro Brillo

Body Aluminium/Aluminio
Shade Glass/Cristal
Light Source 1 E27 G45 max. 15W
Bulb incl. No


Recom. Bulb 17462
Class II
IP 20








Table/Mesa

<ul style="list-style-type: none"> ● ● 20337-116 Satin Black/Negro Satinado + Opal ● ● 20337-117 Satin Black/Negro Satinado + Shiny Black/Negro Brillo 	<p>Body Steel/Acero Shade Glass/Cristal Light Source 1 E27 G45 max. 15W Bulb incl. No</p>	<p>Recom. Bulb 17462 Class II IP 20 Cable 1.5 MT</p>	<p>150°  </p>
--	--	---	--










Floor/Suelo

<p>● ● 20336-119 Satin Black/Negro Satinado + Opal</p>	<p>Body Steel/Acero</p>	<p>Recom. Bulb 17463</p>
<p>● ● 20336-120 Satin Black/Negro Satinado + Shiny</p>	<p>Shade Glass/Cristal</p>	<p>Class II</p>
<p>Black/Negro Brillo</p>	<p>Light Source 1 E27 max. 15W</p>	<p>IP 20</p>
	<p>Bulb incl. No</p>	<p>Cable 2 MT</p>








Suspension/Suspensión

<ul style="list-style-type: none"> ● ● 20339-116 Satin Black/Negro Satinado + Opal ● ● 20339-117 Satin Black/Negro Satinado + Shiny Black/Negro Brillo 	<p>Body Steel/Acero Shade Glass/Cristal Light Source 1 E27 G45 max. 15W Bulb incl. No</p>	<p>Recom. Bulb 17462 Class II IP 20 Cable 2 MT</p>
<ul style="list-style-type: none"> ● ● 20339-119 Satin Black/Negro Satinado + Opal ● ● 20339-120 Satin Black/Negro Satinado + Shiny Black/Negro Brillo 	<p>Body Steel/Acero Shade Glass/Cristal Light Source 1 E27 max. 15W Bulb incl. No</p>	<p>Recom. Bulb 17463 Class II IP 20 Cable 2 MT</p>





20339-116
20339-117




20339-119
20339-120






Suspension/Suspensión

<ul style="list-style-type: none"> ● ● 20338-116 Satin Black/Negro Satinado + Opal ● ● 20338-117 Satin Black/Negro Satinado + Shiny Black/Negro Brillo 	<p>Body Steel/Acero Shade Glass/Cristal Light Source 3 E27 G45 max. 15W Bulb incl. No</p>	<p>Recom. Bulb 17462 Class II IP 20 Cable 2 MT</p>
<ul style="list-style-type: none"> ● ● 20338-119 Satin Black/Negro Satinado + Opal ● ● 20338-120 Satin Black/Negro Satinado + Shiny Black/Negro Brillo 	<p>Body Steel/Acero Shade Glass/Cristal Light Source 3 E27 max. 15W Bulb incl. No</p>	<p>Recom. Bulb 17463 Class II IP 20 Cable 2 MT</p>



20338-116
20338-117



20338-119
20338-120



Venice

by Adolfo Abejón








Surface/Superficie

- 64270 White/Blanco
- 64271 Shiny Black/Negro Brillo
- 64272 Pink/Rosa
- 64273 Black & White Gloss/Blanco y Negro Brillo
- 64274 Blue/Azul

Body Aluminium/Aluminio
Shade Ceramic/Cerámica
Light Source 1 E27 max. 15W
Bulb incl. No

Recom. Bulb 17063
Class II
IP 20








Table/Mesa

- 64276-111 White/Blanco
- 64276-112 Shiny Black/Negro Brillo
- 64276-113 Pink/Rosa
- 64276-114 Black & White Gloss/Blanco y Negro Brillo
- 64276-115 Blue/Azul

Body Steel/Acero
Shade Ceramic/Cerámica
Light Source 1 E27 max. 15W
Bulb incl. No

Recom. Bulb 17063
Class II
IP 20
Cable 1.5 MT








Floor/Suelo

- 64275-111 White/Blanco
- 64275-112 Shiny Black/Negro Brillo
- 64275-113 Pink/Rosa
- 64275-114 Black & White Gloss/Blanco y Negro Brillo
- 64275-115 Blue/Azul

Body Steel+Ceramic/Acero+Ceramica
Shade Ceramic/Cerámica
Light Source 1 E27 max. 15W
Bulb incl. No

Recom. Bulb 17063
Class II
IP 20
Cable 2 MT








Suspension/Suspensión

● 64259 Blue/Azul

Body Steel+Ceramic/Acero+Ceramica
Shade Ceramic/Cerámica
Light Source 1 E27 max. 15W
Bulb incl. No

Recom. Bulb 17463
Class II
IP 20
Cable 2.5 MT





Confetti

by Nutcreatives




Surface & Ceiling/ Superficie & Techo


<ul style="list-style-type: none"> ● 62173-50 White & Black/Blanco y Negro ● 62173-52 Multicolored shavings/Virutas multicolor 	<p>Body Aluminium/Aluminio Shade Recycled PET/PET Reciclado Light Source 1 E27 max. 15W Bulb incl. No</p>	<p>Recom. Bulb 17463 Class II IP 20</p>
<ul style="list-style-type: none"> ● 62174-50 White & Black/Blanco y Negro ● 62174-52 Multicolored shavings/Virutas multicolor 	<p>Body Aluminium/Aluminio Shade Recycled PET/PET Reciclado Light Source 1 E27 max. 15W Bulb incl. No</p>	<p>Recom. Bulb 17463 Class II IP 20</p>
<ul style="list-style-type: none"> ● 62173-51 White & Black/Blanco y Negro 	<p>Body Aluminium/Aluminio Shade Recycled PET/PET Reciclado Light Source 1 E27 max. 15W Bulb incl. No</p>	<p>Recom. Bulb 17464 Class II IP 20</p>
<ul style="list-style-type: none"> ● 62174-51 White & Black/Blanco y Negro 	<p>Body Aluminium/Aluminio Shade Recycled PET/PET Reciclado Light Source 1 E27 max. 15W Bulb incl. No</p>	<p>Recom. Bulb 17464 Class II IP 20</p>




62173-50
62173-52



62174-50
62174-52



62173-51



62174-51



Costas

by Àlex & Manel Lluscà









Surface & Ceiling/ Superficie & Techo


<p>● ● 62173-78 Matt Black/Negro Mate + Rattan/Ratán</p>	<p>Body Aluminium/Aluminio Shade Rattan/Ratán Light Source 1 E27 max. 15W Bulb incl. No</p>	<p>Recom. Bulb 17071 Class II IP 20</p>
<p>● ● 62173-69 Matt Black/Negro Mate + Rattan/Ratán</p>	<p>Body Aluminium/Aluminio Shade Rattan/Ratán Light Source 1 E27 max. 15W Bulb incl. No</p>	<p>Recom. Bulb 17071 Class II IP 20</p>
<p>● ● 62174-78 Matt Black/Negro Mate + Rattan/Ratán</p>	<p>Body Aluminium/Aluminio Shade Rattan/Ratán Light Source 1 E27 max. 15W Bulb incl. No</p>	<p>Recom. Bulb 17072 Class II IP 20</p>
<p>● ● 62174-69 Matt Black/Negro Mate + Rattan/Ratán</p>	<p>Body Aluminium/Aluminio Shade Rattan/Ratán Light Source 1 E27 max. 15W Bulb incl. No</p>	<p>Recom. Bulb 17072 Class II IP 20</p>




62173-78



62173-69



62174-78



62174-69



Shoku


by Ernest Perera Studio




Ceiling / Techo

<ul style="list-style-type: none"> ● ● 64277 White/Blanco + White/Blanco ● ● 64278 White/Blanco + Black/Negro ● ● 64279 Black/Negro + Black/Negro ● ● 64280 Light Grey/Gris Claro + White/Blanco 	<p>Body Aluminium/Aluminio Diff Opal White PMMA/PMMA Blanco Opal Light Source SMD LED 24W 2700K Voltage (V/Hz) 220V-240V/50-60Hz</p>	<p>CRI >90 Class II IP 20</p>	
--	---	---	--

<ul style="list-style-type: none"> ● ● 64281 White/Blanco + White/Blanco ● ● 64282 Black/Negro + Black/Negro 	<p>Body Aluminium/Aluminio Diff Opal White PMMA/PMMA Blanco Opal Light Source 40W 2700K Voltage (V/Hz) 220V-240V/50-60Hz</p>	<p>CRI >90 Class II IP 20</p>	
--	---	---	--



64277
64278
64279
64280



64281
64282



Click





Recessed/Empotrables

- 43600 Matt White/Blanco Mate
- 43601 Matt Black/Negro Mate

Body Aluminium/Aluminio
Diff Transparent PC/PC Transparente
Light Source SMD LED 3W 2700K 252lm
Voltage (V/Hz) 100V-240V/50-60Hz

CRI 85
Class II
IP 20
Cut out 80





Otton








Surface/Superficie

- 66400-98 Matt White/Blanco Mate + Jute/Yute
- 66400-102 Matt White/Blanco Mate + Jute/Yute
- 66400-106 Matt White/Blanco Mate + Jute/Yute
- 66401-100 Matt White/Blanco Mate + Jute/Yute
- 66401-104 Matt White/Blanco Mate + Jute/Yute
- 66401-108 Matt White/Blanco Mate + Jute/Yute
- 66401-110 Matt White/Blanco Mate + Jute/Yute

Body Steel/Acero
Shade Jute/Yute
Light Source 1 E27 max. 15W
Bulb incl. No

Recom. Bulb 17463
Class I
IP 20








Surface/Superficie

- 66400-97 Matt White/Blanco Mate + Linen/Lino
- 66400-101 Matt White/Blanco Mate + Linen/Lino
- 66400-105 Matt White/Blanco Mate + Linen/Lino
- 66401-99 Matt White/Blanco Mate + Linen/Lino
- 66401-103 Matt White/Blanco Mate + Linen/Lino
- 66401-107 Matt White/Blanco Mate + Linen/Lino
- 66401-109 Matt White/Blanco Mate + Linen/Lino

Body Steel/Acero
Shade Linen/Lino
Light Source 1 E27 max. 15W
Bulb incl. No

Recom. Bulb 17463
Class I
IP 20





Inviting

by Bohman And Folenius




Surface/Superficie

- 57318 Matt White/Blanco Mate
- 57319 Matt Black/Negro Mate
- 57320 Yellow/Amarillo

Body Aluminium/Aluminio
Diff Transparent PMMA/PMMA Transparente
Light Source SMD LED 6W 410lm
Dimmable K 2700 - 4800K

CRI >80
Class II
Voltage (V/Hz) 100V-240V/50-60Hz
IP 20
Cable 1.9 MT



**outdoor
exterior**



new arrivals

outdoor / exterior

Saigon

by Nahtrang








Floor/Suelo


- ● 71569-10 Dark Grey/Gris Oscuro + Beige
- ● 71569-09 Dark Grey/Gris Oscuro + Beige
- ● 71575-09 Dark Grey/Gris Oscuro + Beige

Body Aluminium+Concrete/Aluminio+Cemento
Shade PP
Diff Opal PEMD/PEMD Opal
Light Source 1 E27 max. 15W
Bulb incl. No


Recom. Bulb 17463
Class II
IP 44
Cable 2 MT



71569-10



71569-09



71575-09





Spike/Estaca

● ● 71575P-09 Dark Grey/Gris Oscuro + Beige

Body Aluminium+Concrete/Aluminio+Cemento

Shade PP

Diff Opal PEMD/PEMD Opal

Light Source 1 E27 max. 15W


Bulb incl. No

Recom. Bulb 17463

Class II

IP 44

Cable 2 MT








Suspended/Suspensión


- 71579C-09 Dark Grey/Gris Oscuro + Beige
- 71579H-09 Dark Grey/Gris Oscuro + Beige
- 71584-10 Dark Grey/Gris Oscuro + Beige
- 71584-09 Dark Grey/Gris Oscuro + Beige

Body Aluminium+Concrete/Aluminio+Cemento
Shade PP
Diff Opal PEMD/PEMD Opal
Light Source 1 E27 max. 15W
Bulb incl. No


Recom. Bulb 17463
Class II
IP 44
Cable 3 MT



71579C-09
71579H-09



71584-10



71584-09



Totem




reddot winner 2023

by Roger Vancells



Floor/Suelo

<ul style="list-style-type: none"> ● 75550 Grey Cement/Cemento Gris · 2700K ● 75551 Grey Cement/Cemento Gris · 3000K 	<p>Body Concrete/Cemento Light Source SMD LED 6,5W370lm Voltage (V/Hz) 220V-240V/50-60Hz</p>	<p>CRI >=80 Class II IP 55 IK 06</p>	Driver ✓
<ul style="list-style-type: none"> ● 75552 Grey Cement/Cemento Gris · 2700K ● 75553 Grey Cement/Cemento Gris · 3000K 	<p>Body Concrete/Cemento Light Source SMD LED 6,5W370lm Voltage (V/Hz) 220V-240V/50-60Hz</p>	<p>CRI >=80 Class II IP 55 IK 06</p>	Driver ✓





Balic

by Yembarastudio



Floor/Suelo

● 70295 Black/Negro

Body Aluminium/Aluminio
Diff Prism Glass/Cristal Prismático
Light Source SMD LED 8W 813/870/896lm
Voltage (V/Hz) 220V-240V/50-60Hz

CRI >=80
Class II
IP 65

Driver ✓

Surface/Superficie



● 70294 Black/Negro

Body Aluminium/Aluminio
Diff Prism Glass/Cristal Prismático
Light Source SMD LED 8W 813/870/896lm
Voltage (V/Hz) 220V-240V/50-60Hz

CRI >=80
Class II
IP 65

Driver ✓

CCT OPTIONS ● 2700K
 ● 3000K
 ● 4000K





Bezel



Floor/Suelo

● 70247 Matt Black/Negro Mate

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente
Light Source COB LED 8W 2700K 349lm
Voltage (V/Hz) 220V-240V/50-60Hz

CRI >=90
Class I
IP 65
IK 06
Cable 1.2 MT

Driver ✓


Spike/Estaca

● 70248 Matt Black/Negro Mate


Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente
Light Source COB LED 8W 2700K 349lm
Voltage (V/Hz) 220V-240V/50-60Hz

CRI >=90
Class I
IP 65
IK 06
Cable 1.2 MT

Driver ✓



70247



70248



Bambou




Spike/Estaca

- 75556 Matt Black/Negro Mate
- 75557 Matt Black/Negro Mate

Body Aluminium/Aluminio
 Light Source LIGHT MODULE 8W 2200K 606lm
 Voltage (V/Hz) 200V-250V/50-60Hz
 Beam angle 360°

CRI >=80
 Class I
 IP 65
 IK 06
 Cable 0.2MT

Driver





Spy




Spike/Estaca

● 70787 Dark Grey/Gris Oscuro

Body Aluminium+PC/Aluminio+PC
Diff Opal Glass/Cristal Opal
Light Source COB LED 6W 3000K 495lm
Voltage (V/Hz) 220V-240V/50Hz
Beam angle 30°

Class I
IP 65
IK 05
Cable 2MT

350°
Driver ✓









Muur




Spike&Projector/Estaca y Proyector

<p>● 71770 Dark Grey/Gris Oscuro</p>	<p>Body Aluminium/Aluminio Diff Transparent Glass/Cristal Transparente Light Source SMD LED 21W 3000K 1337lm Voltage (V/Hz) 220V-240V/50-60Hz</p>	<p>CRI >=80 Class I IP 65 IK 06 Beam angle 36°</p>	<p>SEA SIDE SUITABLE  30°  Driver ✓ 10</p>
<p>● 71771 Dark Grey/Gris Oscuro</p>	<p>Body Aluminium/Aluminio Diff Transparent Glass/Cristal Transparente Light Source SMD LED 29W 3000K 1877lm Voltage (V/Hz) 220V-240V/50-60Hz</p>	<p>CRI >=80 Class I IP 65 IK 06 Beam angle 36°</p>	<p>SEA SIDE SUITABLE  30°  Driver ✓ 10</p>

Visor accessory/Accesorio visera

- **71770V** Dark Grey/Gris Oscuro
- **71771V** Dark Grey/Gris Oscuro





Tond 1L




Surface/Superficie

- 71915 Dark Grey/Gris Oscuro · 2700K
- 71916 Dark Grey/Gris Oscuro · 3000K

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente
Light Source COB LED 6W 195lm
Voltage (V/Hz) 220V-240V/50-60Hz

CRI ≥ 80
Class I
IP 54
IK 06
Beam angle 50°

Driver ✓



106/4.17\"/>



Tond 2L




Surface/Superficie


- 71917 Dark Grey/Gris Oscuro · 2700K
- 71918 Dark Grey/Gris Oscuro · 3000K

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente
Light Source COB LED 2x6W 542lm
Voltage (V/Hz) 220V-240V/50-60Hz

CRI >=80
Class I
IP 54
IK 06
Beam angle 50°

Driver ✓






Anga



Ceiling/Techo

<ul style="list-style-type: none"> ● 72352 White/Blanco ● 72353 Dark Grey/Gris Oscuro 	<p>Body Concrete/Cemento Diff Opal White PMMA/PMMA Blanco Opal Light Source SMD LED 18W 2700K 1300lm Voltage (V/Hz) 220V-240V/50-60Hz</p>	<p>CRI >=80 Class I IP 44 IK 04</p>	<p>Driver ✓</p>
<ul style="list-style-type: none"> ● 72354 White/Blanco ● 72355 Dark Grey/Gris Oscuro 	<p>Body Concrete/Cemento Diff Opal White PMMA/PMMA Blanco Opal Light Source SMD LED 24W 2700K 1794lm Voltage (V/Hz) 220V-240V/50-60Hz</p>	<p>CRI >=80 Class I IP 44 IK 04</p>	<p>Driver ✓</p>



**fan
ventilación**



Heywood

Available for
projects and
smart version

by Faro Lab






Heywood · ø90 CM.

- ● **33806 / 33806WP** Matt Black/Negro Mate
Blades Dark Oak/Roble Oscuro
- ● **33805 / 33805WP** Matt White/Blanco Mate
Blades Maple/Arce

Material Body Steel/Acero
Material Blades Wood/Madera

W 5.2-7.3-12.2-17.4-23.2-31.6
RPM 123-166-204-242-267-300
Airflow 128 m3 min
V/Hz 220V-240V/50-60Hz



A	A1
268/10.55"	223/8.78"
B	C
82/3.23"	100/3.94"
D	E
59/2.3"	132/5.2"
F	G
ø1320/52"	




Heywood · ø132 CM.

- ● **33809 / 33809WP** Matt Black/Negro Mate
Blades Dark Oak/Roble Oscuro
- ● **33810 / 33810WP** Matt White/Blanco Mate
Blades Maple/Arce

Material Body Steel/Acero
Material Blades Wood/Madera

W 5.7-7.1-11.7-17.4-22.9-30.6
RPM 68-92-115-133-145-158
Airflow 128 m3 min
V/Hz 220V-240V/50-60Hz



A	A1
268/10.55"	223/8.78"
B	C
82/3.23"	100/3.94"
D	E
59/2.3"	132/5.2"
F	G
ø900/35.4"	



Amelia

Available for
projects and
smart version

by Héctor Serrano








- ● 33760 / 33760WP Matt White/Blanco Mate
- ● 33761 / 33761WP Matt Black/Negro Mate
- ● 33762 / 33762WP Grey/Gris

Material Body Steel/Acero
Material Blades ABS
Downrods 200

W 5-7-10-15-19-28
RPM 69-99-123-143-162-189
Airflow 153 m3 min
V/Hz 50/60Hz/50-60Hz



A	A1
320/12.6"	270/10.63"
B	C
100/3.94"	123/4.84"
D	E
60/2.4"	130/5.12"
F	G
∅1320/52"	635/25"






- ● 33760-22 / 33760WP-22 Matt White/Blanco Mate
- ● 33761-23 / 33761WP-23 Matt Black/Negro Mate
- ● 33762-24 / 33762WP-24 Grey/Gris

Material Body Steel/Acero
Material Blades ABS
Downrods 200

W 5-7-10-15-19-28
RPM 69-99-123-143-162-189
Airflow 153 m3 min
V/Hz 50/60Hz/50-60Hz

Light SMD LED 20W 965lm
Dimmable K 2700K/796lm -3500K/965lm
-5000K/915lm
CRI >80
Driver incl. Yes
Diff PC



A	A1
430/16.93"	270/10.63"
B	C
219/8.62"	123/4.84"
D	E
60/2.4"	130/5.12"
F	G
ø1320/52"	635/25"






- ● 33760-25 / 33760WP-25 Matt White/Blanco Mate
- ● 33761-26 / 33761WP-26 Matt Black/Negro Mate
- ● 33762-27 / 33762WP-27 Grey/Gris

Material Body Steel/Acero
Material Blades ABS
Downrods 200

W 5-7-10-15-19-28
RPM 69-99-123-143-162-189
Airflow 153 m3 min
V/Hz 50/60Hz/50-60Hz

Light SMD LED 20W 2700K 1056lm
CRI >80
Driver incl. Yes
Diff Glass/Cristal



A	A1
510/20.08"	270/10.63"
B	C
297/11.69"	123/4.84"
D	E
60/2.4"	130/5.12"
F	G
∅1320/52"	635/25"

new finishes & functions

nuevos acabados y funciones

Rob




Surface/Superficie

- 68508 White/Blanco
- 68509 Black/Negro

Body Steel+Aluminium/Acero+Aluminio
Light Source HIGH POWER LED 3W 3000K
160lm

CRI >80
Class II
Voltage (V/Hz) 100V-240V/50-60Hz
IP 20



Gala




Surface/Superficie

● 63506 Matt Black/Negro Mate

Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal
Light Source 1 G9 max. 6W
Bulb incl. No

Recom. Bulb 17495
Class II
IP 44





Jasper Morrison A Book of Things

Dieter Rams: As Little Design as Possible

Anouk




Table / Mesa

● 53416 Shiny White/Blanco Brillo

Body ABS
Diff Translucent/Translúcido
Light Source SMD LED 8W
Dimmable K 2700K-6500K

Class II
Voltage (V/Hz) 100V-240V/50-60Hz





Lantau

DC models
also available
for projects and
smart version






Mini Lantau · ø107 CM.

- 33508DCWP Satin Nickel/Níquel Satinado
Blades Walnut/Nogal
- 33509DCWP Satin Nickel/Níquel Satinado
Blades Pine/Pino
- 33517DCWP Matt Black/Negro Mate
Blades Walnut/Nogal

Material Body Steel/Acero
Material Blades Wood/Madera

W 3-5-7-10-15-21
RPM 72-104-131-164-193-224
Airflow 143.2 m3 min
V/Hz 220V-240V/50Hz
Accesories 33974 DC Wall Control



A	A1
340/13.39"	300/11.81"
B	C
110/4.33"	
D	E
65/2.6"	150/5.91"
F	G
ø1070/42.1"	460/18.11"

new finishes



Lantau · ø132 CM.

- 33370DCWP Satin Nickel/Níquel Satinado
Blades Dark Walnut/Nogal Oscuro
- 33373DCWP Satin Nickel/Níquel Satinado
Blades Pine/Pino
- 33516DCWP Matt Black/Negro Mate
Blades Dark Walnut/Nogal Oscuro
- 33561DC /33561DCWP Matt White/Blanco Mate
Blades Pine/Pino
- 33562DC/33562DCWP Brown/Marrón
Blades Pine/Pino

Material Body Steel/Acero
Material Blades Wood/Madera
Downrods Page 810


W 5-8-12-17-27-35
RPM 82-102-125-145-170-188
Airflow 147.56 m3 min
V/Hz 220V-240V/50Hz
Accesories 33974 DC Wall Control

With light/con luz

- 33518DCWP Satin Nickel/Níquel Satinado
Dark Walnut/Nogal Oscuro
- 33560DCWP Satin Nickel/Níquel Satinado
Blades Pine/Pino

Material Body Steel/Acero
Material Blades Wood/Madera
Downrods Page 810

Light SMD LED 15W 3000K 900lm
CRI >80
Driver incl. Yes
Diff Glass/Cristal



A	A1
330/12.99"	320/12.6"
B	C
165/6.5"	160/6.3"
D	E
70/2.8"	160/6.3"
F	G
ø1320/52"	660/25.98"





Lantau · ø168 CM.

- ● **33464DCWP** Satin Nickel/Níquel Satinado
Blades Dark Walnut/Nogal Oscuro
- ● **33504DCWP** Satin Nickel/Níquel Satinado
Blades Pine/Pino

Material Body Steel/Acero
Material Blades Wood/Madera


W 6-9-11-17-24-35
RPM 75-89-98-115-129-146
Airflow 261.6 m3 min
V/Hz 220V-240V/50Hz
Accessories 33974 DC Wall Control

With light/con luz

- ● **33505DCWP** Satin Nickel/Níquel Satinado
Blades Pine/Pino

Material Body Steel/Acero
Material Blades Wood/Madera
Downrods Page 810

Light SMD LED 15W 3000K 900lm
CRI >80
Driver incl. Yes
Diff Glass/Cristal



A	A1
410/16.14"	335/13.19"
B	C
180/7.09"	
D	E
70/2.8"	150/5.91"
F	G
ø1680/66.1"	840/33.07"

Headquarters

Dinámica 1 / 08755 /
Castellbisbal

Showroom

Princesa 52 / 08003 /
Barcelona

Docontract MAD

Velázquez, 35, 4ºD / 28001 /
Madrid

Showroom París

7 Rue d'Uzès / 75002 /
París

faro@lorefar.com
faro.es